

P. 003

PERMIT NUMBER

Model: Kyle Kramer User:
Includes Mobile Phone # 386-397-0585


number _____
 includes Mobile P# _____
 Address of home _____
 person being invited _____

Manufacturer	Loire O&K	Length x width	14 x 576
--------------	-----------	----------------	----------

NOTE: If there is a single side SW cut on left of the blocking plate
If there is a triple or quad side stroke in remainder of frame

Underground Lateral Arm Systems cannot be used on any bottom (new or used) where the allowed flex exceeds 4 in.

Keywords: *workplace spirituality, organizational commitment, organizational citizenship behaviors, turnover intentions, organizational trust*



☒ New Home ☐ Used Home ☐

Single wide	☒	Wind Zone II	☒	Wind Zone III	
Double wide	☐	Insulation Detail #		11908.33	
Triple Quad	☐	Section		Ordinal	4

Product	Typical	Realistic
1. Product		
2. Product		
3. Product		
4. Product		
5. Product		
6. Product		
7. Product		
8. Product		
9. Product		
10. Product		
11. Product		
12. Product		
13. Product		
14. Product		
15. Product		
16. Product		
17. Product		
18. Product		
19. Product		
20. Product		
21. Product		
22. Product		
23. Product		
24. Product		
25. Product		
26. Product		
27. Product		
28. Product		
29. Product		
30. Product		
31. Product		
32. Product		
33. Product		
34. Product		
35. Product		
36. Product		
37. Product		
38. Product		
39. Product		
40. Product		
41. Product		
42. Product		
43. Product		
44. Product		
45. Product		
46. Product		
47. Product		
48. Product		
49. Product		
50. Product		
51. Product		
52. Product		
53. Product		
54. Product		
55. Product		
56. Product		
57. Product		
58. Product		
59. Product		
60. Product		
61. Product		
62. Product		
63. Product		
64. Product		
65. Product		
66. Product		
67. Product		
68. Product		
69. Product		
70. Product		
71. Product		
72. Product		
73. Product		
74. Product		
75. Product		
76. Product		
77. Product		
78. Product		
79. Product		
80. Product		
81. Product		
82. Product		
83. Product		
84. Product		
85. Product		
86. Product		
87. Product		
88. Product		
89. Product		
90. Product		
91. Product		
92. Product		
93. Product		
94. Product		
95. Product		
96. Product		
97. Product		
98. Product		
99. Product		
100. Product		

PER SPACING TABLE FOR USED HOMES

Loose bearing capacity	Filler size (in in)	19" x 14" (483)	16 1/2" x 10 12" (343)	20" x 20" (483)	20" x 25" (483)	24" x 24" (575)	35" x 20" (875)
1800 psi	3"	5'	4'	6'	6'	7'	8'
1700 psi	4 1/2"	4'	3'	7'	6'	8'	8'
2000 psi	5'	5'	4'	8'	6'	9'	8'
2500 psi	7 1/2"	6'	5'	9'	6'	10'	8'
3000 psi	8'	6'	6'	10'	6'	10'	8'
3500 psi	8'	6'	6'	10'	6'	10'	8'

* Interpolated from Rule 15C-1 per spacing table.

175425

Безопасность информации

(Copy and fill in your name and address and send to the publisher.)

Only the superlative locations of meetings well-attended 4 foot or greater. Use this awarded to show the point.

Get all mortgages and operating expenses taken & paid their plan card shows below.

Operating

Operating

49 50

FRAME TIES

within 2' of end of bore
measured at 3' 4" DC

THE DOWN COMPONENTS


ORIGINALITY SUBMITTING DESIGN & DATA

CONFIDENTIAL
SPECIAL AGENT IN CHARGE
FEDERAL BUREAU OF INVESTIGATION
U. S. DEPARTMENT OF JUSTICE
WASHINGTON, D. C. 20535

OTIS

Stations	Longitudinal	Latitude	Longitude	Altitude
1	13	13	13	13
2	13	13	13	13
3	13	13	13	13
4	13	13	13	13
5	13	13	13	13
6	13	13	13	13
7	13	13	13	13
8	13	13	13	13
9	13	13	13	13
10	13	13	13	13
11	13	13	13	13
12	13	13	13	13
13	13	13	13	13
14	13	13	13	13
15	13	13	13	13
16	13	13	13	13
17	13	13	13	13
18	13	13	13	13
19	13	13	13	13
20	13	13	13	13
21	13	13	13	13
22	13	13	13	13
23	13	13	13	13
24	13	13	13	13
25	13	13	13	13
26	13	13	13	13
27	13	13	13	13
28	13	13	13	13
29	13	13	13	13
30	13	13	13	13
31	13	13	13	13
32	13	13	13	13
33	13	13	13	13
34	13	13	13	13
35	13	13	13	13
36	13	13	13	13
37	13	13	13	13
38	13	13	13	13
39	13	13	13	13
40	13	13	13	13
41	13	13	13	13
42	13	13	13	13
43	13	13	13	13
44	13	13	13	13
45	13	13	13	13
46	13	13	13	13
47	13	13	13	13
48	13	13	13	13
49	13	13	13	13
50	13	13	13	13
51	13	13	13	13
52	13	13	13	13
53	13	13	13	13
54	13	13	13	13
55	13	13	13	13
56	13	13	13	13
57	13	13	13	13
58	13	13	13	13
59	13	13	13	13
60	13	13	13	13
61	13	13	13	13
62	13	13	13	13
63	13	13	13	13
64	13	13	13	13
65	13	13	13	13
66	13	13	13	13
67	13	13	13	13
68	13	13	13	13
69	13	13	13	13
70	13	13	13	13
71	13	13	13	13
72	13	13	13	13
73	13	13	13	13
74	13	13	13	13
75	13	13	13	13
76	13	13	13	13
77	13	13	13	13
78	13	13	13	13
79	13	13	13	13
80	13	13	13	13
81	13	13	13	13
82	13	13	13	13
83	13	13	13	13
84	13	13	13	13
85	13	13	13	13
86	13	13	13	13

Page 1 of 2



22 SUPPORT PIERTYP

FOUNDATION NOTES:

- THIS DRAWING IS DESIGNED FOR THE STANDARD WIND ZONE AND IS TO BE USED IN CONJUNCTION WITH THE INSTALLATION MANUAL AND ITS SUPPLEMENTS.
- FOOTINGS ARE SHOWN FOR EXAMPLE ONLY QUANTITY AND SPACING MAY VARY BASED ON PAD TYPE, SOIL CONDITION, ETC.

Live Oak Homes
MODEL: V-5562K - 16 X 60
2-BEDROOM / 2-BATH

(95-1/2" I-BEAM SPACING)
V-5562K

License Number: IH / 1038219 / 1 Name: RUSTYL KNOWLES		
Order #: 6566	Label #: 119093	Manufacturer:
Homeowner:	Year Model:	(Check Size of Home)
Address:	Length & Width:	Single _____
City/State/Zip:	Type Longitudinal System:	Double _____
Phone #:	Type Lateral Arm System:	Triple _____
Date Installed:	New Home: _____ Used Home: _____	HUD Label #:
Installed Wind Zone:	Data Plate Wind Zone:	Soil Bearing / PSF:
Note:		Torque Probe / in-lbs:
		Permit #:

**STATE OF FLORIDA
INSTALLATION CERTIFICATION LABEL**

119093	
LABEL #	DATE OF INSTALLATION
RUSTYL L. KNOWLES	
NAME	
IH / 1038219 / 1	6566
LICENSE #	ORDER #
CERTIFIES THAT THE INSTALLATION OF THIS MOBILE HOME IS IN ACCORDANCE WITH FLORIDA STATUTES 320.8249, 320.8325 AND RULES OF THE HIGHWAY SAFETY AND MOTOR VEHICLES.	

INSTRUCTIONS

PLEASE WRITE DATE OF
INSTALLATION AND AFFIX
LABEL NEXT TO HUD LABEL.
USE PERMANENT INK PEN
OR MARKER ONLY.
COMPLETE INFORMATION
ABOVE AND KEEP ON FILE
FOR A MINIMUM OF 2 YEARS.
YOU ARE REQUIRED TO
PROVIDE COPIES WHEN
REQUESTED.