



ELECTRICAL LEGEND	
\$	SINGLE POLE SWITCH
\$2	DOUBLE POLE SWITCH
\$3	THREE-WAY SWITCH
\$4	FOUR-WAY SWITCH
\$DM	DIMMER SWITCH
CF	CEILING FIXTURE
SC	SCOUNCE ( WALL MOUNTED ) FIXTURE
110	110 VOLT DUPLEX OUTLET
110	110 VOLT SPLIT SWITCHED OUTLET
WP	GROUND FAULT INTERRUPT
WP	WATER PROOF W/ GROUND FAULT
220	220 VOLT OUTLET
SS	SPECIAL SERVICES OUTLET
TV	T.V. CABLE OUTLET
TR	TELEPHONE CABLE OUTLET
RL	RECESSED LIGHTING
5"	5"-6" L.E.D. SURFACE MOUNT
BF	BATH FAN
BF	BATH FAN W/ LIGHT
CM	CARBON MONOXIDE / SMOKE DETECTOR
CM	SMOKE DETECTOR
FL	FLOOD LIGHT
LS	L.E.D STRIP LIGHT
CF	CEILING FAN
CH	CEILING FAN
CH	DOOR BELL CHIMES
CH	DOOR BELL
DISP	DISPOSAL
DISC	DISCONNECT SWITCH
SP	PREWIRE SPEAKER
JB	JUNCTION BOX
T	THERMOSTAT
LV	LOW VOLTAGE LIGHTING
IS	INTERCOM SYSTEM
PB	PUSH BUTTON

- NOTES:**  
UNLESS OTHERWISE NOTED
1. ELECTRICAL OUTLET HEIGHTS AS MEASURED FROM FINISHED FLOOR TO CENTERED LINE OF THE BOX TO BE: 12" AFF (GENERAL)  
KITCHEN 44" AFF  
BATHROOM 38" AFF  
LAUNDRY ROOM 36" AFF  
EXTERIOR WATERPROOF 12" AFF  
GARAGE GENERAL PURPOSE 42" AFF  
RANGE 2" AFF
  2. ALL TRIM PLATES & DEVICES TO BE GANGED, WHERE POSSIBLE.
  3. ELECTRICAL SWITCHES TO BE AT 42" CENTERLINE ABOVE FINISHED FLOOR.
  4. ELECTRICAL PLAN IS INTENDED FOR BID PURPOSES ONLY. ALL WORK SHALL BE DONE IN STRICT ACCORDANCE WITH THE NATIONAL ELECTRIC CODE, LATEST EDITION, BY A LICENSED ELECTRICAL CONTRACTOR WHO SHALL BE RESPONSIBLE FOR THE INSTALLATION & SIZING OF ALL ELECTRICAL, WIRING & ACCESSORIES.
  5. SMOKE DETECTORS SHALL BE IN ACCORDANCE WITH FLORIDA BUILDING CODE, SECTION 907.
  6. KEEP ALL SMOKE DETECTORS MINIMUM OF 36" FROM BATHROOM DOORS
  7. IN NEW CONSTRUCTION, SMOKE DETECTORS SHALL BE HARDWIRED INTO AN A/O ELECTRICAL POWER SOURCE AND SHALL BE EQUIPPED WITH A MONITORED BATTERY BACKUP.
  8. BATHROOM EXHAUST FANS MUST VENT TO THE EXTERIOR OF THE BUILDING. ATTIC SPACE AND SOFFITS ARE NOT ACCEPTABLE.
  9. IN NEW CONSTRUCTION, SMOKE DETECTORS SHALL BE HARDWIRED INTO AN A/O ELECTRICAL POWER SOURCE AND SHALL BE EQUIPPED WITH A MONITORED BATTERY BACKUP.
  10. STOVE AND DRYER TO HAVE NEUTRAL.
  11. PROVIDE TAMPER RESISTANT RECEPTACLES WHERE APPLICABLE
  12. PROVIDE ARC-FAULT RECEPTACLES ON ALL 15 & 20 AMP NON GFCI PROTECTED CIRCUITS

ELECTRICAL PLAN  
SCALE: 1/4" = 1'-0"

PROJECT: Mccallister Residence  
Lot 2 Foxwood Subdivision  
Ft. White, FL  
Columbia County

SHEET NO.

5  
OF  
6

RANDY WIGGINS, P.E.

Professional Engineer  
State of Florida  
License No. 12589  
Exp. 12/31/2024  
Seal No. 12589  
Date: 09/20/2023  
By: Randy Wiggins, P.E.  
Title: Engineer

TCCS, llc  
Residential Design

1431 E. Wade Street  
Trenton, FL 32693  
352-274-3006  
tccsplans@gmail.com

• CAD PLAN ENTRY  
• PLAN REVISIONS  
• CUSTOM DESIGNS

03:41 AM

LAST PLOT DATE: September 20, 2023