



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A18 | Orlando, FL 32810
Phone: 407-803-4723 | Fax: 407-386-8262 | concierge@rbafia.com
Measure Tech: Jeffrey Galdikas,

Lynn Chancey
227 Sw Huntington Gln
Lake City, FL 32024
H: (386)365-1778
C: (386)365-1898

FLOORPLAN - 1ST FLOOR



UNIT NOTES

- 1 0 1** Existing marble sill
Drywall return
Brick exterior
- 1 0 1 A** Drywall return
Brick exterior
- 1 0 3** Existing marble sill
Drywall return
Brick exterior
- 1 0 4** Existing marble sill
Drywall return
Brick exterior
- 1 0 5** Interior pre-finish canvas
Aluminum siding exterior
Brick sill
- 1 0 5 A** Interior pre-finish canvas
Aluminum siding exterior
Brick sill
- 1 0 7** Existing marble sill
Drywall return
Brick exterior
- 1 0 8** Existing marble sill
Drywall return
Brick exterior
- 1 0 9** Existing marble sill
Drywall return
Brick exterior
- 1 0 9 A** Drywall return
Brick exterior
Curtains

JOB PHOTOS



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A18 | Orlando, FL 32810
Phone: 407-803-4723 | Fax: 407-386-8262 | conclerge@rbafla.com
Measure Tech: Jeffrey Galdikas,

Lynn Chancey
227 Sw Huntington Gln
Lake City, FL 32024
H: (386)365-1778
C: (386)365-1898

ID#	ROOM	SIZE		DETAILS
103	bed 1	46" 46-1/2"	59" 58-3/4"	Window: Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior Canvas, Interior Canvas Performance Calculator: PG Rating: 30 DP Rating: + 30 / - 30 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: Canvas, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: Exterior Trim (per opening) (1), Interior Trim (per opening) (1) Material: 2.25" x 5/8" L-Trim, (12 ft), Canvas (2), Caulk - Canvas Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
108	garage	47" 46-3/4"	59" 58-3/8"	Window: Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior Canvas, Interior Canvas Performance Calculator: PG Rating: 30 DP Rating: + 30 / - 30 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: Canvas, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: Exterior Trim (per opening) (1), Interior Trim (per opening) (1) Material: 2.25" x 5/8" L-Trim, (12 ft), Canvas (2), Caulk - Canvas Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
109	dinning	47" 45-7/8"	59" 58-5/8"	Window: Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior Canvas, Interior Canvas Performance Calculator: PG Rating: 30 DP Rating: + 30 / - 30 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: Canvas, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: Exterior Trim (per opening) (1), Interior Trim (per opening) (1) Material: 2.25" x 5/8" L-Trim, (12 ft), Canvas (2), Caulk - Canvas Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A18 | Orlando, FL 32810
Phone: 407-803-4723 | Fax: 407-386-8262 | concierge@rbafia.com
Measure Tech: Jeffrey Galdikas,

Lynn Chancey
227 Sw Huntington Gln
Lake City, FL 32024
H: (386)365-1778
C: (386)365-1898

ID#	ROOM	SIZE		DETAILS
JOB				
104	bed 2	35" 34-3/4"	59" 58-5/8"	Window: Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior Canvas, Interior Canvas Performance Calculator: PG Rating: 30 DP Rating: + 30 / - 30 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: Canvas, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: Exterior Trim (per opening) (1), Interior Trim (per opening) (1) Material: 2.25" x 5/8" L-Trim, (12 ft), Canvas (2), Caulk - Canvas Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
107	bed 3	70" 69-7/8"	59" 58-1/2"	Window: Gliding, Double, 1:1, Active / Passive, Base Frame, Exterior Canvas, Interior Canvas Performance Calculator: PG Rating: 20 DP Rating: + 20 / - 20 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: Canvas, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: Exterior Trim (per opening) (1), Interior Trim (per opening) (1) Material: F-Trim, (12 ft), Canvas (2), Caulk - Canvas Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Glider Clips (8)
105	back porch	95-1/4" 95-1/4"	79-1/2" 79-1/2"	Patio Door: Gliding, 200 Series Narroline, 2 Panel, Stationary / Active, Exterior Canvas, Interior Pine Performance Calculator: PG Rating: 25 DP Rating: + 25 / - 25 Glass: All Sash: Tempered High Perf. SmartSun Glass Hardware: Albany, Black Screen: No Screen Grille Style: No Grille Misc: Pre finish 2 panel door, Canvas Construction: Exterior Trim (per opening) (1), Interior Trim (per opening) (1) Material: 2.25" x 5/8" L-Trim, (12 ft), Canvas (2), Caulk - Canvas Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Power Grab Adhesive (1)



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A18 | Orlando, FL 32810
Phone: 407-803-4723 | Fax: 407-386-8262 | concierge@rbafia.com
Measure Tech: Jeffrey Galdikas,

Lynn Chancey
227 Sw Huntington Gln
Lake City, FL 32024
H: (386)365-1778
C: (386)365-1898

ID#	ROOM	SIZE	DETAILS
105A	back porch	47-3/4" 79-1/2" 47-3/4" 79-1/2"	Patio Door: Gilding, 200 Series Narroline, 1 Panel, Stationary, Exterior Canvas, Interior Pine Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: Tempered High Perf. SmartSun Glass Grille Style: No Grille Misc: Pre finish 1 panel door, Canvas Construction: Exterior Trim (per opening) (1), Interior Trim (per opening) (1), Mull (per mull) (1) Material: 2.25" x 5/8" L-Trim, (12 ft), Canvas (2), Caulk - Canvas Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Power Grab Adhesive (1), Mull Kit, Canvas (1)
101	office	47" 59" 46-1/2" 58-5/8"	Window: Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior Canvas, Interior Canvas Performance Calculator: PG Rating: 30 DP Rating: + 30 / - 30 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: Canvas, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: Exterior Trim (per opening) (1), Interior Trim (per opening) (1) Material: 2.25" x 5/8" L-Trim, (12 ft), Canvas (2), Caulk - Canvas Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
101A	office	47" 23" 46-1/2" 23"	Specialty: Circle Top, Base Frame, Exterior Canvas, Interior Canvas Performance Calculator: PG Rating: 50 DP Rating: + 50 / - 50 Glass: All Sash: High Performance SmartSun Glass, No Pattern Grille Style: No Grille Misc: None Construction: Exterior Trim (per opening) (1), Interior Trim (per opening) (1), Specialty window (per unit) Added to UI Rate (1), Mull (per mull) (1) Material: 2.25" x 5/8" L-Trim, (12 ft), Canvas (1), Specialty Radiused Wide L-Trim (match exterior color) (1), Caulk - Canvas Exterior (1), Interior Caulk- White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Mull Kit, Canvas (1)



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A18 | Orlando, FL 32810
Phone: 407-803-4723 | Fax: 407-386-8262 | concierge@rbafia.com
Measure Tech: Jeffrey Galdikas,

Lynn Chancey
227 Sw Huntington Gln
Lake City, FL 32024
H: (386)365-1778
C: (386)365-1898

ID#	ROOM	SIZE	DETAILS
109A	dinning	47" 23" 45-7/8" 23"	Specialty: Circle Top, Base Frame, Exterior Canvas, Interior Canvas Performance Calculator: PG Rating: 50 DP Rating: + 50 / - 50 Glass: All Sash: High Performance SmartSun Glass, No Pattern Grille Style: No Grille Misc: None Construction: Exterior Trim (per opening) (1), Interior Trim (per opening) (1), Specialty window (per unit) Added to UI Rate (1), Mull (per mull) (1) Material: 2.25" x 5/8" L-Trim, (12 ft), Canvas (1), Specialty Radiused Wide L-Trim (match exterior color) (1), Caulk - Canvas Exterior (1), Interior Caulk-White (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Mull Kit, Canvas (1)

PRODUCTS: 10 WINDOWS: 6 PATIO DOORS: 2 SPECIALTY: 2 MISC: 0

Updated 3/10/22

JOB NOTES

Existing marble sill
Drywall return
Brick exterior
Blinds
Curtains
Patio door
-Interior pre-finish canvas
Aluminum siding exterior
Brick sill
2 1/4" colonial casing
Estimated Duration: 4 days