258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024



258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

jueves, 04 abril 2024


SYNTHETIC ROOFING UNDERLAYMENT
PRO GUARD 20
ABC
OVERLAP LINE
LÍNEA DE SUPERPOSICIÓN
Meets the Following: ASTM D226 Type II.
258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

jueves, 04 abril 2024

258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

217 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

217 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024


PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT
ABC
Supply Co. inc.
OVERLAP LINE
LÍNEA DE SUPERPOSICIÓN
Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1
217 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA-A123.3 and A220.1

ABC®
Supply Co. inc.

5 La resistencia al desliz pued variar de acue
Le dégrée de résistance au glissem

400 26 46 0 5123423062 R

OVERLA

258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

jueves, 04 abril 2024

ARD 20

G UNDERLAYMENT

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA-A123.3 and A220.1

ABC
Supply Co. inc.

LÍNEA DE SUPERPOSICIÓN

258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

Slip resistance may vary with surface conditions, weather, footwear and roof pitch
La resistencia al desliz puede variar de acuerdo a las condiciones de la superfice, tipo de calzado o clima y la pendiente del techo
Le dégrée de résistance au glissement peut varier dépendant de la température, chaussures utiliser et le toit pente

OVERLAP LINE LÍNEA DE SUPERPOSICIÓN

Supply Co. inc.

2258 Southwest Lucile Court
Lake City
Columbia County
Florida

jueves, 04 abril 2024

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

ABC®
Supply Co. inc.

5

La resistencia al desliz puede
Le dégré de résistance

400 26 46 0 5123423062 R

2588 Southwest Lucile Court
Lake City
Columbia County
Florida

jueves, 04 abril 2024

RLAYMENT

ABC
Supply Co. inc.

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

5

Slip resistance may vary with su
La resistencia al desliz puede variar de acuerdo a las co
Le dégrée de résistance au glissement peut varier

OVERLAP LINE

Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

ABC Supply Co. inc.

Slip resistance may vary with surface conditions, weather, footwear and roof pitch
La resistencia al desliz puede variar de acuerdo a las condiciones de la superfice, tipo de calzado o clima
Le dégrée de résistance au glissement peut varier dépendant de la température, chaussures utilisé

OVERLAP LINE

LÍNEA DE SUPERPOSICIÓN

258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

ABC Supply Co. inc.

Slip resistance may vary with surface conditions, weather, footwear and roof pitch
La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo
Le degrée de résistance au glissement peut varier dépendant de la température, chaussures utiliser et le toit pente

OVERLAP LINE LÍNEA DE SUPERPOSICIÓN

GUARD 20

C ROOFING UNDERLAYMENT

PRO G

SYNTHETIC R

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

ABC Supply Co. inc.

OVERLAP LINE LÍNEA DE SUPERPOSICIÓN

217 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

PRO GUARD 20

SYNTHETIC ROOFING UNDERLAYMENT

Slip resistance may vary with surface conditions, weather, footwear and roof pitch
La resistencia al deslíz puede variar de acuerdo a las condiciones de la superfice, tipo de calzado o clima y la pendiente del techo
La dégrée de résistance au glissement peut varier dépendant de la température, chaussures utiliser et le toit pente

OVERLAP LINE

LÍNEA DE SUPERPOSICIÓN

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

ABC Supply Co. inc.

258 Southwest Lucile Court
Lake City
Columbia County
Florida
Jueves, 04 abril 2024

Slip resistance may vary with surface conditions, weather, footwear and roof pitch
La resistencia al desliz puede variar de acuerdo a las condiciones de la superfice, tipo de calzado o clima y la pendiente del techo
Le dégrée de résistance au glissement peut varier dépendant de la température, chaussures utiliser et le toit pente

OVERLAP LINE LÍNEA DE SUPERPOSICIÓN

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

Supp

PRO GUARD 20

SYNTHETIC ROOFING UNDERLAYMENT

Slip resistance may vary with surface conditions, weather, footwear and roof pitch
La resistencia al desliz puede variar de acuerdo a las condiciones de la superfice, tipo de calzado o clima y la pendiente del techo
Le dégrée de résistance au glissement peut varier dépendant de la température, chaussures utiliser et le toit pente

OVERLAP LINE LÍNEA DE SUPERPOSICIÓN

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

ABC Supply Co. inc.

Slip resistance may vary with surface conditions, weather, footwear and roof pitch
stencia al desliz puede variar de acuerdo a las condiciones de la superfice, tipo de calzado o clima y la pendiente
Le dégrée de résistance au glissement peut varier dépendant de la température, chaussures utiliser et le toit pen

OVERLAP LINE LÍNEA DE SUPERPOSICIÓN

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

AB Supply Co

PRO GUARD

SYNTHETIC R OOFING UNDERLAYMENT

258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024


217 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

UNDERLAYMENT
ABC
Supply Co. inc.
Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1
Slip resistance may vary with surface conditions, weather, footwear and roof pitch
La resistencia al deslíz puede variar de acuerdo a las condiciones de la superfice, tipo de calzado o clima y la pendiente del techo
Le dégrée de résistance au glissement peut varier dépendant de la température, chaussures utiliser et le toit pente
OVERLAP LINE
LÍNEA DE SUPERPOSICIÓN
PRO GUARD
SYNTHETIC ROOFING UNDERLAYM
258 Southwest Lucile Court
Lake City
Columbia County
Florida
Jueves, 04 abril 2024

PRO GUARD 20

SYNTHETIC ROOFING UNDERLAYMENT

Slip resistance may vary with surface conditions, weather, footwear and roof pitch
La resistencia al deslíz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo
Le dégrée de résistance au glissement peut varier dépendant de la température, chaussures utiliser et le toit pente

OVERLAP LINE LÍNEA DE SUPERPOSICIÓN

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

ABC Supply Co. inc.

400 26 46 0 5123423062 R

258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

AYMENT

ABC supply Co. inc.

Slip resistance may vary with surface conditions, weather, footwear and roof pitch
La resistencia al deslíz puede variar de acuerdo a las condiciones de la superfice, tipo de calzado o clima y la pendiente del techo
Le dégrée de résistance au glissement peut varier dépendant de la température, chaussures utiliser et le toit pente

OVERLAP LINE LÍNEA DE SUPERPOSICIÓN

Meet
AS

PRO GUARD 2

SYNTHETIC ROOFING UNDERLAYME

Slip resistance may vary with surface conditions, weather, footwear and roof pi
La resistencia al deslíz puede variar de acuerdo a las condiciones de la superfice, tipo de calzado o cli
Le dégrée de résistance au glissement peut varier dépendant de la température, chaussures uti
pendiente del techo
le toit pente
OVERLAP LINE
LÍNEA DE SUPERPOSICIÓN

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

f pitch
clima y la pendiente del techo
utiliser et le toit pente
N
Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1
ABC Supply Co. inc.
Slip resistance may
La resistencia al desliz puede variar de acu
Le dégrée de résistance au glissem
OVERLA

400264505 123423 062 C

jueves, 04 abril 2024

258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

OVERLAP LINE LÍNEA DE SUPERPOSICIÓN

Supply Co. inc.

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

Slip resistance may vary with surface conditions, weather, footwear and roof pitch
La resistencia al desliz puede variar de acuerdo a las condiciones de la superfice, tipo de calzado o clima y la pendiente del techo
Le dégrée de résistance au glissement peut varier dépendant de la température, chaussures utiliser et le toit pente

OVERLAP LINE LÍNEA DE SUPERPOSICIÓN

RD 20

NDERLAYMENT

PRO GU

SYNTHETIC ROOFI

jueves, 04 abril 2024

jueves, 04 abril 2024

258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

jueves, 04 abril 2024

258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024


258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024

258 Southwest Lucile Court
Lake City
Columbia County
Florida
jueves, 04 abril 2024