

WINDOW SCHEDULE

MARK	DESCRIPTION	INSTALLATION	MODEL	NOTES
2040	SINGLE HUNG ALUM. SASH W/ INSL. GLASS	1" ROOFING NAIL 9" - 4 PER FLANGE, MAX. 8" O.C.	SERIES 650	-
3050	SINGLE HUNG ALUM. SASH W/ INSL. GLASS	1" ROOFING NAIL 9" - 4 PER FLANGE, MAX. 8" O.C.	SERIES 650	-
21660	SINGLE HUNG ALUM. SASH W/ INSL. GLASS	1" ROOFING NAIL 9" - 5 PER FLANGE, MAX. 8" O.C.	SERIES 650	-
31660	SINGLE HUNG ALUM. SASH W/ INSL. GLASS	1" ROOFING NAIL 9" - 5 PER FLANGE, MAX. 8" O.C.	SERIES 650	-
3060	SINGLE HUNG ALUM. SASH W/ INSL. GLASS	1" ROOFING NAIL 9" - 5 PER FLANGE, MAX. 8" O.C.	SERIES 650	-

ALL WINDOWS ARE INSULATED AND WEATHERSTRIPPED AS MANUFACTURED BY THE HOME PRODUCTS, INC.
- OTHER MANUFACTURER'S PRODUCTS SHALL BE CONSIDERED AS EQUAL IF THEIR WIND DESIGN PERFORMANCE MEETS OR EXCEEDS THESE UNITS
NOTE: VERIFY ROUGH OPENING WINDOW REQUIREMENTS PRIOR TO CONSTRUCTION.

NOTE !!!
EXTERIOR DOORS SHALL MEET OR EXCEED THE WIND RESISTANCE OF THE FOLLOWING PRODUCT:
SERIES ENTRY 8-10 W/ INSUL. FRAME AS REQ'D BY INSULATED ENTRY SYSTEMS

NOTE !!!
WINDOWS ASSEMBLIES SHALL MEET OR EXCEED THE WIND RESISTANCE OF THE FOLLOWING PRODUCTS:

1) HOME PRODUCTS, INC.'S SERIES 450/650 ALUMINUM WINDOWS, SINGLE HUNG 1 1/2 & MULLED UNITS, PICTURE PERMS & SLIDING GLASS DOORS
2) AIA 105, AIA 115 & 310 & AIA 115 & 311

NOTE !!!
ROOF SHINGLES SHALL BE OF THE FOLLOWING MANUFACTURERS AND MODELS:
TAKKO ROOFING PRODUCTS
GLASS SEAL AIR
GLASS SEAL AIR
HERITAGE 40 AIR
HERITAGE 50 AIR
TAKKO REQUIRED NAILS/SINGLE * 4

GAF MATERIALS CORP.
ROYAL SOVEREIGN
MAKULIS
WEATHERMAX
SLANTLINE
GRAND SEQUOIA
COUNTRY HANSON
TYPICAL LINE SELECT 40
TYPICAL LINE SELECT 40
SENTINEL
GAF REQUIRED NAILS/SINGLE * 4

THESE SHINGLES MEET THE REQUIREMENTS OF ASTM D-3661 TYPE I MODIFIED TO 100 MPH WINDS & PER 145.100 USING THE SPECIFIED NAILS

SELECTION OF FINISH ROOFING TO BE MADE DURING CONSTRUCTION BY THE OWNER

* RIGHT ELEVATION *

SCALE : 1/4" = 1'=0"

Digitally signed by: N. P. GEISLER
DN: CN = N. P. GEISLER C = US O = AR0007005 OU = ARCHITECT
Date: 2023.09.20 11:54:01 -05'00'

AR0007005

A.1
1 OF 7


SHEET:

2K2301


DATE:
10 MAR 2023

CONTR:

1758 NW BROWNS
356-355-4355



1972 - 2023
N.P. Geisler, Architect
AR0007005



NEW CUSTOM RESIDENTIAL DESIGN for:
JOHN and DEBBIE STALLINGS
860 EVERGREEN DRIVE - LAKE CITY, FLORIDA
ELEVATIONS

DATE: 2023
N.P. Geisler, Architect

DRAWN:

128

REVISION: