



ELECTRICAL		
ELECTRICAL	COUNT	SYMBOL
ceiling globe light	6	⊙
chandelier	1	⊛
fluorescent fixture	1	▬
pot light	8	○
single spotlight	4	◑
wall sconce	7	⊕
ceiling fan globe 1	5	⊙
Fan Light - bathroom	5	⊙
outlet	30	⊕
outlet 220v	3	⊕
outlet gfi	13	⊕
outlet wp gfi	3	⊕
switch	16	\$

- WIRE ALL APPLIANCES, HVAC UNITS AND OTHER EQUIPMENT PER MANUF. SPECIFICATIONS.
- CONSULT THE OWNER FOR THE NUMBER OF SEPERATE TELEPHONE LINES TO BE INSTALLED.
- ALL INSTALLATIONS SHALL BE PER NAT'L. ELECTRIC CODE.
- ALL SMOKE DETECTORS SHALL BE 120V W/ BATTERY BACKUP OF THE PHOTOELECTRIC TYPE, AND SHALL BE INTERLOCKED TOGETHER. INSTALL INSIDE AND NEAR ALL BEDROOMS.
- TELEPHONE, TELEVISION AND OTHER LOW VOLTAGE DEVICES OR OUTLETS SHALL BE AS PER THE OWNER'S DIRECTIONS, & IN ACCORDANCE W/ APPLICABLE SECTIONS OF NEC-LATEST EDITION.
- ELECTRICAL CONTR SHALL BE RESPONSIBLE FOR THE DESIGN & SIZING OF ELECTRICAL SERVICE AND CIRCUITS.
- ENTRY OF SERVICE (UNDERGROUND OR OVERHEAD) TO BE DETERMINED BY POWER COMPANY.
- ALL BEDROOM RECEPTACLES SHALL BE AFCI (ARC FAULT CIRCUIT INTERRUPT)
- ALL OUTLETS TO BE LOCATED ABOVE BASE FLOOD ELEVATION
- E -9
- E -8
- E -7
- E -6
- E -5
- E -4
- E -3
- E -2
- E -1

ELECTRICAL PLAN NOTES

Scale 1/4" = 1'

Drafted By:
Chuck Wood
386-755-8899

Wind Tech Contracting Corp.
2747 S. W. Main Blvd.
Lake City, Fla. 32025

Phyllis and Steve Glenn

Electrical Plan

Sheet Number
1 of 1