Columbia County Columbia County		
APPLICANT GARY MARTIN	PHONE 386.984.6868	
ADDRESS POB 3178	LAKE CITY FL 3056	
OWNER MARTIN HOME BUILDERS,INC.	PHONE 386.752.3115	
ADDRESS 250 SW WISE DRIVE	LAKE CITY FL 32024	
CONTRACTOR BEN MARTIN	PHONE 386.984.6868	
LOCATION OF PROPERTY 47-S TO C-242,TR GO TO WISE B	ESTATES S/D ,TR GO TO WISE DRIVE	
TL, LOT 6 ON L.		
TYPE DEVELOPMENT SFD EST	IMATED COST OF CONSTRUCTION 87550.00	
HEATED FLOOR AREA 1751.00 TOTAL AREA	A 2322.00 HEIGHT .00 STORIES 1	
FOUNDATION CONC WALLS FRAMED RO	OOF PITCH 7'12 FLOOR CONC	
LAND USE & ZONING RSF-2	MAX. HEIGHT 35	
Minimum Set Back Requirments: STREET-FRONT 25.00	REAR 15.00 SIDE 10.00	
NO. EX.D.U. 0 FLOOD ZONE XPP	DEVELOPMENT PERMIT NO.	
PARCEL ID 23-4S-16-03113-106 SURDIVISION	WISE ESTATES	
LOI 6 BLOCK A PHASE UNIT	TOTAL ACRES 1.00	
000000729 25.00 CBC059072	X LA	
Culvert Permit No. Culvert Waiver Contractor's License Numb	Applicant/Owner/Contractor	
APPLICANT GARY MARTIN DOB 3178 ADDRESS POB 3178 ADDRESS POB 3178 ARTIN HOME BUILDERS,INC. PHONE 36.7924.115 FL 3056 OWNER MARTIN HOME BUILDERS,INC. PHONE 36.7924.115 FL 3056 OWNER MARTIN HOME BUILDERS,INC. PHONE 36.7924.115 FL 32024 PHONE 36.7924.115 FL 32024 PHONE 36.7924.658 FR FL 32024 PHONE 36.7924.658 FR FR 375 TO C-242,TR GO TO WISE BSTATES S/D, TR GO TO WISE DRIVE TIL, LOT 6 ON L TIL, LOT 6 ON L TYPE DEVELOPMENT TIL, LOT 6 ON L TYPE DEVELOPMENT TIL, LOT 6 ON L TYPE DEVELOPMENT SED TOTAL AREA 2322.00 PHEIGHT 35 FOUNDATION CONC WALLS FRAMED ROOF PHTCH TIL FROM MAX. HEIGHT 35 FREET-FRONT 25.00 REAR 15.00 SIDE 10.00 NO. EX.D.U. PARCEL ID 23-48-16-03113-106 SUBDIVISION WISE BSTATES LOT APPLICANT WISE BSTATES LOT APPLICANT MINIMUM Set Back Requirments: STREET-FRONT 25.00 CBC059072 Culvert Permit No. DO00000729 25.00 CBC059072 Culvert Waiver Contractor's License Number LU & Zoning checked by Approved for Issuance No. EX.D.U. Driveway Connection Septil Lunk Number LU & Zoning checked by Approved for Issuance No. Resident Chomken'TS: PLAT REQUIRES IST. FLOOR ELEVATION TO BE 97.2: ELEVATION LETTER REQUIRED. FOR BUILDING & ZONING DEPARTMENT ONLY Geoder'Slab) Temporary Power date/app. by date/app. by date/app. by date/app. by date/ap		
50 00 00 00 00 00 00 00 00 00 00 00 00 0		
FOR BUILDING & ZONING	DEPARTMENT ONLY	
m n	(Tooter/Stab)	
	Treating town institutions in the contract of	
Under slab rough-in plumbing Slab		
	1740	
	Post post of all culture and the state of th	
Electrical rough in	El Santonio de Caración de Car	
detalors by		
Permanent power C.O. Final		
· · · · · · · · · · · · · · · · · · ·		
date/app. b	NV	
Tump pote	Utility Pole	
M/H Pole Travel Trailer		
date/app. by date	/app. by date/app. by	
	S 11.61 SURCHARGE FEE \$ 11.61	
FLOOD ZONE DEVELOPMENT FEE \$ CULVERT FEE	FIRE FEE \$ WASTE FEE \$	


NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

Columbia County Building Permit Application	Revised 9-23-04
For Office Use Only Application # 0506-75 Date Received 6/2405 By DW Permit #	23354/729
Application Approved by - Zoning Official SLK Date 29.06.05 Plans Examiner Ok 57H	
Flood Zone Development Permit NA Zoning RSF-2 Land Use Plan Map Categor	or Res. La Dev.
Comments Noc Belle Clas Plat Requires 1st Floor Elevation &	
Elevation Letter Required - ADMSED - 6-30	OSCILW)
Applicants Name Gary Martin Phone 386-9	84-6868
Address PO BOX 108 3178 LAKE CITY FL 310	25
Owners Name Martin Home Builders, Inc. Phone 386-25	7-3115
911 Address 250 SW WISE DR LAKE CITY FL 32024	
Contractors Name Ben Martin Phone 386-3	17-4534
Address PO BOX 1831 LAKECITY IT 37056	
Fee Simple Owner Name & Address	
Bonding Co. Name & Address	
Architect/Engineer Name & Address Mark Disosway P.E. PO Box 868 LAKE	C 174 FC 32056
Mortgage Lenders Name & Address First Federal Savings Bank of Florida F	20. Bx 2029
Circle the correct power company - FL Power & Light - Clay Elec Suwannee Valley Elec Pr	3 入05 (rogressive Energy
Property ID Number 23-45-16-03113-106 Estimated Cost of Construction 10	OK
Subdivision Name Wise Estates GLot Block A Unit	Phase
Driving Directions South on 47 from Lake City, take a ria	ht on 242
take a right into Wise Estates Lot # 6 B%	ck A ispn
Type of Construction SFD Number of Existing Dwellings on Prope	erty (
Total AcreageLof Size Do you need a <u>Culvert Permit</u> or <u>Culvert Waiver</u> or <u>Have</u>	e an Existina Drive
Actual Distance of Structure from Property Lines - Front 5.01 Side 401 Side 401	Regr (S'
Total Building Height April 20' Number of Stories / Heated Floor Area 1751 Roof	Pitch 7/12
GARAGE 410 Porches 162 TOTAL 2322	
Application is hereby made to obtain a permit to do work and installations as indicated. I certify that r installation has commenced prior to the issuance of a permit and that all work be performed to meet all laws regulating construction in this jurisdiction.	no work or the standards of
OWNERS AFFIDAVIT: I hereby certify that all the foregoing information is accurate and all work will be compliance with all applicable laws and regulating construction and zoning.	e done in
WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCMENT MAY RESULT IN TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULENDER OR ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.	YOU PAYING
Ben MA	
Owner Builder or Agent (Including Contractor) Contractor Signature Contractors License Number	(05907)
STATE OF FLORIDA ** Contractors License Number ** Competency Card Number	COS 707)
Sworn to (or affirmed) and subscribed before me	910011
Sworn to (or affirmed) and subscribed before me double be	WULL
Personally known or Produced Identification Notary Signature	7.
# 538.0	



Prepared by: Michael H. Harrell Abstract & Title Services, Inc. 283 NW Cole Terrace Lake City, Florida 32055

NV. TUUU 1. 4

Warranty Deed

Individual to Individual

THIS WARRANTY DEED made the 2nd day of June, 2005 by

moderate de trest

Peter W. Glebelg, A Single Person

hereinafter called the grantor, to

Martin Home Builders, Inc.

whose post office address is: # 5 250 SW Wise Dr # 7 275 SW Wise Dr, Lake City, FL hereinafter called the grantee:

(Wherever used herein the terms "grantor" and "grantee" include all the parties to this instrument and the heirs, legal representatives and assigns of individuals, and the successors and assigns of corporation)

Witnesseth: That the grantor, for and in consideration of the sum of \$10.00 and other valuable considerations, receipt whereof is hereby acknowledged, hereby grants, bargains, sells, aliens, remises, releases, conveys, and confirms unto the grantse, all that certain land situate in COLUMBIA County, FLORIDA, viz: Parcel ID#

Lot 6, Block A, of Wise Estates, a subdivision according to the plat thereof recorded in Plat Book 7, Page 164-167, of the Public Records of Columbia County, Florida.

TOGETHER with all tenements, heraditaments and appurtenances thereto belonging or in anywise appertaining.

TO HAVE AND TO HOLD, the same in fee simple forever.

AND the grantor hereby covenants with said grantee that the grantor is lawfully selzed of said land in fee simple; that the grantor has good right and lawful authority to sell and convey said land; that the grantor hereby fully warrants the title to said land and will defend the same against the lawful claims of all persons whomsoever, and that said land is free of all encumbrances, except taxes accruing subsequent to December 31, 2004.

IN WITNESS WHEREOF, the said grantor has signed and sealed these presents the day and year first above written.

Signed, sealed and delivered in our presence:

TR ACI

Witness O Magazine

Pater W. C

STATE OF FLORIDA COUNTY OF COLUMBIA

(SEAL)

MEGAN M MARABLE
MY COMMISSION & DOM 12865
EXPRES: Mar. 30, 2009
HOT 308-01-98
Problem before A page 1

My Commission Expires:

Meson M. Marable

LYNCH WELL DRILLING, INC.

RT. 6 BOX 464 LAKE CITY, FL 32025 PHONE (386) 752-6677 FAX (386) 752-1477

RESIDENTIAL WATER WELL BUILDING PERMIT INFORMATION

0 Mail
Building Permit # Owners Name Ben Morlin
Well DepthFt. Casing DepthFt. Water LevelFt.
Casing Size H PVC Steel_X
Pump Installation: Submersible X Deep Well Jet Shallow Well
Pump Make almotor Pump Model # 520-100 Hp /
System Pressure (PSI) On 30 Off 50 Avg. Pressure 50 (PSI)
Pumping System GPM at average pressure and pumping level(GPM)
Tank Installation: Precharged (Baldder) Atmospheric (Galvanized)
Make Challenger Model PC244 Size 31
Tank Draw-down per cycle at system pressure 25./ Gallons
I HEREBY CERTIFY THAT THIS WATER WELL SYSTEM HAS BEEN INSTALLED AS PER ABOVE INFORMATION.
Synch Well Drilling, Orc. LINDA NEWCOMB Print Name
1274 on 2609 11 120/12
License Number Date

FLORIDA ENERGY EFFICIENCY CODE FOR BUILDING CONSTRUCTION

Florida Department of Community Affairs Residential Whole Building Performance Method A

Projec	t Name
Addre	SS:

502281Lot#6Wise

Lot: 6, Sub: Wise Estates, Plat:

City, State: Owner:

Lake City, FL Spec house

Climate Zone:

North

Builder:

Ben Martin

Permitting Office: Counsia Permit Number: 2335/

Jurisdiction Number:

221000

1.	New construction or existing		New	12.	Cooling systems		
2.	Single family or multi-family		Single family	_ a	. Central Unit	Cap: 36.0 kBtu/hr	-
3.	Number of units, if multi-family		1	_		SEER: 11.00	-
4.	Number of Bedrooms		3	_ 1	. N/A		_
5.	Is this a worst case?		Yes				
6.	Conditioned floor area (ft2)		1751 ft ²	_ c	. N/A		1000
7.	Glass area & type	Single Pane	Double Pane				
a.	Clear glass, default U-factor	0.0 ft ²	251.0 ft ²	13.	Heating systems		
b.	Default tint, default U-factor	0.0 ft ²	0.0 ft ²	a	. Electric Heat Pump	Cap: 36.0 kBtu/hr	
c.	Labeled U-factor or SHGC	0.0 ft ²	0.0 ft ²			HSPF: 7.40	100.00
8.	Floor types			b	. N/A		-
a.	Slab-On-Grade Edge Insulation	R=0	0.0, 182.0(p) ft				
b.	N/A			c	. N/A		100-0
c.	N/A						
9.	Wall types			14.	Hot water systems		
a.	Frame, Wood, Exterior	R=1	3.0, 1151.0 ft ²	a	. Electric Resistance	Cap: 40.0 gallons	120.00
b.	Frame, Wood, Adjacent	R=	13.0, 214.0 ft ²			EF: 0.93	
c.	N/A			_ b	. N/A		PLOS CON
d.	N/A						
e.	N/A				. Conservation credits		
10.	Ceiling types				(HR-Heat recovery, Solar		_
19900000000	Under Attic	R=3	0.0, 1845.0 ft ²	_	DHP-Dedicated heat pump)		
b.	N/A		180 to 1 1 1 7 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	15.	HVAC credits		
c.	N/A				(CF-Ceiling fan, CV-Cross ventilation,		-
11.	Ducts			_	HF-Whole house fan,		
a.	Sup: Unc. Ret: Unc. AH: Garage	Sup. I	R=6.0, 170.0 ft		PT-Programmable Thermostat,		
b.	N/A	•			MZ-C-Multizone cooling,		
8500					MZ-H-Multizone heating)		
					e mate commence and the transfer and the state of the sta		

Glass/Floor Area: 0.14

Total as-built points: 26673 Total base points: 26750

PASS

I hereby certify that the plans and specifications covered by this calculation are in compliance with the Florida Energy Code.

PREPARED BY:

Evan Beamsley

DATE: 4/7/0 C

I hereby certify that this building, as designed, is in compliance with the Florida Energy Code.

OWNER/AGENT:

DATE:

Review of the plans and specifications covered by this calculation indicates compliance with the Florida Energy Code. Before construction is completed this building will be inspected for compliance with Section 553.908 Florida Statutes.

BUILDING	OFFICIAL:	
ATE:		

EnergyGauge® (Version: FLR2PB v3.4)

SUMMER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: Lot: 6, Sub: Wise Estates, Plat: , Lake City, FL, PERMIT #:

	BASE					AS-	BUI	LT				
GLASS TYPES .18 X Condition Floor Are		PM = F	Points	Type/SC	Ove Ornt	erhang Len	Hgt	Area X	SPN	1 X S	SOF	= Points
.18 1751.0) 2	20.04	6316.2	Double, Clear	Е	1.5	6.5	60.0	42.0	6	0.93	2338.4
				Double, Clear	Ε	1.5	7.5	36.0	42.0	6	0.95	1436.4
				Double, Clear	S	15.8	8.5	20.0	35.8		0.45	326.2
				Double, Clear	E	10.5	7.5	54.0	42.0		0.45	1010.8
				Double, Clear	S	1.5	6.5	15.0	35.8		88.0	471.7
				Double, Clear Double, Clear	S W	1.5 1.5	3.0 5.0	6.0 9.0	35.8 38.5		0.66	142.0 303.6
				Double, Clear	W	1.5	7.5	36.0	38.5		0.00	1316.3
				Double, Clear	N	1.5	6.5	15.0	19.2		0.95	272.9
				As-Built Total:				251.0				7618.2
WALL TYPES	Area X	BSPM	= Points	Туре		R-	Value	Area	Х	SPM	=	Points
Adjacent	214.0	0.70	149.8	Frame, Wood, Exterior			13.0	1151.0		1.50		1726.5
and Section 1	1151.0	1.70	1956.7	Frame, Wood, Adjacent			13.0	214.0		0.60		128.4
Base Total:	1365.0		2106.5	As-Built Total:				1365.0				1854.9
DOOR TYPES	Area X	BSPM	= Points	Туре				Area	Х	SPM	=	Points
Adjacent	20.0	2.40	48.0	Exterior Insulated				20.0		4.10		82.0
Exterior	40.0	6.10	244.0	Exterior Insulated				20.0		4.10		82.0
(Adjacent Insulated				20.0		1.60		32.0
Base Total:	60.0		292.0	As-Built Total:				60.0				196.0
CEILING TYPES	Area X	BSPM	= Points	Туре		R-Valu	ie A	Area X S	SPM	x sc	M =	Points
Under Attic	1751.0	1.73	3029.2	Under Attic			30.0	1845.0 1	.73 X	1.00		3191.9
Base Total:	1751.0		3029.2	As-Built Total:				1845.0				3191.9
FLOOR TYPES	Area X	BSPM	= Points	Туре		R-	Value	Area	X	SPM	=	Points
Slab 18 Raised	82.0(p) 0.0	-37.0 0.00	-6734.0 0.0	Slab-On-Grade Edge Insulati	ion		0.0	182.0(p	-4	1.20		-7498.4
Base Total:			-6734.0	As-Built Total:				182.0				-7498.4
INFILTRATION	Area X	BSPM	= Points					Area	X	SPM	=	Points
	1751.0	10.21	17877.7					1751.0	<u>(</u>	10.21		17877.7

EnergyGauge® DCA Form 600A-2001


SUMMER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: Lot: 6, Sub: Wise Estates, Plat: , Lake City, FL, PERMIT #:

	AS-BUILT														
Summer Bas	se Po	22887.6	Summer As-Built Points:									23240.3			
Total Summer Points		System Iultiplier	=	Cooling Points	Total Compone	X ent	Cap Ratio		Duct Multiplie		Multiplier	X	Credit Multiplier	=	Cooling Points
22887.6	0.	.4266		9763.9	23240.3 23240		1.000 1.00	(1.0	090 x 1.147		.00) 0.310 0.31 0)	1.000 1.000		9015.2 9015.2

EnergyGauge™ DCA Form 600A-2001



WINTER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: Lot: 6, Sub: Wise Estates, Plat: , Lake City, FL, PERMIT #:

BASE		AS-	BUILT			
GLASS TYPES .18 X Conditioned X BWPM = Points Floor Area		Overhang rnt Len	Hgt Area X	WPM X	WOI	F = Points
.18 1751.0 12.74 4015.4	Double, Clear	E 1.5	6.5 60.0	18.79	1.03	1162.2
	Double, Clear	E 1.5	7.5 36.0	18.79	1.02	692.1
	Double, Clear	S 15.8	8.5 20.0	13.30	3.48	924.6
	Double, Clear	E 10.5	7.5 54.0	18.79	1.37	1393.4
	Double, Clear	S 1.5	6.5 15.0	13.30	1.09	218.2
	Double, Clear	S 1.5	3.0 6.0	13.30	1.64	130.8
	Double, Clear Double, Clear	W 1.5 W 1.5	5.0 9.0 7.5 36.0	20.73 20.73	1.03	193.0 756.4
	Double, Clear	N 1.5	6.5 15.0	24.58	1.00	369.4
	As-Built Total:		251.0			5840.0
WALL TYPES Area X BWPM = Points	Туре	R-\	/alue Area	X WPM	1 =	Points
Adjacent 214.0 3.60 770.4	Frame, Wood, Exterior	1	13.0 1151.0	3.40		3913.4
Exterior 1151.0 3.70 4258.7	Frame, Wood, Adjacent	1	13.0 214.0	3.30		706.2
Base Total: 1365.0 5029.1	As-Built Total:		1365.0			4619.6
DOOR TYPES Area X BWPM = Points	Туре		Area	X WPM	1 =	Points
Adjacent 20.0 11.50 230.0	Exterior Insulated		20.0	8.40		168.0
Exterior 40.0 12.30 492.0	Exterior Insulated		20.0	8.40		168.0
	Adjacent Insulated		20.0	8.00		160.0
Base Total: 60.0 722.0	As-Built Total:		60.0			496.0
CEILING TYPES Area X BWPM = Points	Туре	R-Value	Area X W	/PM X WC	= M	Points
Under Attic 1751.0 2.05 3589.5	Under Attic	3	80.0 1845.0	2.05 X 1.00		3782.3
Base Total: 1751.0 3589.5	As-Built Total:		1845.0			3782.3
FLOOR TYPES Area X BWPM = Points	Туре	R-V	/alue Area	X WPM	= ا	Points
Slab 182.0(p) 8.9 1619.8 Raised 0.0 0.00 0.00			0.0 182.0(p	18.80		3421.6
Base Total: 1619.8	As-Built Total:		182.0			3421.6
INFILTRATION Area X BWPM = Points			Area	X WPM	l =	Points
1751.0 -0.59 -1033.1			1751.	0 -0.59		-1033.1

EnergyGauge® DCA Form 600A-2001


WINTER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: Lot: 6, Sub: Wise Estates, Plat: , Lake City, FL, PERMIT #:

	BASE		AS-BUILT									
Winter Base	e Points:	13942.8	Winter As-Built Points:	17126.4								
Total Winter Points	X System = Multiplier	Heating Points	Total X Cap X Duct X System X Credit Component Ratio Multiplier Multiplier Multiplier Multiplier (DM x DSM x AHU)	•								
13942.8	0.6274	8747.7	17126.4 1.000 (1.069 x 1.169 x 1.00) 0.461 1.000 17126.4 1.00 1.250 0.461 1.000	9862.4 9862.4								

EnergyGauge™ DCA Form 600A-2001



WATER HEATING & CODE COMPLIANCE STATUS

Residential Whole Building Performance Method A - Details

ADDRESS: Lot: 6, Sub: Wise Estates, Plat: , Lake City, FL, PERMIT #:

	BASE	AS-BUILT											
WATER HEA Number of Bedrooms	X	Multiplier	=	Total	Tank Volume	EF	Number of Bedrooms	х	Tank X Ratio	Multiplier	X Credit Multipli		Total
3		2746.00		8238.0	40.0 As-Built To	0.93 otal:	3		1.00	2598.37	1.00		7795.1 7795.1

	CODE COMPLIANCE STATUS												
	BAS			AS-BUILT									
Cooling Points	+	Heating Points	+	Hot Water Points	=	Total Points	Cooling Points	+	Heating Points	+	Hot Water Points	=	Total Points
9764		8748		8238		26750	9015		9862		7795		26673

PASS



EnergyGauge™ DCA Form 600A-2001

Code Compliance Checklist

Residential Whole Building Performance Method A - Details

ADDRESS: Lot: 6, Sub: Wise Estates, Plat: , Lake City, FL, PERMIT #:

6A-21 INFILTRATION REDUCTION COMPLIANCE CHECKLIST

COMPONENTS	SECTION	REQUIREMENTS FOR EACH PRACTICE	CHECK			
Exterior Windows & Doors	606.1.ABC.1.1	Maximum:.3 cfm/sq.ft. window area; .5 cfm/sq.ft. door area.				
Exterior & Adjacent Walls	606.1.ABC.1.2.1	Caulk, gasket, weatherstrip or seal between: windows/doors & frames, surrounding wall; foundation & wall sole or sill plate; joints between exterior wall panels at corners; utility penetrations; between wall panels & top/bottom plates; between walls and floor. EXCEPTION: Frame walls where a continuous infiltration barrier is installed that extends from, and is sealed to, the foundation to the top plate.				
Floors	606.1.ABC.1.2.2	Penetrations/openings >1/8" sealed unless backed by truss or joint members. EXCEPTION: Frame floors where a continuous infiltration barrier is installed that is sealed to the perimeter, penetrations and seams.				
Ceilings	606.1.ABC.1.2.3	Between walls & ceilings; penetrations of ceiling plane of top floor; around shafts, chases, soffits, chimneys, cabinets sealed to continuous air barrier; gaps in gyp board & top plate; attic access. EXCEPTION: Frame ceilings where a continuous infiltration barrier is installed that is sealed at the perimeter, at penetrations and seams.				
Recessed Lighting Fixtures	606.1.ABC.1.2.4	Type IC rated with no penetrations, sealed; or Type IC or non-IC rated, installed inside a sealed box with 1/2" clearance & 3" from insulation; or Type IC rated with < 2.0 cfm from conditioned space, tested.				
Multi-story Houses	606.1.ABC.1.2.5	Air barrier on perimeter of floor cavity between floors.				
Additional Infiltration reqts	606.1.ABC.1.3	Application of the control of the co				

6A-22 OTHER PRESCRIPTIVE MEASURES (must be met or exceeded by all residences.)

COMPONENTS SECTION REQUIREMENTS		REQUIREMENTS	CHECK
Water Heaters	612.1	Comply with efficiency requirements in Table 6-12. Switch or clearly marked circuit breaker (electric) or cutoff (gas) must be provided. External or built-in heat trap required.	
Swimming Pools & Spas	612.1	Spas & heated pools must have covers (except solar heated). Non-commercial pools must have a pump timer. Gas spa & pool heaters must have a minimum thermal efficiency of 78%.	
Shower heads	612.1	Water flow must be restricted to no more than 2.5 gallons per minute at 80 PSIG.	
Air Distribution Systems	610.1	All ducts, fittings, mechanical equipment and plenum chambers shall be mechanically attached, sealed, insulated, and installed in accordance with the criteria of Section 610. Ducts in unconditioned attics: R-6 min. insulation.	
HVAC Controls	607.1	Separate readily accessible manual or automatic thermostat for each system.	
Sulation 604.1, 602.1 Ceilings-Min. R-19. Common walls-Frame R-11 or CBS R-3 both sides. Common ceiling & floors R-11.			

EnergyGauge™ DCA Form 600A-2001

ENERGY PERFORMANCE LEVEL (EPL) **DISPLAY CARD**

ESTIMATED ENERGY PERFORMANCE SCORE* = 82.5

The higher the score, the more efficient the home.

Spec house, Lot: 6, Sub: Wise Estates, Plat: , Lake City, FL,

1.	New construction or existing		New		12.	Cooling systems		
2.	Single family or multi-family		Single family	_		Central Unit	Cap: 36.0 kBtu/hi	r
3.	Number of units, if multi-family		1				SEER: 11.00	_
4.	Number of Bedrooms		3	_	b.	N/A		_
5.	Is this a worst case?		Yes					
6.	Conditioned floor area (ft2)		1751 ft ²		c.	N/A		_
7.	Glass area & type	Single Pane	Double Pane	_				
a.	Clear glass, default U-factor	0.0 ft ²	251.0 ft ²		13.	Heating systems		_
	Default tint, default U-factor	0.0 ft ²	0.0 ft ²			Electric Heat Pump	Cap: 36.0 kBtu/hr	
	Labeled U-factor or SHGC	0.0 ft ²	0.0 ft ²				HSPF: 7.40	
8.	Floor types	0.0 11	0.0 1	_	b.	N/A	*******	_
a.	Slab-On-Grade Edge Insulation	R=0	0.0, 182.0(p) ft					_
	N/A		M.A.		c.	N/A		_
c.	N/A			_				_
9.	Wall types				14.	Hot water systems		_
a.	Frame, Wood, Exterior	R=1	3.0, 1151.0 ft ²	_		Electric Resistance	Cap: 40.0 gallons	11
	Frame, Wood, Adjacent		13.0, 214.0 ft ²	_			EF: 0.93	
	N/A			_	b.	N/A	21.0.72	_
d.	N/A				200.0			_
e.	N/A			_	c.	Conservation credits		_
10.	Ceiling types			_		(HR-Heat recovery, Solar		-
	Under Attic	R=3	0.0, 1845.0 ft ²			DHP-Dedicated heat pump)		
	N/A	., .	0.0, 10.0.0.	_ 1	15.	HVAC credits		
	N/A			_		(CF-Ceiling fan, CV-Cross ventilation,		77.00
	Ducts					HF-Whole house fan,	XU	
a.	Sup: Unc. Ret: Unc. AH: Garage	Sup. R	t=6.0, 170.0 ft			PT-Programmable Thermostat,		
	N/A	J. 1.	,			MZ-C-Multizone cooling,		
				_		MZ-H-Multizone heating)		
						The state of the s		
				_				
				_				
I cer	rtify that this home has complie	ed with the F	lorida Energy	Efficie	ncy	Code For Building		
Con	struction through the above end	ergy saving f	eatures which	n will be	ins	talled (or exceeded)	THE STAR	
	is home before final inspection							B
	ed on installed Code compliant			1		•	3/11/2	21
							7	121
Buil	der Signature:			Date:			13	E I
				-			1.	
Add	ress of New Home:			City/FI	7:	n:	TO THE ST	E S
ruu	1000 Of Fiew Hollie.			City/I'I	الک د	P·	GOD WE TRUE	

*NOTE: The home's estimated energy performance score is only available through the FLA/RES computer program. This is <u>not</u> a Building Energy Rating. If your score is 80 or greater (or 86 for a US EPA/DOE EnergyStarTM designation), your home may qualify for energy efficiency mortgage (EEM) incentives if you obtain a Florida Energy Gauge Rating. Contact the Energy Gauge Hotline at 321/638-1492 or see the Energy Gauge web site at www.fsec.ucf.edu for information and a list of certified Raters. For information about Florida's Energy Efficiency Code For Building Construction,

contact the Department of Community Affair Faces (Case 1821) ersion: FLR2PB v3.4)



Application for Onsite Sewage Disposal System Construction Permit. Part II Site Plan Permit Application Number: 05-07/31

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH UNIT

MARTIN/CR 04-2917	1.77	16	
	Vaca	nt	
	133'		North
		<u> </u>	Noten
	TRM :	in post	
	1011 1	in post	i
	Wise Estates		
190	Block A, Lot 6		
			Occupied
Vacant			Site 2
	1	1	
			■ 145' to well
	Well		!
	85'-		Site 1
	Waterline	• • • • • • • • • • • • • • • •	
	I waterrine	→ 30'	
			-
	Paved	65'	Utility easement
	drive		1
, 	++	—— —	++
		₩	Swale
		Occupied 240' to well	
		240 CO Well	1 inch = 40 feet
		00	10 1000
	1/2/	141/n	
Site Plan Submitted Plan Approved	By Voul		te6/28/05
Tan Apploved	Not Approved	Date 7	1-05
Ву /// /	2 / _	Col	unbia CPHU
Notes:			
		CXH V	lain
		Coxt	1417
		C.	


Columbia County Building Department Culvert Permit

Lake City, FL 32055

Phone: 386-758-1008 Fax: 386-758-2160

Culvert Permit No. 000000729

DATE 07/0	5/2005	PARCEL ID # 23-48-1	6-03113-106					
APPLICANT	GARY MARTIN		PHONE	386.984.6868				
ADDRESS _	POB 3178		LAKE CITY	FL	32056			
OWNER MA	ARTIN HOME BULDERS,IN	IC.	PHONE	386.984.6868				
ADDRESS 25	50 SW WISE DRIVE		LAKE CITY	FL	32024			
CONTRACTO	R BEN MARTIN		PHONE	386.752.3115				
LOCATION OF		C-242,TR GO TO WISE ES	TATES S/D,TR GO	TO WISE DRIVE,T	L AND			
SUBDIVISION/	INSTALLATION RI	EQUIREMENTS		6 A				
X	Culvert size will be 18 inches in diameter with a total lenght of 32 feet, leaving 24 feet of driving surface. Both ends will be mitered 4 foot with a 4:1 slope and poured with a 4 inch thick reinforced concrete slab. INSTALLATION NOTE: Turnouts will be required as follows: a) a majority of the current and existing driveway turnouts are paved, or; b) the driveway to be served will be paved or formed with concrete. Turnouts shall be concrete or paved a minimum of 12 feet wide or the width of the concrete or paved driveway, whichever is greater. The width shall conform to the current and existing paved or concreted turnouts.							
	Culvert installation shall conform to the approved site plan standards.							
Department of Transportation Permit installation approved standards.								
	Other							
DURING THE INS	FETY REQUIREMENTS S STALATION OF THE CUL do Ave., Suite B-21			The state of the s	- COUNTY OF THE PARTY OF THE PA			



Amount Paid 25.00

07/29/2005 09:43 FAX

Permit # 23354

PREPARED BY: Mickie Salter

HOME TOWN TITLE OF NORTH FLORIDA

BIA COUNT

EDUNTY OF COLUMBIA

t the above and foregoing uinal fled in this office

Ø1001

2744 WEST US 90 LAKE CITY, FL 32055

NOTICE OF COMMENCEMENT

TO WHOM IT MAY CONCERN:

Inst:2005016789 Date:07/15/2005 Time:13:25
_____DC,P.DeWitt Cason,Columbia County B:1051 P:2757

STATE OF FLORIDA

a true copy of the original

! HEREBY CERTIFY

Date

The undersigned hereby informs you that improvements will be made to certain real property, and in accordance with section 713.13 of the Florida Statutes, the following information is stated in this NOTICE OF COMMENCEMENT:

DESCRIPTION OF PROPERTY:

Lot 6, Block A, of WISE ESTATES, according to the Plat thereof as recorded in Plat Book 7, Page(s) 164-167, of the Public Records of Columbia County, Florida.

GENERAL DESCRIPTION OF IMPROVEMENTS: CONSTRUCTION SINGLE FAMILY RESIDENCE

OWNER AND ADDRESS: Martin Home Builders, Inc.

359 Hamlet Circle

Lake City, FL 32024

FEE SIMPLE TITLE HOLDER (if other that owner):

NAME AND ADDRESS:

AMOUNT OF BOND:

Name and address of person within the State of Florida designated by owner upon whom notices or other documents may be served: First Federal Savings Bank of Florida
P.O. Box 2029

Lake City, FL 32056

In addition to himself, Owner designated the following person to receive a copy of Lieron's Notice as provided in Section 713.06 (2) (b) Florida Statutes:

BENNETT G. MARTIN

STATE OF FLORIDA COUNTY OF COLUMBIA

HEREBY CERTIFY THAT ON THIS DAY, BEFORE ME, AN OFFICER DULYAUTHORIZED IN THE STATE AFORESAID AND IN THE COUNTY

07/29/2005 09:43 FAX
Book /, Page(s) 164-16/, of the Public Records of Columbia County, Fiorida.

23354

GENERAL DESCRIPTION OF IMPROVEMENTS: CONSTRUCTION OF SINGLE FAMILY RESIDENCE

OWNER AND ADDRESS: Martin Home Builders, Inc. 359 Hamlet Circle
Lake City, FL 32024

FEE SIMPLE TITLE HOLDER (if other that owner): NAME AND ADDRESS:

AMOUNT OF BOND:

Name and address of person within the State of Florida designated by owner upon whom notices or other documents may be served: First Federal Savings Bank of Florida P.O. Box 2029

Lake City, FL 32056

In addition to himself, Owner designated the following person to receive a copy of Lienor's Notice as provided in Section 713.06 (2) (b) Florida Statutes:

BENNETT G. MARTIN

STATE OF FLORIDA COUNTY OF COLUMBIA

I HEREBY CERTIFY THAT ON THIS DAY, BEFORE ME, AN OFFICER DULYAUTHORIZED IN THE STATE AFORESAID AND IN THE COUNTY AFORESAID TO TAKE ACKNOWLEDGEMENTS PERSONALLY APPEARD BENNETT G. MARTIN, TO ME KNOWN TO BE THE PERSON(S) DESCRIBED IN AND WHO EXECUTED THE FOREGOING INSTRUMENT AND HE ACKNOWLEDGED BEFORE ME THAT HE EXECUTED THE SAME.

WITNESS MY HAND AND OFFICIAL SEAL IN THE COUNTY AND STATE AFORESAID THIS 15¹¹ DAY OF JULY, 2005.



A. MICHELLE SALTER

Notary Public, State of Florida

My comm. expires July 15, 2006

Comm. No. DD 129450

NOTARY PUBLIC

A. MICHELLE SALTER

File Number: 2005-1028

DoubleTimee

CE COUNT

et the at

ATTHE UMBIA

rie and loregring

ea in this

STATE OF FLORIDA

I HEREBY CERTIFY.

is a true copy



BRITT SURVEYING

830 West Duval Street • Lake City, FL 32055 Phone (386) 752-7163 • Fax (386) 752-5573

03/02/06

L-17131

To Whom It May Concern:


C/o: Gary Martin

Re: Lot 6 in Block A of Wise Estates

Met

The elevation of the foundation is found to be 98.56 feet. The recommended finished floor elevation shown on the plat of record is 97.20 feet. The centerline of the existing paved road adjacent to this residence is 97.54 feet. The highest adjacent grade is 97.4 feet and the lowest adjacent grade is 97.3 feet. The elevations shown hereon are based on NGVD 29 datum.

L. Scott Britt PLS #5757



New Construction Subterranean Termite Soil Treatment Record

This form is completed by the licensed Pest Control Company.

Public reporting burden for this collection of information is estimated to average 15 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. This information is mandatory and is required to obtain benefits. HUD may not collect this information, and you are not required to complete this form, unless it displays a currently valid OMB control number.

Section 24 CFR 200.926d(b)(3) requires that the sites for HUD insured structures must be free of termite hazards. This information collection requires the builder to certify that an authorized Pest Control company performed all required treatment for termites, and that the builder guarantees the treated area against infestation for one year. Builders, pest control companies, mortgage lenders, homebuyers, and HUD as a record of treatment for specific homes will use the information collected. The information is not considered confidential.

This report is submitted for informational purposes to the builder on proposed (new) construction cases when soil treatment for prevention of subterranean termite infestation is specified by the builder, architect, or required by the lender, architect, FHA, or VA.

All contracts for services are between the Pest Control Operator and builder, unless stated otherwise. # 23359 Section 1: General Information (Treating Company Information) Company Name: Aspan Post Control, Inc. Company Address: 301 NW Cole Terrace Lake City City State Company Phone No. FHA/VA Case No. (if any) _ Section 2: Builder Information Company Name: Marxia Home Builders Company Phone No. Section 3: Property Information Location of Structure(s) Treated (Street Address or Legal Description, City, State and Zip) ______ 25 @___ Type of Construction (More than one box may be checked) A Slab ☐ Basement Crawl ☐ Other Approximate Depth of Footing: Outside _ Type of Fill Section 4: Treatment Information Date(s) of Treatment(s)_ Brand Name of Product(s) Used EPA Registration No. _______ Approximate Final Mix Solution % Linear ft. of Masonry Voids Approximate Size of Treatment Area: Sq. ft. _ Linear ft. Approximate Total Gallons of Solution Applied . Yes 内 No Was treatment completed on exterior? Yes ☐ No Service Agreement Available? Note: Some state laws require service agreements to be issued. This form does not preempt state law. Attachments (List) . Comments_ Thous Brancon JF1043/0 ___ Certification No. (if required by State law) Name of Applicator(s) The applicator has used a product in accordance with the product label and state requirements. All treatment materials and methods used comply with state and

Warning: HUD will prosecute false claims and statements. Conviction may result in criminal and/or civil penalties. (18 U.S.C. 1001, 1010, 1012; 31 U.S.C. 3729, 3802)

Form NPCA-99-B may still be used

Authorized Signature

form HUD-NPCA-99-B (04/2003)

OMB Approval No. 2502-0525

(exp. 10/31/2005)

leorder Product #2581 • From Crown Graphics, Inc. • 1-800-252-4011