

ENERGY PERFORMANCE LEVEL (EPL) ALTERNATIVE DISPLAY CARD

ESTIMATED ENERGY PERFORMANCE INDEX* = 87

The lower the EnergyPerformance Index, the more efficient the home.

, FORT WHITE, FL, 32615

1. New construction or existing	New (From Plans)		9. Wall Types	Insulation	Area
2. Single family or multiple family	Single-family		a. Frame - Wood, Exterior	R=13.0	1440.00 ft ²
3. Number of units, if multiple family	1		b. N/A	R=	ft ²
4. Number of Bedrooms	2		c. N/A	R=	ft ²
5. Is this a worst case?	No		d. N/A	R=	ft ²
6. Conditioned floor area (ft ²)	1200		10. Ceiling Types	Insulation	Area
7. Windows**	Description	Area	a. Under Attic (Vented)	R=30.0	1200.00 ft ²
a. U-Factor:	Dbl. U=0.34	80.00 ft ²	b. N/A	R=	ft ²
SHGC:	SHGC=0.23		c. N/A	R=	ft ²
b. U-Factor:	N/A	ft ²	11. Ducts		R
SHGC:			a. Sup: Attic, Ret: Attic, AH: Main		6 240
c. U-Factor:	N/A	ft ²	12. Cooling systems	kBtu/hr	Efficiency
SHGC:			a. Central Unit	16.1	SEER: 18.00
d. U-Factor:	N/A	ft ²	13. Heating systems	kBtu/hr	Efficiency
SHGC:			a. Electric Heat Pump	16.1	HSPF: 9.10
Area Weighted Average Overhang Depth:	1.500 ft		14. Hot water systems		Cap: 40 gallons
Area Weighted Average SHGC:	0.230		a. Electric		EF: 0.96
8. Floor Types	Insulation	Area	b. Conservation features		
a. Slab-On-Grade Edge Insulation	R=0.0	1200.00 ft ²	None		
b. N/A	R=	ft ²	15. Credits		Pstat
c. N/A	R=	ft ²			

I certify that this home has complied with the Florida Energy Efficiency Code for Building Construction through the above energy saving features which will be installed (or exceeded) in this home before final inspection. Otherwise, a new EPL Display Card will be completed based on installed Code compliant features.


Builder Signature: 

Date: 6/2/20

Address of New Home: 706 RASBURY CT

City/FL Zip: FORT WHITE

32038



*Note: This is not a Building Energy Rating. If your Index is below 70, your home may qualify for energy efficient mortgage (EEM) incentives if you obtain a Florida EnergyGauge Rating. Email EnergyGauge tech support at techsupport@energygauge.com or see the EnergyGauge web site at energygauge.com for information and a list of certified Raters. For information about the Florida Building Code, Energy Conservation, contact the Florida Building Commission's support staff.

**Label required by Section R303.1.3 of the Florida Building Code, Energy Conservation, if not DEFAULT.