•	Building Permit PERMIT
This Permit Expires One Ye	ear From the Date of Issue 000024182 PHONE 755-5777
ADDRESS P.O. BOX 2188	LAKE CITY FL 32056
OWNER LAURIE READOUT/STEVEN SCHMIDT	PHONE 755-5777
ADDRESS 5234 SW STATE ROAD 47	LAKE CITY FL 32024
CONTRACTOR LAURA READOUT/STEVEN SCHMIDT	PHONE 386.961.3222
LOCATION OF PROPERTY 47S, 1 MILE SOUTH OF I-75 ON	WEST SIDE
TYPE DEVELOPMENT ADDITION TO M/H ES	TIMATED COST OF CONSTRUCTION 21700.00
HEATED FLOOR AREA 434.00 TOTAL ARE	EA 434.00 HEIGHT 12.00 STORIES 1
FOUNDATION CONC WALLS FRAMED F	ROOF PITCH 6'12 FLOOR CONC
LAND USE & ZONING A-3	MAX. HEIGHT 35
Minimum Set Back Requirments: STREET-FRONT 30.00	REAR 25.00 SIDE 25.00
NO. EX.D.U. 1 FLOOD ZONE X	DEVELOPMENT PERMIT NO.
PARCEL ID 36-4S-16-03300-011 SUBDIVISIO	N
LOT BLOCK PHASE UNIT	TOTAL ACRES 4.30
*	2 20 1
Culvert Permit No. Culvert Waiver Contractor's License Num	Applicant/Owner/Contractor
EXISTING 06-0084-E BLK	JTH
Driveway Connection Septic Tank Number LU & Zonin	g checked by Approved for Issuance New Resident
COMMENTS: NOC ON FILE. 1 FOOT ABOVE ROAD.	
	Check # or Cash 1060
FOR BUILDING & ZONIN	G DEPARTMENT ONLY
FOR BUILDING & ZONIN Temporary Power Foundation	Chock ii of Cash
Temporary Power Foundation date/app. by	G DEPARTMENT ONLY (footer/Slab)
Temporary Power Foundation date/app. by Under slab rough-in plumbing Slab	G DEPARTMENT ONLY (footer/Slab) Monolithic date/app. by Sheathing/Nailing
Temporary Power Foundation date/app. by Under slab rough-in plumbing Slab date/app. by	Monolithic date/app. by Sheathing/Nailing date/app. by date/app. by
Temporary Power Foundation date/app. by Under slab rough-in plumbing Slab date/app. by Framing Rough-in plumbing ab date/app. by	G DEPARTMENT ONLY (footer/Slab) Monolithic date/app. by Sheathing/Nailing
Temporary Power Foundation date/app. by Under slab rough-in plumbing Slab date/app. by Framing Rough-in plumbing ab date/app. by Electrical rough-in Heat & Air Duct	Monolithic date/app. by Sheathing/Nailing date/app. by ove slab and below wood floor
Temporary Power Foundation date/app. by Under slab rough-in plumbing Slab date/app. by Framing Rough-in plumbing ab date/app. by Electrical rough-in Heat & Air Duct	Monolithic date/app. by Sheathing/Nailing date/app. by ove slab and below wood floor Peri. beam (Lintel) date/app. by date/app. by
Temporary Power Foundation date/app. by Under slab rough-in plumbing Slab date/app. by Framing Rough-in plumbing ab date/app. by Electrical rough-in Heat & Air Duct date/app. by Permanent power C.O. Final	Monolithic date/app. by Sheathing/Nailing date/app. by ove slab and below wood floor Peri. beam (Lintel) date/app. by Culvert
Temporary Power date/app. by Under slab rough-in plumbing Slab date/app. by Framing Rough-in plumbing ab date/app. by Electrical rough-in date/app. by Permanent power C.O. Final date/app. by M/H tie downs, blocking, electricity and plumbing	Monolithic date/app. by Sheathing/Nailing date/app. by Ove slab and below wood floor Peri. beam (Lintel) date/app. by Culvert ate/app. by Pool
Temporary Power date/app. by Under slab rough-in plumbing Slab date/app. by Framing Rough-in plumbing ab date/app. by Electrical rough-in Heat & Air Duct date/app. by Permanent power C.O. Final date/app. by M/H tie downs, blocking, electricity and plumbing date/app.	G DEPARTMENT ONLY Monolithic date/app. by date/app. by Sheathing/Nailing date/app. by date/app. by ove slab and below wood floor date/app. by Peri. beam (Lintel) date/app. by date/app. by Culvert ate/app. by Dool
Temporary Power date/app. by Under slab rough-in plumbing Slab date/app. by Framing Rough-in plumbing ab date/app. by Electrical rough-in date/app. by Permanent power C.O. Final date/app. by M/H tie downs, blocking, electricity and plumbing date/app. Beconnection Pump pole date/app. by	Monolithic date/app. by Sheathing/Nailing date/app. by ove slab and below wood floor Peri. beam (Lintel) date/app. by Culvert ate/app. by Pool
Temporary Power date/app. by Under slab rough-in plumbing Slab date/app. by Framing Rough-in plumbing ab date/app. by Electrical rough-in Heat & Air Duct date/app. by Permanent power C.O. Final date/app. by M/H tie downs, blocking, electricity and plumbing date/app. By Reconnection Pump pole date/app. by M/H Pole Travel Trailer	Monolithic date/app. by Sheathing/Nailing date/app. by Ove slab and below wood floor Peri. beam (Lintel) date/app. by Culvert ate/app. by Pool Description of the state of the st
Temporary Power date/app. by Under slab rough-in plumbing Slab date/app. by Framing Rough-in plumbing ab date/app. by Electrical rough-in Heat & Air Duct date/app. by Permanent power C.O. Final date/app. by M/H tie downs, blocking, electricity and plumbing date/app. Reconnection Pump pole date/app. by M/H Pole Travel Trailer date/app. by	GDEPARTMENT ONLY Monolithic date/app. by date/app. by Sheathing/Nailing date/app. by date/app. by ove slab and below wood floor date/app. by Peri. beam (Lintel) date/app. by Culvert ate/app. by date/app. by Description Description
Temporary Power	Monolithic date/app. by Sheathing/Nailing date/app. by ove slab and below wood floor Peri. beam (Lintel) date/app. by Culvert ate/app. by Pool by Utility Pole app. by Re-roof tte/app. by SURCHARGE FEE \$ 2.17
Temporary Power date/app. by Under slab rough-in plumbing Slab date/app. by Framing Rough-in plumbing ab date/app. by Electrical rough-in Heat & Air Duct date/app. by Permanent power C.O. Final date/app. by M/H tie downs, blocking, electricity and plumbing date/app. Reconnection Pump pole date/app. by M/H Pole Travel Trailer date/app. by	Monolithic date/app. by Sheathing/Nailing date/app. by ove slab and below wood floor Peri. beam (Lintel) date/app. by Culvert ate/app. by Pool by Utility Pole app. by Re-roof tte/app. by SURCHARGE FEE \$ 2.17
Temporary Power	GDEPARTMENT ONLY Monolithic date/app. by date/app. by Sheathing/Nailing date/app. by date/app. by ove slab and below wood floor date/app. by date/app. by date/app. by date/app. by Culvert date/app. by date/app. by Description Descrip

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

Columbia County Building Permit Application	Revised 9-23-04
For Office Use Only Application # 0608: 60 Date Received 2/2 By W Permit	- 24182
Application Approved by - Zoning Official Old Date 02.03.06 Plans Examiner	Date 3-7-06
Flood Zone Development Permit <u>N/A</u> Zoning <u>A-3</u> Land Use Plan Map Cate	gory A-3
Comments	
LAURIE & READONT	
Applicants Name STOVON D. SCHM 10T Phone 386-96	1-3222.
Address P.o. Box 2188 LANG CITY FZ 32052	
Owners Name Same Phone Phone	
911 Address 5234 SW STATEROAD 47 LAROCHY FE 32052	
Contractors Name SCF Phone —	
Address	
Fee Simple Owner Name & Address	
Bonding Co. Name & Address	
Architect/Engineer Name & Address - 1/10 HNLAS P. GEIS/G .	
Mortgage Lenders Name & Address — North	
Circle the correct power company - FL Power & Light - Clay Elec Suwannee Valley Elec	Progressive Energy
Property ID Number 36-45-16-63300-011 Estimated Cost of Construction 2	25.000.00
Subdivision Name None Lot Block U	nit Phase
Driving Directions STATE LOAD 475 1 mills FROM 1-75 ON RIGHT	PAST
KING ROAD; NORT TO LUTHERAN CHURCH.	
Type of Construction <u>Application to Both MH</u> Number of Fullings on Pro-	perty_/
Total Acreage 4.3 Lot Size Do you need a - <u>Culvert Permit</u> of <u>Culvert Waiver</u> or H	ave an Existina Drive
Actual Distance of Structure from Property Lines - Front 210 Side 1180 Side 310	Rear 120
Total Building Height 12 Number of Storles Heated Floor Area Roy 3 4 TOTAL Addition	oof Pitch 642
Application is hereby made to obtain a permit to do work and installations as indicated. I certify the	at no work or
installation has commenced prior to the issuance of a permit and that all work be performed to me all laws regulating construction in this jurisdiction.	et the standards of
OWNERS AFFIDAVIT: I hereby certify that all the foregoing information is accurate and all work will compliance with all applicable laws and regulating construction and zoning.	li be done in
WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCMENT MAY RESULT TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CON LENDER OR ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.	IN YOU PAYING ISULT WITH YOUR
Owner Builder or Agent (Including Contractor) Contractor Signature	
STATE OF FLORIDA Competency Card Number COUNTY OF COLUMBIA NOTARY STAMP/SEAL	
Sworn to (or affirmed) and subscribed before me	
this 20 day of FABRUARY 2006. (Many of	
Personally known of Produced Identification 🔏 "Notary Signature/ J. 🗛	J. Johnson mission DD246054

NOTICE OF COMMENCEMENT FORM COLUMBIA COUNTY, FLORIDA


THIS DOCUMENT MUST BE RECORDED AT THE COUNTY CLERKS OFFICE BEFORE YOUR FIRST INSPECTION.


THE UNDERSIGNED hereby gives notice that improvement will be made to certain real property, and in accordance with Chapter 713, Florida Statutes, the following information is provided in this Notice of Commencement.

Тах	Parcel ID Number 36-45-16-03308	PERMIT NUMBER
1.	Description of property: (legal description of the 5234 SW STATE ROSO 47	property and street address or 911 address)
	COMM NW COR OF NE 14.	RUNS 1304,20 FT FOR POB
	RUNE 479.24 FT TO N	W RIW OF SR-47 SW ALONG
	R/W 950.87 FT, N 777.4	OFT TO POB
2.	General description of improvement:	MON FOR LIVING SPACE
3.	Owner Name & Address STEVON D. SCh	Interest in Property 100%
	P.O. BOX 2188. LAKE CITY	Interest in Property _/00?o
4.	Name & Address of Fee Simple Owner (if other	than owner):
5.	Contractor Name SEF	Phone Number <u>386-961-3222</u>
	Address	and the second s
6.	Surety Holders Name _ N/A-	Phone Number
	Address	
	Amount of Bond	
7.	Lender Name	Phone Number
	Address	
8. se	Persons within the State of Florida designated inved as provided by section 718.13 (1)(a) 7; Floridated in the	by the Owner upon whom notices or other documents may be
	Name N/A	Phone Number
	Address	9
9.	In addition to himself/herself the owner design	ates of
		a copy of the Lienor's Notice as provided in Section 713.13 (1) -
	(a) 7. Phone Number of the designee	
10	D. Expiration date of the Notice of Commencement	nt(Inst:2006004673 Date:02/27/2006 Time:10:18DC,P.DeWitt Cason,Columbia County B:1075 P:856
	(Unless a different date is specified)	
<u>NC</u> Th	TICE AS PER CHAPTER 713, Florida Statutes: e owner must sign the notice of commencement	and no one else may be permitted to sign in his/her stead.
1	Core Resport	Sworn to (or affirmed) and subscribed before day of FERWARY 20, 20 06
	Signature of Owner	NOTARY STAMP/SEAL


Signature of Notary

Richard J. Johnson My Commission DD246054 Expires September 01, 2007





This information, GIS Map Updated: 8/3/2005, was derived from data which was compiled by the Columbia County Property Appraiser Office solely for the governmental purpose of property assessment. This information should not be relied upon by anyone as a determination of the ownership of property or market value. No warranties, expressed or implied, are provided for the accuracy of the data herein, it's use, or it's interpretation. Although it is periodically updated, this information may not reflect the data currently on file in the Property Appraiser's office. The assessed values are NOT certified values and therefore are subject to change before being finalized for advalorem assessment purposes.





STATE OF FLORIDA DEPARTMENT OF HEALTH



APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT

— PART II - SITE PLAN - -Scale: Each block represents 5 feet and 1 inch = 50 feet. Home 210 Notes: Schwlot Signature Site Plan submitted by: 1-30-06 Plan Approved **Not Approved County Health Department**

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

Inst:2005022349 Date:09/13/2005 Time:12:48

Doc Stamp-Deed:

0.70

__DC,P.DeWitt Cason,Columbia County B:1058 P:289

This Instrument Prepared By: DAVID C. BRAUN, ESQUIRE Attorney at Law 343 E. Duval Street Lake City, Florida 32055 (386) 752-0625 No Warranty as to Title Search; Description Provided by Grantees

THIS INDENTURE, made this 22nd day of August, 2005, between WAYNE T. HUDSON, a married man not residing on the below-described property, whose postal address is P.O. Box 2273, Lake City, Florida 32056-2273, Grantor, and LAURIE R. READOUT, an unmarried woman, whose postal address is 991 SW Rossborough Court, Apartment 101, Lake City, Florida 32025, and STEVEN D. SCHMIDT, an unmarried man, whose postal address is P.O. Box 2188, Lake City, Florida 32056-2188, as tenants in common, Grantees.

WITNESSETH:

That the said Grantor, for and in consideration of the sum of Ten and No/100 Dollars and other good and valuable considerations, to him in hand paid by the Grantees, the receipt whereof is hereby acknowledged, has granted, bargained and sold to the said Grantees and their heirs and assigns forever, the following described property in Columbia County, Florida, to-wit:

COMMENCE at the NW corner of the NE 1/4 of section 36, Township 4 South, Range 16 East, Columbia County, Florida, and run South 04° 26'55" West along the West line of said NE ¼ a distance of 1304.20 feet to the NW corner of the SW ¼ of the NE ¼ and the POINT OF BEGINNING; thence North 88° 11'58" East along the North line of said SW ¼ of the NE ¼ a distance of 479.24 feet to a point on the Northwesterly right of way line of State Road 47, thence South 34° 02'33" West along said Northwesterly right of way line 796.20 feet to the Point of Curve of a Curve concave to the Northwest having a radius of 2814.91 feet and a total central angle of 21° 28' 00"; thence Southwesterly along the arc of said curve (also said Northwesterly right of way line) 160.67 feet to a point on the West line of said SW 1/4 of the NE 1/4; thence North 04° 26'55" East along said West line 777.60 feet to the POINT OF BEGINNING. Containing 4.30 acres, more or less, and being the lands described in book 567, page 507, Official Records of Columbia County, Florida, Parcel Identification No.: 36-4S-16-03300-011.

And the said Grantor does hereby fully warrant the title to said land and will defend the same against the lawful claims of all

persons whomsoever.	_	
IN WITNESS WHEREOF, the Grantor has	hereunto set his hand and seal the day and year first	t above written.
Signed, sealed and delivered before: Signature of Witness Printed/Typed Name of Witness	Wayne T. HUDSON	(SEAL)
Signature of Witness Collin A Denkins Printed/Typed Name of Witness		
STATE OF FLORIDA COUNTY OF COLUMBIA		
The foregoing Warranty Deed was acknown OR known after production of DL an oath, this 22 and ay of August, 2005.	vledged before me by WAYNE T. HUDSON, to m as identification,	ne personally known and who DID NOT take
	Signature of Notary D	<u> </u>

(Seal if any)

Printed/Typed Name of Notary lunsi Notary Public, State of Florida at Large Serial No. if any: Commission Expires:

(Seal if any)



CHRISTINA HUNTER MY COMMISSION # DD 413874 EXPIRES: March 31, 2009 nded Thru Notary Public Underw

Signature of Notary

hristing Printed/Typed Name of Notary

Notary Public, State of Florida at Large

Serial No. if any: DD - 413876 Commission Expires: () 3

NOTICE OF COMMENCEMENT FORM COLUMBIA COUNTY, FLORIDA

THIS DOCUMENT MUST BE RECORDED AT THE COUNTY CLERKS OFFICE BEFORE YOUR FIRST INSPECTION.

THE UNDERSIGNED hereby gives notice that improvement will be made to certain real property, and in accordance with Chapter 713, Florida Statutes, the following information is provided in this Notice of Commencement.

Tax	Parcel ID Number 36-45-16-03300-0	PERMIT NUMBER
1.	Description of property: (legal description of the prop	IAKE CITY FE 32028
	COMM NW COR OF NETY R	UNS 1304,20 FT FOR POB RIW OF SR-47 SW ALONG
	RUNE 479.24 PT TO NW	RIW OF SR-47 SW ALONG
	R/W 952.87 FT, N 777.60	FT TO POB
2.	General description of improvement:	J FOR LIVING SPACE
3.	Owner Name & Address STEVON D. SCHMIN	OT / LAURIN R. READOUT
	P.O. BOX 2188. LAKE CITY	Interest in Property 100%
		owner):
5.	Contractor Name SMF	Phone Number 386-961-3222
	Address	
6.		Phone Number
	Address	
	Amount of Bond	
7.	Lender Name <u>N/A-</u>	Phone Number
	Address	
8. se	rved as provided by section /18.13 (1)(a) /; Fiorida St	
	Name NA	Phone Number
	Address	
9.	In addition to himself/herself the owner designates	of
	to receive a cop	py of the Lienor's Notice as provided in Section 713.13 (1) -
	(a) 7. Phone Number of the designee	
10	D. Expiration date of the Notice of Commencement (nst:2006004673
	(Unless a different date is specified)	
<u>NC</u> Th	OTICE AS PER CHAPTER 713, Florida Statutes: e owner must sign the notice of commencement and	no one else may be permitted to sign in his/her stead.
1	Case Blistat	Sworn to (or affirmed) and subscribed before day of FERWANY 20, 2006
	Signature of Owner	NOTARY STAMP/SEAL

Signature of Notary

Richard J. Johnson
My Commission DD246054
Expires September 01, 2007

DISCLOSURE STATEMENT

FOR OWNER/BUILDER WHEN ACTING AS THER OWN CONTRACTOR AND CLAIMING EXEMPTION OF CONTRACTOR LICENSING REQUIREMENTS IN ACCORDANCE WITH FLORIDA STATUTES, ss. 489.103(7).

State law requires construction to be done by licensed contractors. You have applied for a permit under an exemption to that law. The exemption allows you, as the owner of your property, to act as your own contractor with certain restrictions even though you do not have a license. You must provide direct, onsite supervision of the construction yourself. You may build or improve a one-family or two-family residence or a farm outbuilding. You may also build or improve a commercial building, provided your costs do not exceed \$25,000. The building or residence must be for your own use or occupancy. It may not be built or substantially improved for sale or lease. If you sell or lease a building you have built or substantially improved yourself within 1 year after the construction is complete, the law will presume that you built or substantially improved it for sale or lease, which is a violation of this exemption. You may not hire an unlicensed person to act as your contractor or to supervise people working on your building. It is your responsibility to make sure that people employed by you have licenses required by state law and by county or municipal licensing ordinances. You may not delegate the responsibility for supervising work to a licensed contractor who is not licensed to perform the work being done. Any person working on your building who is not licensed must work under your direct supervision and must be employed by you, which means that you must deduct F.I.C.A. and withholding tax and provide workers' compensation for that employee, all as prescribed by law. Your construction must comply with all applicable laws, ordinances, building codes, and zoning regulations.

TYPE OF CONSTRUCTION

() Single Family Dwelling () Farm Outbuilding () New Construction	() Two-Family Residence め Other <u>の年に</u> Addition, Alteration, Modification or other Improvement
NEW	V CONSTRUCTION OR IMPROVEMENT
	s.489.103(7) allowing this exception for the construction permitted by
Signature	1/30/06 Date
Signature .	Date
I hereby certify that the above list Florida Statutes ss 489.103(7).	FOR BUILDING USE ONLY ted owner/builder has been notified of the disclosure statement in
	X

Date C- 70-06 Building Official/Representative Only of Dille

755 -3373

Undy- lavishan / MAKK. C

COLUMBIA COUNTY 9-1-1 ADDRESSING

263 NW Lake City Ave. * P. O. Box 1787 * Lake City, FL 32056-1787 PHONE: (386) 758-1125 * FAX: (386) 758-1365 * Email: ron_croft@columbiacountyfla.com

Addressing Maintenance

To maintain the Countywide Addressing Policy you must make application for a 9-1-1 Address at the time you apply for a building permit. The established standards for assigning and posting numbers to all principal buildings, dwellings, businesses and industries are contained in Columbia County Ordinance 2001-9. The addressing system is to enable Emergency Service Agencies to locate you in an emergency, and to assist the United States Postal Service and the public in the timely and efficient provision of services to residents and businesses of Columbia County.

DATE ISSUED: September 13, 2005	**************************************
ENHANCED 9-1-1 ADDRESS:	20 10 10
5234 SW STATE ROAD 47 (LAKE CIT	ΓY, FL 32024)
Addressed Location 911 Phone Number: NOT AV	AIL.
OCCUPANT NAME: NOT AVAIL.	
OCCUPANT CURRENT MAILING ADDRESS:_	
PROPERTY APPRAISER PARCEL NUMBER: 3	36-4S-16-03300-011
Other Contact Phone Number (If any):	
Building Permit Number (If known):	
Remarks:	3 = 8 = 2 0
	garante ne politica v c. re resta
Address Issued By:	H
Columbia County 9-1-1 Addres	sing / GIS Department

NOTICE: THIS ADDRESS WAS ISSUED BASED ON LOCATION INFORMATION RECEIVED FROM THE REQUESTER. SHOULD, AT A LATER DATE, THE LOCATION INFORMATION BE FOUND TO BE IN ERROR, THIS ADDRESS IS SUBJECT TO CHANGE.

APPENDIX 13-D

FLORIDA ENERGY EFFICIENCY CODE FOR BUILDING CONSTRUCTION FORM 600C-04 Residential Limited Applications Prescriptive Method C Small Additions, Renovations & Building Systems NORTH 1 2 3

PROJECT NAME: AND ADDRESS:	Bu	HLDER:		
AND ADDRESS:		RMITTING CX CAM	CLIMATE TO	
OWNER:			SONE: 1 2	3
ALL ADDITIONS TO SVIST	NO DECURENCE AND	RMIT NO.:	JURISDICTION NO.:	100
idings undergoing conquett	components separating unconditioned	Spaces from conditioned spaces must	in Tables 6C-1, 6C-2, and 6C-3 apply only to the components input in its installed specifically to serve the addition or is being it meet the prescribed minimum insulation levels. REMOLATION ints in Tables 6C-1 and 6C-2 apply only to the components and ared by this form. BUILDING SYSTEMS. Comply when completed by this form.	installed in
			Please Print	СК
Renovation, Add	dition, New System or Manufacture	d Home	1. Add'n	7
	tached or Multiple-family attached		2 S.F	
	/-No. of units covered by this subn	nission	3.	
Conditioned floo			4. <u>336</u> 5. (·O	
Predominant ear	ve overhang (ft.)		5	
Glass type and a	rea:		Single Pane Double Pane	1
a. Clear gla			6asq. ft35sq. ft.	l
	or solar screen		6bsq. ftsq. ft.	
Percentage of gi			7. 19-4 %	
Floor type and Ir				
a. Slab-on-g	grade (R-value) ised (R-value)		8a R =lin. ft,	l
	mmon (R-value)		8b. R = 19 336 sq. ft.	l
d. Concrete	, raised (R-value)		8c. R = sq. ft.	
e. Concrete	common (R-value)		80 DSq. II.	l —
Wall type and ins			sq. ft.	
a. Exterior:	Masonry (Insulation R-value) Wood frame (Insulation R-value)	e)	9a-1 R = sq. ft. 9a-2 R = 13 343 sq. ft.	
b. Adjacent:	Masonry (Insulation R-value) Wood frame (Insulation R-value)	9)	9b-1 R = sq. ft. 9b-2 R = \$1. sq. ft.	
	ills of Multiple Units* (Yes/No)		9c	
Ceiling type and i				
a. Under atti b. Single ass	c (Insulation R-value) embly (Insulation R-value)		10a. R = sq. ft. 10b. R = 19 342 sq. ft.	
Cooling system*			11. Type: Contral	
(Types: centr	al, room unit, package terminal A.C.,	gas, existing, none)		
Heating system*			SEER/EER: <u>10.0</u> 12. Type: H/P	
(Types: heat existing, none	pump, elec. strip, natural gas, LP-gas e)	s, gas h.p., room or PTAC	HSPF/COP/AFUE: 6.8	
Air distribution sy		j	1	
a. Backflow d b. Ducts on m	amper or single package systems* (Y narnage walls adequately sealed* (Ye	(es/No) s/No)	13a	
Hot water system:			<i>K</i> #	
	natural gas, other, existing, none)		14. Type: Existing	
	ed homes with site-installed compone		-11-	
		ents.		
reby certify that the plans and Florida Energy Code	specifications covered by the calculation are jo com	pliance with Review of plans and e	Decilications covered by this	
THE P	20 Park	Energy Code. Before of	pecifications covered by this calculation indicates compliance v construction is completed, this building will be inspected for cor on 553 908, FC	with the Florid
PARED BY:	DATE: 2	3 Feb ZICO BUILDING OFFICIAL:	511 50d.50d, 1.g.	,

PREPARED BY: I hereby certify that the building is in compliance with the Florida Energy Code: BU	Review of plans and specifications covered by this calculation indicates compliance with the Florida Energy Code. Before construction is completed, this building will be inspected for compliance in accordance with Section 553.908, F.S. BUILDING OFFICIAL: ARTE:
---	--

.. · . ba

. . .

TABLE 6C-1: PRESCRIPTIVE REQUIREMENTS FOR SMALL ADDITIONS (600 Sq. Ft. and Less), RENOWITIONS TO EXISTING BUILDINGS AND SITE-INSTALLED COMPONENTS OF MANUFACTURED HOMES Climate Zones 1, 2, 3

	COMPONENT	MINIMUM INSULATION	INSULATION
WALLS	Concrete Block Frame, 2' x 4' Frame, 2' x 6' Common, Frame Common, Masonry	R-7 R-11 R-19 R-11 R-3	R- 13
CEILINGS	Under Attic Single Assembly; Enclosed Frame Metal Pans Single Assembly; Open Common, Frame	R-30 R-19 R-13 R-10 R-11	R. 19
3	Slab-on-grade Raised Wood Raised Concrete Common, Frame	No Minimum R-19 R-7 R-11	R-19
3	In unconditioned space In conditioned space	FI-6 No minimum	R.60

Г			TO COMPONENTS	UP MUNICIPACTURED HOMES
L		EQUIPMENT	MINIMUM EFFICIENCY	INSTALLED EFFICIENCY
	COOLING	Central A/C - Split - Single Pkg. Room unit or PTAC	SEER = 10.0 SEER = 9.7 EER = 8.5*	SEER = 10.0 SEER = EER =
200	PACE HEA	Electric Resistance Heat pump - Split - Single Pkg. Room unit or PTHP Gas, natural or propane Fuel Oil	AFUE = .78 AFUE = .78	HSPF = 6.3 HSPF = HSPF HSPF/ COP = HSPF/ AFUE = HSPF/ AFUE = HSPF/ AFUE = HSPF/ AFUE = HSPF/ AFUE = HSPF/ HS
тŌН	WATER	Gas; natural or LP	EF = .92 EF = .59	EF =

TABLE SC-2: PRESCRIPTIVE REQUIREMENTS FOR GLASS AREAS IN ADDITIONS ONLY

* See Table 13-607.1.ABC.3.2 and 13-608.1.ABC.3.2

		OVERHANG, AND S	SOLAR HEAT GAIN (COEFFICIENT REQU	RED FOR GLASS D	t. Maximum % = 20 Ins	talled % = 10. 4
UP TO	20%	UP	TO 30%		TO 40%	ENCENTAGE ALLOWE	D
Single	Double	Single	Double			UP TO	50%
OH-SHGC	OH-SHGC	OH-SHGC	OH-SHGC	Single	Double	Single	Double
1'87	0'78	287		OH-SHGC	OH-SHGC	OH-SHGC	OH-SHGC
0'75		1'75 0'57	1'78 0'61	NOT ALLOWED	2'78 1'61 0'44	NOT ALLOWED 66, and single tint SHGC	3'78 2'61 1'44

SECTION		_	
606.1	REQUIREMENTS		
	To be caulked, gasketed, weather-stripped or otherwise sealed.		
	wax. 0.3 cfm/sq.ft. window area; .5 cfm/sq.ft. door area.		
	Sole plates and penetrations through top plates of exterior walls must be sealed.		
	Type IC rated with no penetrations (two alternatives allowed).		
	Air barrier on perimeter of floor cavity between floors.	V	
606.1	Exhaust fans vented to unconditioned space shall have dampers, except for combustion declarated to		
606.1	Combustion space and water heating systems must be provided with outside control devices with integral		
612.1	Comply with official	-	
612.1	Soas & heated people must be a series page risers.		
612.1	sa a poor neaters must have minimum thermal efficiency of 78%.		
612.1	Water flow must be metriced to		
		~	
All ducts, fittings, mechanical equipment and plenum chambers shall be mechanically attached, sealed, insulated and installed in accordance with the criteria of Section 610.1. Ducts in attics must be insulated to a minimum of R-6.		V	
	612.1 612.1 612.1 612.1 610.1	Max. 0.3 cfm/sq.ft. window area; .5 cfm/sq.ft. door area. Sole plates and penetrations through top plates of exterior walls must be sealed. Type IC rated with no penetrations (two alternatives allowed). Air barrier on perimeter of floor cavity between floors. Exhaust fans vented to unconditioned space shall have dampers, except for combustion devices with integral exhaust ductwork. Combustion space and water heating systems must be provided with outside combustion air, except for direct vent appliances. Comply with efficiency requirements in Table 612.1 ABC.3.2. Switch or clearly marked circuit breaker electric or cutoff (gas) must be provided. External or built-in heat trap required for vertical pipe risers. Spas & heated pools must have covers (except solar heated). Noncommercial pools must have a pump timer. Gas spa & pool heaters must have minimum thermal efficiency of 78%. Insulation is required for hot water circuitating systems (including heat recovery units). All ducts, fittings, mechanical equipment and plenum chambers shall be mechanically attached, sealed, insulated and installed in accordance with the criteria of Section 610.1. Durse in extending attached, sealed, insulated	

- GENERAL DIRECTIONS:


 1. On Table 6C-1 indicate the R-value of the insulation being added to each component and the efficiency levels of the equipment being installed. All R-values and efficiencies installed must meet or exceed the minimum values listed. Components and equipment neither being added nor renovated may be left blank.

 2. ADDITIONS ONLY. Determine the percentage or new glass to conditioned floor area in the addition as follows. Total the areas of all glass windows, sliding glass doors and glass door panels. Double the area of all nonvertical roof glass and add it to the previous total. When glass in existing extenior walls is being removed or enclosed by the addition, an amount equal to the total area of this glass may be calculated percentage falls on Table 6C-2. Prescriptives are given by the type of glass (single or double pane) and the overhang (DH) paired with a solar heat gain coefficient allowed is specified. Actual glass windows and doors previously in the extenior walls of the house and being reinstalled in the addition do not have 10 paired with a solar heat gain coefficient requirements on Table 6C-2. All new glass in the addition must meet the requirement for one of the options in the glass preentage under the proviously in the extenior walls of the house and being reinstalled in the addition do not have 10 paired with a solar heat gain coefficient glass preentage exceptory and whose lowest edge does not extend further than 8 feet from the overhang. Glass areas being renovated that do not meet this criteria must be either single-pane tinted.


 4. BUILDING SYSTEMS. Comply when new system is installed for system installed for system installed.
- BUILDING SYSTEMS. Comply when new system is installed for system installed.

- Complete the information requested on the top half of page 1.

 Read "Minimum Requirements for Small Additions and Renovations," Table 6C-3, and check all applicable items. 7. Read, sign and date the "Owner/Agent" certification statement on page 1.



All Drains using ABS pipe



RESIDENTIAL MINIMUM PLAN REQUIREMENTS AND CHECKLIST FOR FLORIDA BUILDING CODE 2004 and FLORIDA RESIDENTIAL CODE 2004 WITH AMENDMENTS ONE (1) AND TWO (2) FAMILY DWELLINGS

ALL REQUIREMENTS ARE SUBJECT TO CHANGE EFFECTIVE OCTOBER 1, 2005

ALL BUILDING PLANS MUST INDICATE THE FOLLOWING ITEMS AND INDICATE COMPLIANCE WITH CHAPTER 16 OF THE FLORIDA BUILDING CODE 2004 BY PROVIDING CALCULATIONS AND DETAILS THAT HAVE THE SEAL AND SIGNATURE OF A CERTIFIED ARCHITECT OR ENGINEER REGISTERED IN THE STATE OF FLORIDA, OR ALTERNATE METHODOLOGIES, APPROVED BY THE STATE OF FLORIDA BUILDING COMMISSION FOR ONE-AND-TWO FAMILY DWELLINGS. FOR DESIGN PURPOSES THE FOLLOWING BASIC WIND SPEED AS PER FIGURE 1609 SHALL BE USED.

WIND SPEED LINE SHALL BE DEFINED AS FOLLOWS: THE CENTERLINE OF INTERSTATE 75.

- 1. ALL BUILDINGS CONSTRUCTED EAST OF SAID LINE SHALL BE ----- 100 MPH
- 2. ALL BUILDINGS CONSTRUCTED WEST OF SAID LINE SHALL BE -----110 MPH
- 3. NO AREA IN COLUMBIA COUNTY IS IN A WIND BORNE DEBRIS REGION

APPLICANT - PLEASE CHECK ALL APPLICABLE BOXES BEFORE SUBMITTAL

Applicant	Plans Examin	ENTS: Two (2) complete sets of plans containing the following:
Ø'	0	All drawings must be clear, concise and drawn to scale ("Optional"
1		details that are not used shall be marked void or crossed off). Square
ω/	0	footage of different areas shall be shown on plans.
	0	Designers name and signature on document (FBC 106.1). If licensed architect or engineer, official seal shall be affixed.
ਰ		Site Plan including:
10%	_	a) Dimensions of lot
		b) Dimensions of building set backs
1		c) Location of all other buildings on lot, well and septic tank if
į.		applicable, and all utility easements.
1		d) Provide a full legal description of property.
D		Wind-load Engineering Summary, calculations and any details required
		Plans or specifications must state compliance with FBC Section 1609.
		The following information must be shown as per section 1603.1.4 FBC
		a. Basic wind speed (3-second gust), miles per hour (km/hr).
		b. Wind importance factor, Iw, and building classification from Table
		1604.5 or Table 6-1, ASCE 7 and building classification in Table
		1-1, ASCE 7.
		c. Wind exposure, if more than one wind exposure is utilized, the
		wind exposure and applicable wind direction shall be indicated. d. The applicable enclosure classifications and if designed with
		 d. The applicable enclosure classifications and, if designed with ASCE 7, internal pressure coefficient.
		e. Components and Cladding. The design wind pressures in terms of
		psf (kN/m²) to be used for the design of exterior component and
. 1/		cladding materials not specifally designed by the registered design
111		professional.
11		Elevations including:
₫/	0	a) All sides
ĘΨ		b) Roof pitch
e 0	0	c) Overhang dimensions and detail with attic ventilation
		=



- d) Location, size and height above roof of chimneys.
- e) Location and size of skylights
- f) Building height
- e) Number of stories

Floor Plan including:

- a) Rooms labeled and dimensioned.
- b) Shear walls identified.
- c) Show product approval specification as required by Fla. Statute 553.842 and Fla. Administrative Code 9B-72 (see attach forms).
- d) Show safety glazing of glass, where required by code.
- e) Identify egress windows in bedrooms, and size.
- f) Fireplace (gas vented), (gas non-vented) or wood burning with hearth, (Please circle applicable type).
- g) Stairs with dimensions (width, tread and riser) and details of guardrails and handrails.
- h) Must show and identify accessibility requirements (accessible bathroom) Foundation Plan including:
- a) Location of all load-bearing wall with required footings indicated as standard or monolithic and dimensions and reinforcing.
- b) All posts and/or column footing including size and reinforcing
- c) Any special support required by soil analysis such as piling
- d) Location of any vertical steel.

Roof System:

- a) Truss package including:
 - 1. Truss layout and truss details signed and sealed by Fl. Pro. Eng.
 - 2. Roof assembly (FBC 106.1.1.2)Roofing system, materials, manufacturer, fastening requirements and product evaluation with wind resistance rating)
- b) Conventional Framing Layout including:
 - 1. Rafter size, species and spacing
 - 2. Attachment to wall and uplift
 - 3. Ridge beam sized and valley framing and support details
 - 4. Roof assembly (FBC 106.1.1.2)Roofing systems, materials, manufacturer, fastening requirements and product evaluation with wind resistance rating)

Wall Sections including:

- a) Masonry wall
 - 1. All materials making up wall
 - 2. Block size and mortar type with size and spacing of reinforcement
 - 3. Lintel, tie-beam sizes and reinforcement
 - Gable ends with rake beams showing reinforcement or gable truss and wall bracing details
 - All required connectors with uplift rating and required number and size of fasteners for continuous tie from roof to foundation shall be designed by a Windload engineer using the engineered roof truss plans.
 - 6. Roof assembly shown here or on roof system detail (FBC 106.1.1.2) Roofing system, materials, manufacturer, fastening requirements and product evaluation with resistance rating)
 - 7. Fire resistant construction (if required)
 - 8. Fireproofing requirements
 - 9. Shoe type of termite treatment (termiticide or alternative method)
 - 10. Slab on grade
 - a. Vapor retarder (6mil. Polyethylene with joints lapped 6 inches and sealed)
 - b. Must show control joints, synthetic fiber reinforcement or Welded fire fabric reinforcement and supports
 - 11. Indicate where pressure treated wood will be placed
 - 12. Provide insulation R value for the following:

)		
d	0	b) Wood frame wall
		1. All materials making up wall
		2. Size and species of studs
		3. Sheathing size, type and nailing schedule
		4. Headers sized
		5. Gable end showing balloon framing detail or gable truss and wall
		hinge bracing detail
		6. All required fasteners for continuous tie from roof to foundation
		(truss anchors, straps, anchor bolts and washers) shall be designed
	2	by a Windload engineer using the engineered roof truss plans.
		7. Roof assembly shown here or on roof system detail (FBC
		106.1.1.2) Roofing system, materials, manufacturer, fastening
		requirements and product evaluation with wind resistance rating)
		8. Fire resistant construction (if applicable)
		9. Fireproofing requirements
		10. Show type of termite treatment (termiticide or alternative method)
		11. Slab on grade
		a. Vapor retarder (6Mil. Polyethylene with joints lapped 6 inches and sealed
		b. Must show control joints, synthetic fiber reinforcement or
1		welded wire fabric reinforcement and supports
- 1		12. Indicate where pressure treated wood will be placed
- 1		13. Provide insulation R value for the following:
- 1		a. Attic space
1,		b. Exterior wall cavityc. Crawl space (if applicable)
d//	D	c) Metal frame wall and roof (designed, signed and sealed by Florida Prof.
	u	Engineer or Architect)
// /		Floor Framing System:
d //	O	a) Floor truss package including layout and details, signed and sealed by Florida
117		Registered Professional Engineer
d///	0	b) Floor joist size and spacing
		c) Girder size and spacing
		d) Attachment of joist to girder
Q //		e) Wind load requirements where applicable
4		Plumbing Fixture layout
	-	Electrical layout including:
	0	a) Switches, outlets/receptacles, lighting and all required GFCI outlets identified
4	0	b) Ceiling fans
N N		c) Smoke detectors
	0	d) Service panel and sub-panel size and location(s)
<u> </u>		e) Meter location with type of service entrance (overhead or underground)
7/	0	f) Appliances and HVAC equipment
E/	0	g) Arc Fault Circuits (AFCI) in bedrooms h) Exhaust fans in bathroom
4	IJ	HVAC information
4		a) Energy Calculations (dimensions shall match plans)
6		b) Manual J sizing equipment or equivalent computation
		c) Gas System Type (LP or Natural) Location and BTU demand of equipment
<u>5</u> //	0	Disclosure Statement for Owner Builders
E/	0	***Notice Of Commencement Required Before Any Inspections Will Be Done
B/		Private Potable Water

a. Attic spaceb. Exterior wall cavityc. Crawl space (if applicable)

- a) Size of pump motor
- b) Size of pressure tank
- c) Cycle stop valve if used

THE FOLLOWING ITEMS MUST BE SUBMITTED WITH BUILDING PLANS

- 1. <u>Building Permit Application:</u> A current Building Permit Application form is to be completed and submitted for all residential projects.
- 2. <u>Parcel Number:</u> The parcel number (Tax ID number) from the Property Appraiser (386) 758-1084 is required. A copy of property deed is also requested.
- 3. Environmental Health Permit or Sewer Tap Approval: A copy of the Environmental Health permit, existing septic approval or sewer tap approval is required before a building permit can be issued.

 (386) 758-1058 (Toilet facilities shall be provided for construction workers)
- 4. <u>City Approval:</u> If the project is to be located within the city limits of the Town of Fort White, prior approval is required. The Town of Fort White approval letter is required to be submitted by the owner or contractor to this office when applying for a Building Permit. (386) 497-2321
- 5. Flood Information: All projects within the Floodway of the Suwannee or Santa Fe Rivers shall require permitting through the Suwannee River Water Management District, before submitting application to this office. Any project located within a flood zone where the base flood elevation (100 year flood) has been established shall meet the requirements of Section 8.8 of the Columbia County Land Development Regulations. Any project located within a flood zone where the base flood elevation has not been established (Zone A) shall meet the requirements of Section 8.7 of the Columbia County Land Development Regulations. CERTIFIED FINISHED FLOOR ELEVATIONS WILL BE REQUIRED ON ANY PROJECT WHERE THE BASE FLOOD ELEVATION (100 YEAR FLOOD) HAS BEEN ESTABLISHED.

 A development permit will also be required. Development permit cost is \$50.00
- 6. <u>Driveway Connection:</u> If the property does not have an existing access to a public road, then an application for a culvert permit (\$25,00) must be made. If the applicant feels that a culvert is not needed, they may apply for a culvert waiver (\$50,00). All culvert waivers are sent to the Columbia County Public Works Department for approval or denial. <u>If the project is to be located on a F.D.O.T. maintained road, than an F.D.O.T. access permit is required.</u>
- 7. 911 Address: If the project is located in an area where the 911 address has been issued, then the proper paperwork from the 911 Addressing Department must be submitted. (386) 752-8787

ALL REQUIRED INFORMATION IS TO BE SUBMITTED FOR REVIEW. YOU WILL BE NOTIFIED WHEN YOUR APPLICATION AND PLANS ARE APPROVED AND READY TO PERMIT. PLEASE DO NOT EXPECT OR REQUEST THAT PERMIT APPLICATIONS BE REVIEWED OR APPROVED WHILE YOU ARE HERE – TIME WILL NOT ALLOW THIS –PLEASE DO NOT ASK

Location:	Project Name:			
As required by Florida Statute 553.842 and Florida Administrative Code 9B-72, please provide the information and the product approval number(s) on the building components listed below if they will be utilized on the construction project for which you are applying for a building permit on or after April 1, 2004. We recommend you contact your local product supplier should you not know the product approval number for any of the applicable listed products. More information about statewide product approval can be obtained at www.floridabuilding.org				
Category/Subcategory	Manufacturer	Product Description	Approved Newsbords	
A. EXTERIOR DOORS	seld wid		Approval Number(s	
1. Swinging	Wany on Day			
2. Sliding	00			
3. Sectional				
4. Roll up				
5. Automatic				
6. Other				
B. WINDOWS				
1. Single hung				
2. Horizontal Slider				
3. Casement				
4. Double Hung	Duble Hory	Wind Tonk 140 mpt Disig Pressure OP	1:+45.01-47.2	
5. Fixed		1	/	
6. Awning				
7. Pass -through 8. Projected				
9. Mullion			•	
10. Wind Breaker				
11 Dual Action				
12. Other				
C. PANEL WALL				
1. Siding				
2. Soffits				
3. EIFS				
4. Storefronts				
5. Curtain walls				
6. Wall louver				
7. Glass block				
8. Membrane				
9. Greenhouse				
10. Other	Ceder Siding	Ceder Sidin		
D. ROOFING PRODUCTS	Table Miles	Car stand		
Asphalt Shingles				
2. Underlayments				
3. Roofing Fasteners				
4. Non-structural Metal Rf				
5. Built-Up Roofing				
6. Modified Bitumen		·		
7. Single Ply Roofing Sys				
8. Roofing Tiles				
9. Roofing Insulation				
10. Waterproofing				
11. Wood shingles /shakes				
12. Roofing Slate				
12 25 gage GALVALOM	Inital Panuls			
00	GULF STream			
	(thrse shoe	Bineh)		

13. Liquid Applied Roof Sys				
14. Cements-Adhesives -		•		
Coatings	E WE W 703			
15. Roof Tile Adhesive				
16. Spray Applied Polyurethane Roof	1			
17. Other	ar old			
	Joen Gallon			
E. SHUTTERS				
Accordion Bahama				
3. Storm Panels				
4. Colonial				
		3		
5. Roll-up				
6. Equipment				
7. Others				
F. SKYLIGHTS	<u> </u>			
1. Skylight	+			
2. Other				
G. STRUCTURAL				
COMPONENTS 1. Wood connector/ancho				
	<u> </u>			
2. Truss plates				
3. Engineered lumber				
4. Railing 5. Coolers-freezers	ा			
6. Concrete Admixtures	10/ 00/	2006		
	Andrea Mat.	3000 mix		
7. Material				
8. Insulation Forms	· · · · · · · · · · · · · · · · · · ·		The state of the s	
9. Plastics 10. Deck-Roof				
11. Wall				
12. Sheds				
13. Other				
H. NEW EXTERIOR				
ENVELOPE PRODUCTS	- 	,		
1. 2.				-
The products listed below of time of inspection of these jobsite; 1) copy of the product and certified to comply with I understand these product	products, the foliouct approval, 2) the approval, 2) the approval, 2)	owing information r ne performance ch oplicable manufact	must be available to the aracteristics which the paracteristics which the paracteristics installation requires	inspector on the product was tested ements.
Contractor or Contractor's Authoriz	ed Agent Signature	Pr	int Name	Date
Location			Permit # (FOR STAFF USE ONLY)	

NOTICE:

ADDRESSES BY APPOINTMENT ONLY!

TO OBTAIN A 9-1-1 ADDRESS THE REQUESTER MUST CONTACT THE COLUMBIA COUNTY 9-1-1 ADDRESSING DEPARTMENT AT (386) 752-8787 FOR AN APPOINTMENT TIME AND DATE:

YOU CAN NOT OBTAIN A NEW ADDRESS OVER THE


TELEPHONE. MUST MAKE AN APPOINTMENT!

THE ADDRESSING DEPARTMENT IS LOCATED AT 263 NW LAKE CITY AVENUE (OFF OF WEST U.S. HIGHWAY 90 WEST OF INTERSTATE 75 AT THE COLUMBIA COUNTY EMERGENCY OPERATIONS CENTER).

THE REQUESTER WILL NEED THE FOLLOWING:

- 1. THE PARCEL OR TAX ID NUMBER (SAMPLE: "25-4S-17-12345-123" OR "R12345-123") FOR THE PROPERTY.
- 2. A PLAT, PLAN, SITE PLAN, OR DRAWING SHOWING THE PROPERTY LINES OF THE PARCEL.
 - a. LOCATION OF PLANNED RESIDENT OR BUSINESS STRUCTURE ON THE PROPERTY WITH DISTANCES FROM TWO OF THE PROPERTY LINES TO THE STRUCTURE (SEE SAMPLE BELOW).
 - b. LOCATION OF THE ACCESS POINT (DRIVEWAY, ETC.) ON THE ROADWAY FROM WHICH LOCATION IS TO BE ADDRESSED WITH A DISTANCE FROM A PARALLEL PROPERTY LINE AND OR PROPERTY CORNER (SEE SAMPLE BELOW).
 - c. TRAVEL OF THE DRIVEWAY FROM THE ACCESS POINT TO THE STRUCTURE (SEE SAMPLE BELOW).

SAMPLE:



NOTE: 5 TO 7 WORKING DAYS MAY BE REQUIRED IF ADDRESSING DEPARTMENT NEEDS TO CONDUCT AN ON SITE SURVEY.

John /

March 19, 2007

Columbia County Building Department Lake City, Florida

RE: Permit Number 24/82

To Whom It May Concern:

I would like to request a 90 day extension for the above permit number. We have not been able to complete the project at this time.

Thank you, Lann & Schmidt

Laurie Readout-Schmidt

Steve Schmidt

5234 SW 5R47 5234 June 8, 2007

Columbia County Building & Zoning Lake City, Florida

RE: Permit #000024182

Laura R. Schmidt

Steve & Laurie (Readout) Schmidt

We respectfully request a 90 day extension for the above permit in order to complete the final construction process. We should be ready for a final at that time.

Thank You,

Laurie R. Schmidt

January 22, 2008

Columbia County Building & Zoning

Janus R Schmott

Lake City, Florida

RE: Permit #000024182

Steve & Laurie (Readout) Schmidt

We respectfully request a 90 day extension for the above permit in order to complete the final construction process. We should be ready for a final at that time.

Thank You,

Laurie R. Schmidt

January 8, 2009

Columbia County Building and Zoning

Lake City, Florida

RE: Permit #000024182

Steve & Laurie (Readout) Schmidt

We respectfully request a 90 day extension for the above permit in order to complete the final construction process.

Thank you,

Laurie R. Schmidt

386-755-5777



OCCUPANCY

COLUMBIA COUNTY, FLORIDA

Department of Building and Zoning Inspection This Certificate of Occupancy is issued to the below named permit holder for the building

and premises at the below named location, and certifies that the work has been completed in accordance with the Columbia County Building Code.

Parcel Number 36-4S-16-03300-011

Building permit No. 000024182

Use Classification ADDITION TO M/H

Fire: 0.00

Permit Holder LAURA READOUT/STEVEN SCHMIDT

Waste: 0.00

Total: 0.00

Location: 5234 SW SR 47, LAKE CITY, FL

Date: 03/19/2010

Owner of Building LAURIE READOUT/STEVEN SCHMIDT

C. This

POST IN A CONSPICUOUS PLACE

(Business Places Only)

Building Inspector