

FLORIDA DEPARTMENT OF
Business & Professional Regulation



[DBPR HOME](#) | [ABOUT DBPR](#) | [DBPR DIVISIONS](#) | [CONTACT DBPR](#)

[BCIS Home](#) | [Log In](#) | [User Registration](#) | [Hot Topics](#) | [Submit Surcharge](#) | [Stats & Facts](#) | [Publications](#) | [Contact Us](#) | [BCIS Site Map](#) | [Links](#) | [Search](#)



Product Approval
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

44

OFFICE OF THE
SECRETARY

FL #	FL27402-R3
Application Type	Revision
Code Version	2023
Application Status	Approved
Comments	
Archived	<input type="checkbox"/>
Product Manufacturer	Carports Anywhere
Address/Phone/Email	10858 S.E. County Road 221 Starke, FL (352) 468-1116 bodom@carportsanywhere.com
Authorized Signature	Brandie Odom bodom@carportsanywhere.com
Technical Representative	
Address/Phone/Email	
Quality Assurance Representative	
Address/Phone/Email	
Category	Structural Components
Subcategory	Roof Deck
Compliance Method	Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer <input type="checkbox"/> Evaluation Report - Hardcopy Received
Florida Engineer or Architect Name who developed the Evaluation Report	Johnathan Green
Florida License	PE-88223
Quality Assurance Entity	PRI Construction Materials Technologies, LLC
Quality Assurance Contract Expiration Date	09/11/2026
Validated By	Steven M. Urich, PE <input checked="" type="checkbox"/> Validation Checklist - Hardcopy Received
Certificate of Independence	FL27402_R3_COI_Letter of Certification.pdf
Referenced Standard and Year (of Standard)	Standard ASTM E 1592 FM 4471 Year 2005 1992
Equivalence of Product Standards Certified By	
Sections from the Code	

Product Approval Method

Method 1 Option D

Date Submitted

08/31/2023

Date Validated

09/01/2023

Date Pending FBC Approval

09/12/2023

Date Approved

12/13/2023

Summary of Products

FL #	Model, Number or Name	Description
27402.1	Hampton Rib Roof Panel	Hampton Rib Roof Panel over Open Framing
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +54.7 psf/-57.3 psf Other: See evaluation report for various design pressures Install per Manufacturer's details. Not for use in HVHZ Zones.		Installation Instructions FL27402_R3_II_Hampton Rib Roof Panel over open framing.pdf Verified By: Johnathan E Green, P.E. 88223 Created by Independent Third Party: Yes Evaluation Reports FL27402_R3_AE_Hampton Rib Roof Panel over open framing.pdf Created by Independent Third Party: Yes

[Back](#)

[Next](#)

[Contact Us](#) :: [2601 Blair Stone Road, Tallahassee FL 32399](#) Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida](#). :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:



Credit Card
Safe

securityMETRICS

FLORIDA DEPARTMENT OF
Business & Professional Regulation



[DBPR HOME](#) | [ABOUT DBPR](#) | [DBPR DIVISIONS](#) | [CONTACT DBPR](#)

[BCIS Home](#) | [Log In](#) | [User Registration](#) | [Hot Topics](#) | [Submit Surcharge](#) | [Stats & Facts](#) | [Publications](#) | [Contact Us](#) | [BCIS Site Map](#) | [Links](#) | [Search](#)



Product Approval
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

OFFICE OF THE
SECRETARY

FL #	FL27403-R3
Application Type	Revision
Code Version	2023
Application Status	Approved
Comments	
Archived	<input type="checkbox"/>
Product Manufacturer	Carports Anywhere
Address/Phone/Email	10858 S.E. County Road 221 Starke, FL (352) 468-1116 bodom@carportsanywhere.com
Authorized Signature	Brandie Odom bodom@carportsanywhere.com
Technical Representative	
Address/Phone/Email	
Quality Assurance Representative	
Address/Phone/Email	
Category	Structural Components
Subcategory	Structural Wall
Compliance Method	Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer <input type="checkbox"/> Evaluation Report - Hardcopy Received
Florida Engineer or Architect Name who developed the Evaluation Report	Johnathan Green
Florida License	PE-88223
Quality Assurance Entity	PRI Construction Materials Technologies, LLC
Quality Assurance Contract Expiration Date	09/11/2026
Validated By	Steven M. Urch, PE <input checked="" type="checkbox"/> Validation Checklist - Hardcopy Received
Certificate of Independence	FL27403_R3_COI_Letter of Certification.pdf
Referenced Standard and Year (of Standard)	
Equivalence of Product Standards Certified By	
Sections from the Code	1709.2
Product Approval Method	Method 2 Option B

Date Submitted	08/31/2023
Date Validated	09/01/2023
Date Pending FBC Approval	09/12/2023
Date Approved	12/13/2023

Summary of Products

FL #	Model, Number or Name	Description
27403.1	Hampton Rib Wall Panel	Hampton Rib Wall Panel over open Framing
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +46.9 psf/-57.3 psf Other: See Evaluation Report for various Design Pressures. Install per Manufacturer's Details. Not for use in HVHZ Zones.		Installation Instructions FL27403 R3 II Hampton Rib Wall Panel.pdf Verified By: Johnathan E Green, P.E. 88223 Created by Independent Third Party: Yes Evaluation Reports FL27403 R3 AE Hampton Rib Wall Panel.pdf Created by Independent Third Party: Yes
27403.2	Resi-Lap Siding Wall Panel	Resi-Lap Siding Wall Panel over open Framing
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +40.0 psf/-37.0 psf Other: +40.0 psf at 4'-0" o.c. -37.0 psf at 4'-0" o.c. Install per Manufacturer's Details. Not for use in HVHZ Zones.		Installation Instructions FL27403 R3 II Resi-Lap Wall Panel.pdf Verified By: Johnathan E Green, P.E. 88223 Created by Independent Third Party: Yes Evaluation Reports FL27403 R3 AE Resi-Lap Wall Panel.pdf Created by Independent Third Party: Yes

[Back](#) [Next](#)

Contact Us :: [2601 Blair Stone Road, Tallahassee FL 32399](#) Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida](#). :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:



Credit Card
Safe

securityMETRICS

FLORIDA DEPARTMENT OF
Business & Professional Regulation



[DBPR HOME](#) [ABOUT DBPR](#) [DBPR DIVISIONS](#) [CONTACT DBPR](#)

[BCIS Home](#) [Log In](#) [User Registration](#) [Hot Topics](#) [Submit Surcharge](#) [Stats & Facts](#) [Publications](#) [Contact Us](#) [BCIS Site Map](#) [Links](#) [Search](#)



Product Approval
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

OFFICE OF THE
SECRETARY

FL #	FL17996-R3				
Application Type	Revision				
Code Version	2023				
Application Status	Approved				
	*Approved by DBPR. Approvals by DBPR shall be reviewed and ratified by the POC and/or the Commission if necessary.				
Comments					
Archived	<input type="checkbox"/>				
Product Manufacturer	Elixir Door and Metal Company				
Address/Phone/Email	1215 Pope Drive Douglas, GA 31533 (912) 493-2215 ryarberry@elixirdmc.com				
Authorized Signature	Randall Yarberry ryarberry@elixirdmc.com				
Technical Representative	PTC Product Design Group				
Address/Phone/Email	PO Box 520775 Longwood, FL 32752 (321) 690-1788 info@ptc-corp.com				
Quality Assurance Representative					
Address/Phone/Email					
Category	Exterior Doors				
Subcategory	Swinging Exterior Door Assemblies				
Compliance Method	Certification Mark or Listing				
Certification Agency	Fenestration and Glazing Industry Alliance (formerly AAMA)				
Validated By	Fenestration and Glazing Industry Alliance (formerly AAMA)				
Referenced Standard and Year (of Standard)	<table><tr><th><u>Standard</u></th><th><u>Year</u></th></tr><tr><td>ASTM E330</td><td>2014</td></tr></table>	<u>Standard</u>	<u>Year</u>	ASTM E330	2014
<u>Standard</u>	<u>Year</u>				
ASTM E330	2014				
Equivalence of Product Standards					
Certified By					
Product Approval Method	Method 1 Option A				
Date Submitted	11/16/2023				
Date Validated	12/19/2023				

Date Pending FBC Approval

Date Approved

12/26/2023

Summary of Products

FL #	Model, Number or Name	Description
17996.1	Series 202-20S Steel Door	Series 202-20S Steel O.S. Door w/ Vertical Slider Window
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +38.7/-32 Other:		Certification Agency Certificate FL17996_R3_C_CAC_19359_Elixir - 202-20S OS Door (1b) ASTM Jan. 2021.pdf Quality Assurance Contract Expiration Date 07/11/2024 Installation Instructions FL17996_R3_II_ELIX0034_Rev B Model 202-20S ss.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL17996_R3_AE_PER_1642_Rev4 ss.pdf Created by Independent Third Party: Yes
17996.2	Series 230 W9 Steel Door	Series 230 W9 Steel O.S. Door w/ Cottage Window
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +25.3/-25.3 Other:		Certification Agency Certificate FL17996_R3_C_CAC_19346_Elixir - 230-W9 OS Door (1b) ASTM Jan. 2021.pdf Quality Assurance Contract Expiration Date 07/11/2024 Installation Instructions FL17996_R3_II_ELIX0033_Rev B Model 230 W9 ss.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL17996_R3_AE_PER_1642_Rev4 ss.pdf Created by Independent Third Party: Yes
17996.3	Series 402-14	Vinyl Steel Out-Swinging Regular Door - 14" x 14" Window
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +66/-56 Other:		Certification Agency Certificate FL17996_R3_C_CAC_19349_Elixir - 402-14 OS Door (1b) ASTM Jan. 2021.pdf Quality Assurance Contract Expiration Date 08/26/2025 Installation Instructions FL17996_R3_II_ELIX0050_REV-B OS MODEL 402-14 ss.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL17996_R3_AE_PER_1951_Rev4 ss.pdf Created by Independent Third Party: Yes
17996.4	Series 402-20S	Vinyl Steel Out-swinging Regular Door - 20" slider window
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +66/-56 Other:		Certification Agency Certificate FL17996_R3_C_CAC_19358_Elixir - 402-20S OS Door (1b) ASTM Jan. 2021.pdf Quality Assurance Contract Expiration Date 08/26/2025 Installation Instructions FL17996_R3_II_ELIX0051_REV-B OS MODEL 402-20S ss.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL17996_R3_AE_PER_1951_Rev4 ss.pdf Created by Independent Third Party: Yes
17996.5	Series 407	Vinyl Steel Out-Swing Regular Door - Blank (no window)
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +50/-50 Other:		Certification Agency Certificate FL17996_R3_C_CAC_19345_Elixir - 407 OS Door (1b) ASTM Jan. 2021.pdf Quality Assurance Contract Expiration Date 08/19/2025 Installation Instructions FL17996_R3_II_ELIX0052_REV-B OS MODEL 407 ss.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL17996_R3_AE_PER_1951_Rev4 ss.pdf Created by Independent Third Party: Yes

17996.6	Series 430 W9	Vinyl Steel Out-swinging Regular Door - 9-Lite Window (1'8" x 3'0")
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +50/-50 Other:		Certification Agency Certificate FL17996_R3_C_CAC_19344 Elixir - 430-W9 OS Door (1b) ASTM Jan. 2021.pdf Quality Assurance Contract Expiration Date 08/25/2025 Installation Instructions FL17996_R3_II_ELIX0053 REV-B OS MODEL 430-W9 ss.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL17996_R3_AE_PER_1951 Rev4 ss.pdf Created by Independent Third Party: Yes
17996.7	Series 6400 W9 Cottage	Series 6400-W9 Non-Impact Inswing Painted Steel Door w/Storm Door
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +66.7/-56.7 Other:		Certification Agency Certificate FL17996_R3_C_CAC_19352 Elixir - 6400-W9 IS Door w-Storm (1b) ASTM Jan. 2021.pdf Quality Assurance Contract Expiration Date 09/07/2024 Installation Instructions FL17996_R3_II_ELIX0056 Rev-B IS MODEL 6400-W9 WITH STORM DOOR ss.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL17996_R3_AE_PER_1954 Rev4 ss.pdf Created by Independent Third Party: Yes
17996.8	Series 7500 Oval	Series 7500 Non-Impact Inswing Vinyl Laminated Steel Door w/Storm Door and PVC Jamb
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +50/-50 Other:		Certification Agency Certificate FL17996_R3_C_CAC_19348 Elixir - 7500 IS Door w-Storm (1b) ASTM Jan. 2021.pdf Quality Assurance Contract Expiration Date 08/23/2024 Installation Instructions FL17996_R3_II_ELIX0060 Rev-B IS MODEL STR 7500 OVAL WITH STORM DOOR ss.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL17996_R3_AE_PER_1955 Rev4 ss.pdf Created by Independent Third Party: Yes
17996.9	Series 8400 W9 Cottage	Series 8400-W9 Non-Impact Oval Inswing Vinyl Laminated Steel Door w/Storm Door
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +50/-50 Other:		Certification Agency Certificate FL17996_R3_C_CAC_19353 Elixir - 8400-W9 IS Door w-Storm (1b) ASTM Jan. 2021.pdf Quality Assurance Contract Expiration Date 09/07/2024 Installation Instructions FL17996_R3_II_ELIX0057 Rev-B IS MODEL 8400-W9 OVAL WITH STORM DOOR ss.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL17996_R3_AE_PER_1954 Rev4 ss.pdf Created by Independent Third Party: Yes
17996.10	Series 9000	Series 9000 Non-Impact Inswing Vinyl Laminated Steel Door w/Storm Door
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +50/-50.7 Other:		Certification Agency Certificate FL17996_R3_C_CAC_19374 Elixir - 9000 IS Door w-Storm (1b) ASTM Jan. 2021.pdf Quality Assurance Contract Expiration Date 09/06/2024 Installation Instructions FL17996_R3_II_ELIX0058 Rev-B IS BLANK 9000 DOOR W. STORM DOOR ss.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL17996_R3_AE_PER_1954 Rev4 ss.pdf Created by Independent Third Party: Yes

17996.11	Series 9400-W9 Cottage	Series 9400-W9 Non-Impact Inswing Vinyl Laminated Steel Door w/Storm Door
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +50/-50 Other:		Certification Agency Certificate FL17996 R3 C CAC 19350 Elixir - 9400-W9 IS Door w-Storm (1b) ASTM Jan. 2021.pdf Quality Assurance Contract Expiration Date 09/06/2024 Installation Instructions FL17996 R3 II ELIX0059 Rev-B IS MODEL 9400-W9 COTTAGE W. STORM DOOR ss.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL17996 R3 AE PER 1954 Rev4 ss.pdf Created by Independent Third Party: Yes
17996.12	Series AFIF7N	Series AFIF7N Non-Impact IS Fiberglass Door
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +38.7/-38.7 Other:		Certification Agency Certificate FL17996 R3 C CAC 19351 Elixir - AFIF7N IS Door (1b) ASTM Jan. 2021.pdf Quality Assurance Contract Expiration Date 08/21/2024 Installation Instructions FL17996 R3 II ELIX0040 AFIF7N-BFIF7N RevB ss.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL17996 R3 AE PER 1952 Rev4 ss.pdf Created by Independent Third Party: Yes
17996.13	Series AVIF7N	Series AVIF7N Non-Impact IS Steel Door
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +38/-38 Other:		Certification Agency Certificate FL17996 R3 C CAC 19356 Elixir - AVIF7N IS Door (1b) ASTM Jan. 2021.pdf Quality Assurance Contract Expiration Date 07/22/2025 Installation Instructions FL17996 R3 II ELIX0047 AVIF7N RevB ss.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL17996 R3 AE PER 1953 Rev4 ss.pdf Created by Independent Third Party: Yes
17996.14	Series BFIF7N	Series BFIF7N Non-Impact IS Fiberglass Door
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +38.7/-38.7 Other:		Certification Agency Certificate FL17996 R3 C CAC 19357 Elixir - BFIF7N IS Door w-Side Lites (1b) ASTM Jan. 2021.pdf Quality Assurance Contract Expiration Date 08/21/2024 Installation Instructions FL17996 R3 II ELIX0040 AFIF7N-BFIF7N RevB ss.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL17996 R3 AE PER 1952 Rev4 ss.pdf Created by Independent Third Party: Yes
17996.15	Series BVI63S	Series BVI63S Non-Impact Single Inswing Door w/Fixed Lite Insert and Outswing Storm Door
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +65/-65 Other:		Certification Agency Certificate FL17996 R3 C CAC Elixir - BVI63S IS Door w-Storm (1a) ASTM Aug. 2023.pdf Quality Assurance Contract Expiration Date 03/24/2028 Installation Instructions FL17996 R3 II ELIX0061 BVI63S RevC ss.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL17996 R3 AE PER 2244 Rev4 ss.pdf Created by Independent Third Party: Yes
17996.16	Series BVIF7N	Series BVIF7N Non-Impact IS Steel Door
Limits of Use Approved for use in HVHZ: No		Certification Agency Certificate FL17996 R3 C CAC 19354 Elixir - BVIF7N IS Door (1b)

Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +40/-40 Other:		ASTM Jan. 2021.pdf Quality Assurance Contract Expiration Date 07/29/2025 Installation Instructions FL17996_R3_II_ELIX0049_BVIF7N_BVIF7S_RevB_ss.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL17996_R3_AE_PER_1953_Rev4_ss.pdf Created by Independent Third Party: Yes
17996.17	Series BVIF7S	Series BVIF7S Non-Impact IS Steel Door
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +50/-50 Other:		Certification Agency Certificate FL17996_R3_C_CAC_19355_Elixir - BVIF7S IS Door w-Storm (1b) ASTM Jan. 2021.pdf Quality Assurance Contract Expiration Date 07/29/2025 Installation Instructions FL17996_R3_II_ELIX0049_BVIF7N_BVIF7S_RevB_ss.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL17996_R3_AE_PER_1953_Rev4_ss.pdf Created by Independent Third Party: Yes

[Back](#)
[Next](#)

[Contact Us](#) :: [2601 Blair Stone Road, Tallahassee FL 32399](#) Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida](#). :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:



FLORIDA DEPARTMENT OF
Business & Professional Regulation



[DBPR HOME](#) [ABOUT DBPR](#) [DBPR DIVISIONS](#) [CONTACT DBPR](#)

[BCIS Home](#) | [Log In](#) | [User Registration](#) | [Hot Topics](#) | [Submit Surcharge](#) | [Stats & Facts](#) | [Publications](#) | [Contact Us](#) | [BCIS Site Map](#) | [Links](#) | [Search](#)



Product Approval
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

OFFICE OF THE
SECRETARY

FL #	FL21450-R11														
Application Type	Revision														
Code Version	2023														
Application Status	Approved														
Comments															
Archived	<input type="checkbox"/>														
Product Manufacturer	Janus International Group, LLC.														
Address/Phone/Email	135 Janus International Blvd. Temple, GA 30179 (770) 562-6135 Ext 360 curts@janusintl.com														
Authorized Signature	Curtis Schroeder curts@janusintl.com														
Technical Representative	Curtis L. Schroeder														
Address/Phone/Email	134 Janus International Blvd. Temple, GA 30179 (770) 562-2850 Ext 360 curts@janusintl.com														
Quality Assurance Representative	Chris Meyer														
Address/Phone/Email	135 Janus International Blvd Temple, GA 30179 (770) 562-2850 chris.meyer@janusintl.com														
Category	Exterior Doors														
Subcategory	Roll-Up Exterior Door Assemblies														
Compliance Method	Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer <input type="checkbox"/> Evaluation Report - Hardcopy Received														
Florida Engineer or Architect Name who developed the Evaluation Report	John E. Scates														
Florida License	PE-51737														
Quality Assurance Entity	National Accreditation and Management Institute														
Quality Assurance Contract Expiration Date	12/31/2024														
Validated By	Kurt Dietrich PE <input checked="" type="checkbox"/> Validation Checklist - Hardcopy Received														
Certificate of Independence	FL21450 R11 COI Cert of Ind Scates 2023 Janus s.pdf														
Referenced Standard and Year (of Standard)	<table><thead><tr><th>Standard</th><th>Year</th></tr></thead><tbody><tr><td>ANSI/DASMA 108</td><td>2017</td></tr><tr><td>ANSI/DASMA 115</td><td>2017</td></tr><tr><td>ASTM E330</td><td>2014</td></tr><tr><td>TAS 201</td><td>1994</td></tr><tr><td>TAS 202</td><td>1994</td></tr><tr><td>TAS 203</td><td>1994</td></tr></tbody></table>	Standard	Year	ANSI/DASMA 108	2017	ANSI/DASMA 115	2017	ASTM E330	2014	TAS 201	1994	TAS 202	1994	TAS 203	1994
Standard	Year														
ANSI/DASMA 108	2017														
ANSI/DASMA 115	2017														
ASTM E330	2014														
TAS 201	1994														
TAS 202	1994														
TAS 203	1994														

Equivalence of Product Standards
Certified By

Sections from the Code

Product Approval Method

Method 1 Option D

Date Submitted 08/15/2023
Date Validated 08/15/2023
Date Pending FBC Approval 08/16/2023
Date Approved 10/17/2023

Summary of Products

FL #	Model, Number or Name	Description
21450.1	Series 1100	Series 1100 - 26 Gauge Door Assembly Max Size: 8'-8" x 14'-0"
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +24.4/-27.0 Other: +24.4/-27.0 psf tested width of 8'-8". PSF values vary to 6'-0" and 8'-8"		Installation Instructions FL21450_R11_II_T1012_RevF_s.pdf Verified By: John E. Scates PE-51737 Created by Independent Third Party: Yes Evaluation Reports FL21450_R11_AE_EvalRept_Model750_1100_s.pdf Created by Independent Third Party: Yes
21450.2	Series 1100	Series 1100 - 26 Gauge Door Assembly Max Size: 12'-0" x 14'-0"
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +19.4/-22.7 Other: +19.4/-22.7 psf tested width of 10'-0". PSF values vary to 10'-0" and 12'-0".		Installation Instructions FL21450_R11_II_T1013_RevF_s.pdf Verified By: John E. Scates PE-51737 Created by Independent Third Party: Yes Evaluation Reports FL21450_R11_AE_EvalRept_Model750_1100_s.pdf Created by Independent Third Party: Yes
21450.3	Series 1850/3100	Series 1850/3100 - 26 Gauge Door Assembly Max Size: 20'-0" x 20'-0"
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +42.5/-45 Other: +42.5/-45.0 psf tested width of 16'-0". For non-impact rated doors, psf values vary to 8'-0" and 20'-0" widths		Installation Instructions FL21450_R11_II_T1017_RevB_sFL.pdf Verified By: John E. Scates P.E. FL 51737 Created by Independent Third Party: Yes Evaluation Reports FL21450_R11_AE_EvalRept_Model850_1850_3100_s.pdf Created by Independent Third Party: Yes
21450.4	Series 1850/3100-IM	Series 1850/3100-IM - Impact Resistant 26 Gauge Door Assembly Max Size: 16'-0" x 20'-0"
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +42.5/-45 Other: PSF values vary by width. 14'-0" width: +40.0/-40.0 and 16'-0" width: +42.5/-45.0		Installation Instructions FL21450_R11_II_T1017_RevB_sFL.pdf Verified By: John E. Scates P.E. FL 51737 Created by Independent Third Party: Yes Evaluation Reports FL21450_R11_AE_EvalRept_Model850_1850_3100_s.pdf Created by Independent Third Party: Yes
21450.5	Series 3400	Series 3400 - 24 Gauge Door Assembly Max Size: 12'-0" X 20'-0" (HVHZ)
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +43.0/-49.0 Other: FOR USE IN HIGH VELOCITY HURRICANE ZONES		Installation Instructions FL21450_R11_II_T1011-RevC_sFL.pdf Verified By: John E. Scates P.E. FL 51737 Created by Independent Third Party: Yes Evaluation Reports FL21450_R11_AE_EvalRept_Model850_1850_3100_s.pdf Created by Independent Third Party: Yes
21450.6	Series 3652	Series 3652 - 26 Gauge Door Assembly - Max Size: 18'-0" x 20'-0"

Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +36/-40 Other: Design pressure listed is at test width of 12'-0". For pressures versus widths, see table, on page 1, of drawing T1014. Not for use in High Velocity Hurricane Zones.		Installation Instructions FL21450_R11_II_T1014_RevC_s.pdf Verified By: John E. Scates P.E. FL 51737 Created by Independent Third Party: Yes Evaluation Reports FL21450_R11_AE_EvalRept_Model3652_s.pdf Created by Independent Third Party: Yes
21450.7	Series 690	Series 690 - 26 Gauge Door Assembly Max Size: 10'-0"X12'-0"
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +28.2/-32.9 Other: Pressure varies by width from +64.2/-75.0 at 4' wide to +28.2/-32.9 at 10' wide. See drawings.		Installation Instructions FL21450_R11_II_T2000_Rev- s.pdf Verified By: John E. Scates P.E. FL 51737 Created by Independent Third Party: Yes Evaluation Reports FL21450_R11_AE_EvalRept_Model690_s.pdf Created by Independent Third Party: Yes
21450.8	Series 750	Series 750 - 26 Gauge Door Assembly Max Size: 3'-0" x 12'-0"
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +35/-45 Other: Not for use in High Velocity Hurricane Zones		Installation Instructions FL21450_R11_II_T1000_RevG_s.pdf Verified By: John E. Scates, P.E. 51737 Created by Independent Third Party: Yes Evaluation Reports FL21450_R11_AE_EvalRept_Model750_1100_s.pdf Created by Independent Third Party: Yes
21450.9	Series 750	Series 750 - 26 Gauge Door Assembly Max Size: 6'-0" x 12'-0"
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +19.9/-24.4 Other: Design Pressures listed as a test width of 6'-0". For pressures vs. widths, see table, sheet 1 of 2, dwg T1001. Not for use in High Velocity Hurricane Zones.		Installation Instructions FL21450_R11_II_T1001_RevG_s.pdf Verified By: John E. Scates, P.E. 51737 Created by Independent Third Party: Yes Evaluation Reports FL21450_R11_AE_EvalRept_Model750_1100_s.pdf Created by Independent Third Party: Yes
21450.10	Series 750	Series 750 - 26 Gauge Door Assembly Max Size: 8'-8" x 12'-0"
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +24.4/-27.0 Other: +24.4/-27.0 psf tested width of 8'-8". PSF values vary to 6'-0" and 8'-8".		Installation Instructions FL21450_R11_II_T1002_RevH_s.pdf Verified By: John E. Scates, P.E. 51737 Created by Independent Third Party: Yes Evaluation Reports FL21450_R11_AE_EvalRept_Model750_1100_s.pdf Created by Independent Third Party: Yes
21450.11	Series 750	Series 750 - 26 Gauge Door Assembly Max Size: 10'-0" x 12'-0"
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +19.4/-22.7 Other: Not for use in High Velocity Hurricane Zones.		Installation Instructions FL21450_R11_II_T1003_RevH_s.pdf Verified By: John E. Scates, P.E. 51737 Created by Independent Third Party: Yes Evaluation Reports FL21450_R11_AE_EvalRept_Model750_1100_s.pdf Created by Independent Third Party: Yes
21450.12	Series 850	Series 850 - 24 Gauge Door Assembly Max Size: 8'-8" X 12'-0" (HVHZ)
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +46.0/-54.0 Other: FOR USE IN HIGH VELOCITY HURRICANE ZONES		Installation Instructions FL21450_R11_II_T1006-RevG_sFL.pdf Verified By: John E. Scates FL-51737 Created by Independent Third Party: Yes Evaluation Reports FL21450_R11_AE_EvalRept_Model850_1850_3100_s.pdf Created by Independent Third Party: Yes
21450.13	Series 850S	Series 850S - 26 Gauge Gauge Door Assembly Max Size: 12'-0"X12'-0"
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes		Installation Instructions FL21450_R11_II_T1006-S-RevG_sFL.pdf Verified By: John E. Scates FL-51737

Impact Resistant: No Design Pressure: +46.0/-54.0 Other: +46.0/-54.0 psf tested width of 8'-8". For non-impact rated doors, psf values vary to 6'-0" and 12'-0" widths		Created by Independent Third Party: Yes Evaluation Reports FL21450_R11_AE_EvalRept_Model850_1850_3100_s.pdf Created by Independent Third Party: Yes
21450.14	Series 850S-IM	Series 850S_Impact Rated. 26 Gauge Door Assembly Max Size: 8'-8" X 12'-0"
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +46.0/-54.0 Other:		Installation Instructions FL21450_R11_II_T1006-S-RevG_sFL.pdf Verified By: John E. Scates FL-51737 Created by Independent Third Party: Yes Evaluation Reports FL21450_R11_AE_EvalRept_Model850_1850_3100_s.pdf Created by Independent Third Party: Yes

[Back](#)
[Next](#)

Contact Us :: [2601 Blair Stone Road, Tallahassee FL 32399](#) Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida](#). :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:



Credit Card
Safe

securityMETRICS