



- DESIGN CODES:
 - 2020 FLORIDA BUILDING CODE (FBC) -
- DESIGN LOADS:
 - ROOF CONVENTIONAL FRAMING:
 - 1) 20 PSF RAFTERS
 - 2) 20 PSF CEILING JOISTS
 - DL 10 PSF RAFTERS
 - DL 10 PSF CEILING JOISTS
 - WIND ZONE INFORMATION
- BUILDING: ENCLOSED STRUCTURE
- ULTIMATE DESIGN WIND SPEED: 130 MPH
- NOMINAL DESIGN WIND SPEED: 110 MPH
- WINDING RISK CATEGORY: II
- WIND EXPOSURE CATEGORY: C
- INTERNAL PRESSURE COEFFICIENT: 0.1 & Cgpi ±



ROOF FRAMING PLAN

NOTE:
CONTRACTOR TO VERIFY ALL DIMENSION
PRIOR TO CONSTRUCTION


Printed copies of this document are self-certified signed and sealed and the signature must be verified on any electronic copies.

PROJECT NO.	FL23307
DATE	JULY 13, 2023
REVIS ON DATE	
SHEET	5-1

HAECO
ROOF FRAMING PLAN
LAKE CITY, FL

PREPARED FOR
PLUMB LEVEL CONSTRUCTION
KEVIN BEDENBAUGH, JR.
386.365.5264

DATE	REVISION DESCRIPTION



CAROL CHADWICK P.E.
Civil Engineer
208 S.W. Telford Glen
Lake City, FL 32029
307-680-1773
ccpewyo@gmail.com
www.carolchadwickpe.com
FLORIDA • WYOMING
OREGON • CALIFORNIA • N.C. E.T.C.