




Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
 997 West Kennedy Blvd, Suite A1 | Orlando, FL 32810
 Phone: 904-267-1270 | Fax: 407-386-8262 | concierge@rbafla.com
 Measure Tech: Logan Duff,

Linda Jane Beckland
 155 NW Nye Hunter Drive
 Lake City, FL 32055
 H: (413)543-8585

FLOORPLAN - 1ST FLOOR



UNIT NOTES

- 101 Tile sill
Drywall return
Brick exterior
- 102 Tile sill
Drywall return
Brick exterior
- 103 Tile sill
Drywall return
Brick exterior
- 104 Tile sill
Drywall return
Brick exterior
- 105 Tile sill
Drywall/tile return
Brick exterior
- 106 Tile sill
Drywall return
Brick exterior
- 107 Tile sill
Drywall return
Brick exterior
- 108 Tile sill
Drywall return
Brick exterior
- 109 Tile sill
Drywall return
Brick exterior
- 110 Tile sill
Wood panel return
Brick exterior
- 111 Tile sill
Drywall return
Brick exterior
- 112 Tile sill
Wood panel return
Brick exterior
- 113 Tile sill
Wood panel return
Brick exterior
- 114 Brick exterior
Brick sill support
Wood panel return

*See individual units for more notes.

JOB PHOTOS



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 904-267-1270 | Fax: 407-386-8262 | concierge@rbafla.com
Measure Tech: Logan Duff,

Linda Jane Beckland
155 NW Nye Hunter Drive
Lake City, FL 32055
H: (413)543-8585

ID#	ROOM	SIZE		DETAILS
JOB				
101	Master Bedroom	48" 46-5/8"	42" 42-1/8"	Window: , Picture, Base Frame, Exterior White, Interior White Performance Calculator: , PG Rating: 50 DP Rating: + 50 / - 50 Glass: , All Sash: High Performance SmartSun Glass, No Pattern Grille Style: , No Grille Misc: , None Construction: , None Material: , #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Interior Caulk- White (1), Caulk - White Exterior , (1), 2.25" x 5/8" L-Trim, (12 ft), White , (2)
102	Master Bedroom	48" 47-1/8"	42" 42-5/8"	Window: , Picture, Base Frame, Exterior White, Interior White Performance Calculator: , PG Rating: 50 DP Rating: + 50 / - 50 Glass: , All Sash: High Performance SmartSun Glass, No Pattern Grille Style: , No Grille Misc: , None Construction: , None Material: , #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Interior Caulk- White (1), Caulk - White Exterior , (1), 2.25" x 5/8" L-Trim, (12 ft), White , (2)
103	Master Bedroom	48" 47-1/8"	42" 42-5/8"	Window: , Double-Hung (DG), 1:1, Does Not Meet Egress, Limited Travel Reduced 4.9375, Flat Sill, Base Frame, Modern Checkrail, Exterior White, Interior White Performance Calculator: , PG Rating: 40 DP Rating: + 40 / - 40 Glass: , All Sash: High Performance SmartSun Glass, No Pattern Hardware: , White, Standard Color Extra Lock Screen: , Fiberglass, Full Screen Grille Style: , No Grille Misc: , None Construction: , None Material: , #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Interior Caulk- White



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 904-267-1270 | Fax: 407-386-8262 | concierge@rbafla.com
Measure Tech: Logan Duff,

Linda Jane Beckland
155 NW Nye Hunter Drive
Lake City, FL 32055
H: (413)543-8585

ID#	ROOM	SIZE		DETAILS
				(1), Caulk - White Exterior , (1), 2.25" x 5/8" L-Trim, (12 ft), White , (2)
104	Master Bathroom	23 " 22-5/8"	26 " 26-5/8"	Window: , Picture, Base Frame, Exterior White, Interior White Performance Calculator: , PG Rating: 50 DP Rating: + 50 / - 50 Glass: , All Sash: High Performance SmartSun Glass, No Pattern Grille Style: , No Grille Misc: , None Construction: , None Material: , #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Interior Caulk- White (1), Caulk - White Exterior , (1), 2.25" x 5/8" L-Trim, (12 ft), White , (1)
105	Bath	23 " 22-5/8"	26 " 26-1/8"	Window: , Picture, Base Frame, Exterior White, Interior White Performance Calculator: , PG Rating: 50 DP Rating: + 50 / - 50 Glass: , All Sash: High Performance SmartSun Glass, No Pattern Grille Style: , No Grille Misc: , None Construction: , None Material: , #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Interior Caulk- White (1), Caulk - White Exterior , (1), 2.25" x 5/8" L-Trim, (12 ft), White , (1)
106	Guest	36 " 35-1/8"	26 " 26-5/8"	Window: , Picture, Base Frame, Exterior White, Interior White Performance Calculator: , PG Rating: 50 DP Rating: + 50 / - 50 Glass: , All Sash: High Performance SmartSun Glass, No Pattern Grille Style: , No Grille Misc: , None Construction: , None Material: , #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Interior Caulk- White (1), Caulk - White Exterior , (1), 2.25" x 5/8" L-Trim,



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 904-267-1270 | Fax: 407-386-8262 | concierge@rbafla.com
Measure Tech: Logan Duff,

Linda Jane Beckland

155 NW Nye Hunter Drive
Lake City, FL 32055
H: (413)543-8585

ID#	ROOM	SIZE		DETAILS
(12 ft), White , (1)				
107	Guest	71" 70-5/8"	51" 51-1/8"	Window: , Gliding, Double, 1:1, Meets Egress, Active / Passive, Base Frame, Exterior White, Interior White Performance Calculator: , PG Rating: 30 DP Rating: + 30 / - 30 Glass: , All Sash: High Performance SmartSun Glass, No Pattern Hardware: , White Screen: , Fiberglass, Full Screen Grille Style: , No Grille Misc: , None Construction: , None Material: , #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Interior Caulk- White (1), Caulk - White Exterior , (1), F-Trim, (12 ft), White , (2)
108	Living	94" 94-5/8"	51" 51-1/8"	Window: , Gliding, Double, 1:1, Active / Passive, Base Frame, Exterior White, Interior White Performance Calculator: , PG Rating: 35 DP Rating: + 35 / - 35 Glass: , All Sash: High Performance SmartSun Glass, No Pattern Hardware: , White Screen: , Fiberglass, Full Screen Grille Style: , No Grille Misc: , None Construction: , None Material: , #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Interior Caulk- White (1), Caulk - White Exterior , (1), F-Trim, (12 ft), White , (3)
109	Dining	71" 70-1/8"	51" 51-1/8"	Window: , Gliding, Double, 1:1, Active / Passive, Base Frame, Exterior White, Interior White Performance Calculator: , PG Rating: 30 DP Rating: + 30 / - 30 Glass: , All Sash: High Performance SmartSun Glass, No Pattern Hardware: , White Screen: , Fiberglass, Full Screen Grille Style: , No Grille Misc: , None Construction: , None Material: , #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 904-267-1270 | Fax: 407-386-8262 | concierge@rbafla.com
Measure Tech: Logan Duff,

Linda Jane Beckland
155 NW Nye Hunter Drive
Lake City, FL 32055
H: (413)543-8585

ID#	ROOM	SIZE		DETAILS
				Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Interior Caulk- White (1), Caulk - White Exterior , (1), F-Trim, (12 ft), White , (2)
110	Sun	108" 108"	61" 60-5/8"	Window: , Picture, Base Frame, Exterior White, Interior White Performance Calculator: , Performance Data Unavailable Glass: , All Sash: High Performance SmartSun Glass, No Pattern, Tempered Glass Grille Style: , No Grille Misc: , None Construction: , None Material: , #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Interior Caulk- White (1), Caulk - White Exterior , (1), 2.25" x 5/8" L-Trim, (12 ft), White , (3)
111	Sun	61" 60-5/8"	61" 60-5/8"	Window: , Gliding, Double, 1:1, Active / Passive, Base Frame, Exterior White, Interior White Performance Calculator: , PG Rating: 30 DP Rating: + 30 / - 30 Glass: , Sash 1: High Performance SmartSun Glass, No Pattern, Tempered Glass, Sash 2: High Performance SmartSun Glass, No Pattern Hardware: , White, Standard Color Extra Lock Screen: , Fiberglass, Full Screen Grille Style: , No Grille Misc: , None Construction: , None Material: , #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Interior Caulk- White (1), Caulk - White Exterior , (1), F-Trim, (12 ft), White , (2)
112	Sun	61" 60-1/8"	61" 61-1/8"	Window: , Gliding, Double, 1:1, Active / Passive, Base Frame, Exterior White, Interior White Performance Calculator: , PG Rating: 30 DP Rating: + 30 / - 30 Glass: , Sash 1: High Performance SmartSun Glass, No Pattern, Sash 2: High Performance SmartSun Glass, No Pattern, Tempered Glass Hardware: , White, Standard Color Extra



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 904-267-1270 | Fax: 407-386-8262 | concierge@rbafla.com
Measure Tech: Logan Duff,

Linda Jane Beckland
155 NW Nye Hunter Drive
Lake City, FL 32055
H: (413)543-8585

ID#	ROOM	SIZE		DETAILS
				Lock Screen: , Fiberglass, Full Screen Grille Style: , No Grille Misc: , None Construction: , None Material: , #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Interior Caulk- White (1), Caulk - White Exterior , (1), F-Trim, (12 ft), White , (2)
113	Sun	108" 108"	61" 60-5/8"	Window: , Picture, Base Frame, Exterior White, Interior White Performance Calculator: , Performance Data Unavailable Glass: , All Sash: High Performance SmartSun Glass, No Pattern, Tempered Glass Grille Style: , No Grille Misc: , None Construction: , None Material: , #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Interior Caulk- White (1), Caulk - White Exterior , (1), 2.25" x 5/8" L-Trim, (12 ft), White , (3)
114	Sun	71-1/4" 71-1/4"	79-1/2" 79-1/2"	Patio Door: , Gliding, 200 Series Narroline, 2 Panel, Active / Stationary, Exterior White, Interior White Performance Calculator: , PG Rating: 35 DP Rating: + 35 / - 35 Glass: , All Sash: Tempered High Perf. SmartSun Glass Hardware: , Tribeca®, Stone Screen: , Gliding, Full Screen Grille Style: , No Grille Misc: , None Construction: , None Material: , #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Interior Caulk- White (1), Caulk - White Exterior , (1), Power Grab Adhesive (1)
115	Office	26" 25-1/8"	43" 42-1/8"	Window: , Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior White, Interior White Performance Calculator: , PG Rating: 40 DP Rating: + 40 / - 40 Glass: , All Sash: High Performance SmartSun



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 904-267-1270 | Fax: 407-386-8262 | concierge@rbafla.com
Measure Tech: Logan Duff,

Linda Jane Beckland
155 NW Nye Hunter Drive
Lake City, FL 32055
H: (413)543-8585

ID#	ROOM	SIZE		DETAILS
				Glass, No Pattern Hardware: , White, Standard Color Extra Lock Screen: , Fiberglass, Full Screen Grille Style: , No Grille Misc: , None Construction: , None Material: , #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Interior Caulk- White (1), Caulk - White Exterior , (1), 2.25" x 5/8" L-Trim, (12 ft), White , (1)
116	Garage	48"	42"	Window: , Picture, Base Frame, Exterior White, Interior White Performance Calculator: , PG Rating: 50 DP Rating: + 50 / - 50 Glass: , All Sash: High Performance SmartSun Glass, No Pattern Grille Style: , No Grille Misc: , None Construction: , None Material: , #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Interior Caulk- White (1), Caulk - White Exterior , (1), 2.25" x 5/8" L-Trim, (12 ft), White , (2)
117	Garage	48"	42"	Window: , Picture, Base Frame, Exterior White, Interior White Performance Calculator: , PG Rating: 50 DP Rating: + 50 / - 50 Glass: , All Sash: High Performance SmartSun Glass, No Pattern Grille Style: , No Grille Misc: , None Construction: , None Material: , #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Interior Caulk- White (1), Caulk - White Exterior , (1), 2.25" x 5/8" L-Trim, (12 ft), White , (2)
118	Kitchen	86"	43"	Window: , Picture, Base Frame, Exterior White, Interior White Performance Calculator: , PG Rating: 50 DP Rating: + 50 / - 50 Glass: , All Sash: High Performance SmartSun



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 904-267-1270 | Fax: 407-386-8262 | concierge@rbafla.com
Measure Tech: Logan Duff,

Linda Jane Beckland
155 NW Nye Hunter Drive
Lake City, FL 32055
H: (413)543-8585

ID#	ROOM	SIZE	DETAILS
			Glass, No Pattern Grille Style: , No Grille Misc: , None Construction: , None Material: , #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1), Interior Caulk- White (1), Caulk - White Exterior , (1), 2.25" x 5/8" L-Trim, (12 ft), White , (2)

PRODUCTS: 18 WINDOWS: 17 PATIO DOORS: 1 ENTRY DOORS: 0 SPECIALTY: 0 MISC: 0

Updated 5/22/23

JOB NOTES

Estimated Duration: 2 days