

DATE08/14/2006

Columbia County Building Permit

PERMIT000024864

This Permit Expires One Year From the Date of Issue

APPLICANTTOM BUSHPHONE352-332-7665

ADDRESS3601NW 97TH BLVDGAINESVILLEFL32606

OWNERSCOTT & NENA COLLINSPHONE961-9051

ADDRESS406NW OLD MILL DRIVELAKE CITYFL32055

CONTRACTORDOUGLASS SMITHPHONE352-332-7665

LOCATION OF PROPERTYLAKE JEFFREY RD, TL ON OLD MILL DRIVE, PAVEMENT ENDS,1ST LOT ON RIGHT

TYPE DEVELOPMENTSWIMMING POOLESTIMATED COST OF CONSTRUCTION50055.00

HEATED FLOOR AREATOTAL AREAHEIGHTSTORIES

FOUNDATIONWALLSROOF PITCHFLOOR

LAND USE & ZONINGRSF-2MAX. HEIGHT35

Minimum Set Back Requirments:STREET-FRONT25.00REAR15.00SIDE10.00

NO. EX.D.U.1FLOOD ZONENADEVELOPMENT PERMIT NO.

PARCEL ID26-3S-16-02305-001SUBDIVISION

LOTBLOCKPHASE.00UNIT0TOTAL ACRES

CPC044114

Culvert Permit No.Culvert WaiverContractor's License NumberApplicant/Owner/Contractor

EXISTINGX06-0265CSJHN

Driveway ConnectionSeptic Tank NumberLU & Zoning checked byApproved for IssuanceNew Resident

COMMENTS: NOC ON FILE

Check # or Cash35329

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Powerdate/app. by

Foundationdate/app. by

Monolithicdate/app. by

Under slab rough-in plumbingdate/app. by

Slabdate/app. by

Sheathing/Nailingdate/app. by

Framingdate/app. by

Rough-in plumbing above slab and below wood floordate/app. by

Electrical rough-indate/app. by

Heat & Air Ductdate/app. by

Peri. beam (Lintel)date/app. by

Permanent powerdate/app. by

C.O. Finaldate/app. by

Culvertdate/app. by

M/H tie downs, blocking, electricity and plumbingdate/app. by

Pooldate/app. by

Reconnectiondate/app. by

Pump poledate/app. by

Utility Poledate/app. by

M/H Poledate/app. by

Travel Trailerddate/app. by

Re-roofdate/app. by

BUILDING PERMIT FEE \$255.00

CERTIFICATION FEE \$0.00

SURCHARGE FEE \$0.00

MISC. FEES \$0.00

ZONING CERT. FEE \$

FIRE FEE \$0.00

WASTE FEE \$

FLOOD DEVELOPMENT FEE \$

FLOOD ZONE FEE \$

CULVERT FEE \$

TOTAL FEE255.00

INSPECTORS OFFICE

CLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

## Columbia County Building Permit Application

Revised 9-23-04

For Office Use Only Application # 0608-29 Date Received 8-10-06 By LH Permit # 24864  
Application Approved by - Zoning Official MA Date 8/11/06 Plans Examiner \_\_\_\_\_ Date \_\_\_\_\_  
Flood Zone N/A Development Permit N/A Zoning RSF2 Land Use Plan Map Category RLD  
Comments NOC needed

Applicants Name FUNSTATE POOLS INC Tom Bush Phone 332-7665  
Address 3601 NW 97 BLVD GAINESVILLE FL 32606  
Owners Name SCOTT or NENA COLLINS Phone 386 961 9051  
911 Address 406 NW OLD MILL DR LAKE CITY  
Contractors Name DOUGLAS SMITH FUNSTATE POOLS INC Phone 332-7665  
Address 3601 NW 97 BLVD GAINESVILLE FL 32606  
Fee Simple Owner Name & Address SCOTT or NENA COLLINS  
Bonding Co. Name & Address N/A  
Architect/Engineer Name & Address FUNSTATE POOLS INC  
Mortgage Lenders Name & Address N/A

Circle the correct power company - FL Power & Light - Clay Elec. - Suwannee Valley Elec. - Progressive Energy

Property ID Number #24-35-16-02305-5-001 Estimated Cost of Construction 50,055.00

Subdivision Name \_\_\_\_\_ Lot \_\_\_\_\_ Block \_\_\_\_\_ Unit \_\_\_\_\_ Phase \_\_\_\_\_

Driving Directions TAKE US 90 WEST TO LAKE JEFFERY Rd GO TO OLD MILL DR  
go 1/2 mile to HOUSE ON RIGHT

Type of Construction CONCRETE SWIMMING POOL Number of Existing Dwellings on Property 1  
Total Acreage \_\_\_\_\_ Lot Size \_\_\_\_\_ Do you need a - Culvert Permit or Culvert Waiver or Have an Existing Drive  
Actual Distance of Structure from Property Lines - Front 419' Side 120' Side 40' Rear 140'  
Total Building Height \_\_\_\_\_ Number of Stories \_\_\_\_\_ Heated Floor Area \_\_\_\_\_ Roof Pitch \_\_\_\_\_

Application is hereby made to obtain a permit to do work and installations as indicated. I certify that no work or installation has commenced prior to the issuance of a permit and that all work be performed to meet the standards of all laws regulating construction in this jurisdiction.

OWNERS AFFIDAVIT: I hereby certify that all the foregoing information is accurate and all work will be done in compliance with all applicable laws and regulating construction and zoning.

WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOU PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.

Thomas M. Bush "Tom"  
Owner Builder or Agent (Including Contractor)

STATE OF FLORIDA  
COUNTY OF COLUMBIA

Sworn to (or affirmed) and subscribed before me  
this 28 day of July 20 06.  
Personally known ✓ or Produced Identification \_\_\_\_\_

Michael D. Smith  
Contractor Signature

Contractors License Number CPC044114

Competency Card Number \_\_\_\_\_

NOTARY STAMP/SEAL

Harry H. Smith  
Notary Signature

15.00  
70

THIS INSTRUMENT WAS PREPARED BY:

TERRY McDAVID  
POST OFFICE BOX 1328  
LAKE CITY, FL 32056-1328

RETURN TO:

TERRY McDAVID  
POST OFFICE BOX 1328  
LAKE CITY, FL 32056-1328  
02-863  
Property Appraiser's  
Parcel Identification No.

Inst: 2003003768 Date: 02/24/2003 Time: 12:53  
Doc Stamp-Deed : 0.70  
MRK DC, P. DeWitt Cason, Columbia County B: 975 P: 1527

QUITCLAIM DEED

THIS QUITCLAIM DEED, made this 20th day of February, 2003, between RAVNDAL ROAD OWNERS ASSOCIATION, INC., a Florida non-profit corporation, whose post office address is Post Office Box 3116, Lake City, FL 32056, of the County of Columbia, State of Florida, party of the first part, and SCOTT C. COLLINS and his wife, NENA D. COLLINS, whose post office address is 2100 W. Fairfax Court, Lake City, FL 32025, of the County of Columbia, State of Florida, party of the second part.

WITNESSETH, that the said party of the first part, for and in consideration of the sum of Ten Dollars (\$10.00), in hand paid by the said party of the second part, the receipt whereof is hereby acknowledged, has remised, released and quitclaimed, and by these presents does remise, release and quitclaim unto the said party of the second part all the right, title and interest claim and demand which the said party of the first part has in and to the following described lot, piece, or parcel of land, situate lying and being in the County of Columbia, State of Florida, to-wit:

SEE EXHIBIT "A" ATTACHED HERETO.

TO HAVE AND TO HOLD the same, together with all and singular the appurtenances thereunto belonging or in anywise appertaining, and all the estate, right, title, interest and claim whatsoever of said party of the first part, either in law or equity, to the only proper use, benefit and behoof of said party of the second part.

IN WITNESS WHEREOF, the said party of the first part has hereunto set their hands and seals the day and year first above written.

EXHIBIT "A"

A parcel of land in Section 26, Township 3 South, Range 16 East, Columbia County, Florida, being more particularly described as follows:

COMMENCE at the Northeast corner of Section 26, Township 3 South, Range 16 East, Columbia County, Florida and run South  $88^{\circ}35'05''$  West along the North line of said Section 26 a distance of 1176.97 feet to a point on the Westerly line of a 60 foot roadway, said point being on the arc of a curve concave to the West having a radius of 1446.94 feet and a central angle of  $07^{\circ}19'34''$ , said curve also having a Chord bearing and distance of South  $15^{\circ}08'14''$  East 184.89 feet; thence Southerly along the arc of said curve, being also said Westerly line of a 60 foot roadway a distance of 185.01 feet; thence South  $68^{\circ}35'46''$  West along the Northerly line of said 60 foot roadway a distance of 394.14 feet to the point of curve of a curve concave to the Southeast having a radius of 230.00 feet and a central angle of  $54^{\circ}59'02''$ ; thence Southerly along the arc of said curve, being also the Northwesterly line of said 60 foot roadway 220.72 feet; thence South  $89^{\circ}47'20''$  West a distance of 102.12 feet; thence North  $70^{\circ}30'41''$  West a distance of 67.54 feet to the POINT OF BEGINNING; thence North  $82^{\circ}23'17''$  West a distance of 127.64 feet; thence North  $10^{\circ}11'51''$  East a distance of 28.60 feet; thence South  $70^{\circ}30'41''$  East a distance of 138.81 feet to the POINT OF BEGINNING. Containing 1959 square feet, more or less.

Inst: 2003003768 Date: 02/24/2003 Time: 12:53

Doc Stamp-Deed : 0.70

*ML* DC, P. DeWitt Cason, Columbia County B: 975 P: 1529

Signed, sealed and delivered  
in our presence:

RAVNDAL ROAD OWNERS  
ASSOCIATION, INC.

DeEtte F. Brown  
(First Witness)  
DeEtte F. Brown  
Printed Name

By: Debra K. Griffin (SEAL)

Name: Debra K. Griffin  
Its: Vice President

Crystal L. Brunner  
(Second Witness)  
Crystal L. Brunner  
Printed Name

Inst: 2003003768 Date: 02/24/2003 Time: 12:53

Doc Stamp-Deed: 0.70

MLK DC, P. DeWitt Cason, Columbia County B: 975 P: 1528

STATE OF FLORIDA  
COUNTY OF COLUMBIA

The foregoing instrument was acknowledged before me this 20th  
day of February, 2003, by Debra K. Griffin, Vice President of  
RAVNDAL ROAD OWNERS ASSOCIATION, INC., a State of Florida non-  
profit corporation, on behalf of the corporation. She is  
personally known to me and did not take an oath.

DeEtte F. Brown  
Notary Public  
My Commission Expires: \_\_\_\_\_



Permit #

## Residential Swimming Pool, Spa and Hot Tub Safety Act

### Notice of Requirements

I (We) acknowledge that a new swimming pool, spa or hot tub will be constructed or installed at  
406 NW OLD MILL DR, LAKE CITY, and hereby affirm that one of the following  
(Please Print Street Address)  
methods will be used to meet the requirements of Chapter 515, Florida Statutes.  
(please initial the method(s) to be used for your pool)

S.C.C.

The pool will be isolated from access to the home by an enclosure that meets the pool barrier requirements of Florida Statute 515.29; CHILD SAFETY FENCE

\_\_\_\_\_ The pool will be equipped with an approved safety pool cover that complies with ASTM F1346-91 (Standard Performance Specifications for Safety Covers for Swimming Pools, Spas and Hot Tubs);

\_\_\_\_\_ All doors and windows providing direct access from the home to the pool will be equipped with an exit alarm that has a minimum sound pressure rating of 85 decibels at 10 feet;

\_\_\_\_\_ All doors providing direct access from the home to the pool will be equipped with self-closing, self-latching devices with release mechanisms placed no lower than 54" above the floor or deck;

I understand that not having one of the above installed at the time of final inspection, or when the pool is completed for contract purposes, will constitute a violation of Chapter 515, F.S. and will be considered as committing a misdemeanor of the second degree, punishable by fines up to \$500 and/or up to 60 days in jail as established in Chapter 775, F.S.

[Signature]  
CONTRACTOR'S SIGNATURE & DATE

F.L. STATE POOLS INC  
CONTRACTOR'S NAME (PLEASE PRINT)

Scott C. Collins  
OWNER'S SIGNATURE & DATE

Scott C. Collins  
OWNER'S NAME (PLEASE PRINT)

# Quality Components And Precision Manufacturing.

## We use only the highest quality fence mesh.

At Protect-A-Child, we offer only one type of mesh in our fences. Used exclusively in Protect-A-Child Pool Fences for over 18 years, field use as well as testing according to ASTM standards has proven our "Textilene®" UV resistant mesh to be stronger, more abrasion resistant, lighter in weight, and because of its exclusive open weave, more transparent than others. It does not rot, tear, stretch, run, or fade. This mesh alone has stood the test of time, children, and weather from the blazing deserts of Arizona to the unforgiving winters of Minnesota.

## We ensure that our mesh is securely attached to our posts.

Our fences are assembled with a maximum spacing of just four inches between screws for a solid attachment of mesh to post. We use only rounded head stainless steel screws and identical post drilling patterns for a smooth, safe, finish and uniform quality appearance. This ensures the utmost in child safety.

## Strong, corrosion free polyvinyl sleeves.

Another Protect-A-Child innovation, our polyvinyl sleeve walls are twice the thickness of others and will not wear out even after hundreds of removals and insertions. These sleeves allow our fence to meet the national electrical code for bonding safety.

# Your Child's Safety Is Too Important To Wait.

## Decide Now To Protect Them.

Your pool and patio should be a place of enjoyment and relaxation, not a cause of worry and concern. For over 18 years Protect-A-Child Pool Fencing has been making it possible for families to experience that enjoyment.

It only takes a simple distraction for a heartbreaking tragedy to occur. That's why it's important that you act now and call Protect-A-Child for a free estimate. Your child is worth it. Your peace of mind is worth it. Call today.

AFFORDABLE PROTECT-A-CHILD  
POOL FENCE  
OCALA (352) 624-3565  
GAINESVILLE (352) 331-1094


**PROTECT-A-CHILD®**  
**POOL FENCE SYSTEMS**

*The Baby Safe® Pool Fence*

954-979-1089 • 800-992-2206 • Fax: 954-979-5240  
www.protectachild.com • Email: help@protectachild.com

Protect-A-Child Pool Fencing is not a substitute for adequate adult supervision. Children should always be carefully monitored when near pools or other potential drowning hazards.

[illegible]





CERTIFIED  
Terry M. ...  
& Nena D. ...  
Terry M. ...

Complaint With # 424.2.b.b. Flt. Building Code




# KEM STATE POOLS 332 • POOL

**STANDARD SECTION**  
**Forma Specifications**  
 8" x 6" w/ 2" x 3 Bars Cont.  
 13" x 6" w/ 3" x 3 Bars Cont.  
 4" AL STEEL TO BE 5'-0" O.C.  
 4" PER N.E.C.




**NOTE**  
 Concrete Reinforcement to be as per  
 American Institute of Steel Construction  
 1989 Edition (AISC 360-89)

**Wall Sections**  
 Typical




**TYPICAL POOL DETAILS**  
 All pool plants to comply  
 with AIA/ASPE-5-9003  
 For Reinforcement Summary Table  
 F.R.C. 408.2.1


**Pool/Spa Main Details**  
 2 inch concrete drainage and down-  
 take to 3" drainage and down-  
 take. 4" per F.R.C. 408.2.1. 6-4"  
 7' down to 4" per F.R.C. 408.2.1. 6-4"



**PLAN**  
 Typical



**Rock Detail Diagram**  
 All pool plants to comply  
 with AIA/ASPE-5-9003  
 For Reinforcement Summary Table  
 F.R.C. 408.2.1



**Spa Detail Diagram**  
 All pool plants to comply  
 with AIA/ASPE-5-9003  
 For Reinforcement Summary Table  
 F.R.C. 408.2.1

**Structural Specifications**  
 ALL STRUCTURE SHALL COMPLY  
 TO A.C.I. - F.R.C. 408.2.1

2001 F.R.C.

11/18/11  
 8/11/11

Permit #

## Residential Swimming Pool, Spa and Hot Tub Safety Act

### Notice of Requirements

I (We) acknowledge that a new swimming pool, spa or hot tub will be constructed or installed at  
406 NW OLD MILL DR, LAKE CITY, and hereby affirm that one of the following  
(Please Print Street Address)  
methods will be used to meet the requirements of Chapter 515, Florida Statutes.  
(please initial the method(s) to be used for your pool)

SCC

The pool will be isolated from access to the home by an enclosure that meets the pool barrier requirements of Florida Statute 515.29; CHILD SAFETY FENCE

\_\_\_\_\_ The pool will be equipped with an approved safety pool cover that complies with ASTM F1346-91 (Standard Performance Specifications for Safety Covers for Swimming Pools, Spas and Hot Tubs);

\_\_\_\_\_ All doors and windows providing direct access from the home to the pool will be equipped with an exit alarm that has a minimum sound pressure rating of 85 decibels at 10 feet;

\_\_\_\_\_ All doors providing direct access from the home to the pool will be equipped with self-closing, self-latching devices with release mechanisms placed no lower than 54" above the floor or deck;

I understand that not having one of the above installed at the time of final inspection, or when the pool is completed for contract purposes, will constitute a violation of Chapter 515, F.S. and will be considered as committing a misdemeanor of the second degree, punishable by fines up to \$500 and/or up to 60 days in jail as established in Chapter 775, F.S.

[Signature]  
CONTRACTOR'S SIGNATURE & DATE

F.L. STATE POOLS INC  
CONTRACTOR'S NAME (PLEASE PRINT)

Scott C. Collins  
OWNER'S SIGNATURE & DATE

Scott C. Collins  
OWNER'S NAME (PLEASE PRINT)

# Quality Components And Precision Manufacturing.

## We use only the highest quality fence mesh.

At Protect-A-Child, we offer only one type of mesh in our fences. Used exclusively in Protect-A-Child Pool Fences for over 18 years, field use as well as testing according to ASTM standards has proven our "Textilene®" UV resistant mesh to be stronger, more abrasion resistant, lighter in weight, and because of its exclusive open weave, more transparent than others. It does not rot, tear, stretch, run, or fade. This mesh alone has stood the test of time, children, and weather from the blazing deserts of Arizona to the unforgiving winters of Minnesota.

## We ensure that our mesh is securely attached to our posts.

Our fences are assembled with a maximum spacing of just four inches between screws for a solid attachment of mesh to post. We use only rounded head stainless steel screws and identical post drilling patterns for a smooth, safe, finish and uniform quality appearance. This ensures the utmost in child safety.

## Strong, corrosion free polyvinyl sleeves.

Another Protect-A-Child innovation, our polyvinyl sleeve walls are twice the thickness of others and will not wear out even after hundreds of removals and insertions. These sleeves allow our fence to meet the national electrical code for bonding safety.

# Your Child's Safety Is Too Important To Wait.

## Decide Now To Protect Them.

Your pool and patio should be a place of enjoyment and relaxation, not a cause of worry and concern. For over 18 years Protect-A-Child Pool Fencing has been making it possible for families to experience that enjoyment.

It only takes a simple distraction for a heartbreaking tragedy to occur. That's why it's important that you act now and call Protect-A-Child for a free estimate. Your child is worth it. Your peace of mind is worth it. Call today.

AFFORDABLE PROTECT-A-CHILD  
POOL FENCE  
OCALA (352) 624-3565  
GAINESVILLE (352) 331-1094

**PROTECT-A-CHILD®**  
**POOL FENCE SYSTEMS**

*The Baby Safe® Pool Fence*

954-979-1089 • 800-992-2206 • Fax: 954-979-5240  
www.protectachild.com • Email: help@protectachild.com

Protect-A-Child Pool Fencing is not a substitute for adequate adult supervision. Children should always be carefully monitored when near pools or other potential drowning hazards.

PERMIT # \_\_\_\_\_

## Notice of Commencement

STATE OF: FLORIDA

COUNTY OF: COLUMBIA

CITY OF: LAKE CITY

THE UNDERSIGNED HEREBY gives notice that improvement(s) will be made to certain real property, and in accordance with Chapter 713, Florida Statutes, the following information is provided in this Notice Of Commencement.

### DESCRIPTION OF PROPERTY:

LOT: \_\_\_\_\_ BLOCK: \_\_\_\_\_  
SECTION: \_\_\_\_\_ TOWNSHIP: \_\_\_\_\_ RANGE: \_\_\_\_\_  
TAX PARCEL# 26-35-16-0230-5-001  
SUBDIVISION: \_\_\_\_\_ PLATBOOK: \_\_\_\_\_ MAP PAGE: \_\_\_\_\_  
STREET ADDRESS: 406 NW OLD MILL DRIVE  
LAKE CITY FL. 32055

### GENERAL DESCRIPTION OF IMPROVEMENTS

TO CONSTRUCT: INGROUND CONCRETE POOL/SPA

### OWNER INFORMATION

OWNER(S) NAME SCOTT OR NENA COLLINS  
ADDRESS 406 NW OLD MILL DR PHONE NO.: \_\_\_\_\_  
CITY: LAKE CITY STATE FL. ZIP CODE: 32055  
INTEREST IN PROPERTY: OWNER

FEE SIMPLE TITLEHOLDER NAME: \_\_\_\_\_

FEE SIMPLE TITLEHOLDER ADDRESS: \_\_\_\_\_

IF OTHER THAN OWNER:

CONTACTOR NAME: FUN STATE POOLS INC.

ADDRESS: 3601 NW 97 BOULEVARD

PHONE: 352-332-7665

CITY: GAINESVILLE STATE: FLORIDA

ZIP CODE: 32606

BONDING COMPANY: N/A

ADDRESS: \_\_\_\_\_

CITY: \_\_\_\_\_ STATE: \_\_\_\_\_

Inst: 2006019146 Date: 08/14/2006 Time: 10:50

S. J. DC, P. DeWitt Cason, Columbia County B: 1092 P: 1634

LENDER NAME: N/A

ADDRESS: \_\_\_\_\_

PHONE: \_\_\_\_\_

CITY: \_\_\_\_\_ STATE: \_\_\_\_\_

ZIP CODE: \_\_\_\_\_

PERSONS WITHIN THE STATE OF FLORIDA DESIGNATED BY OWNER UPON WHOM NOTICES OR OTHER DOCUMENTS MAY BE SERVED AS PROVIDED BY SECTION 713.13(1) 7, FLORIDA STATUTES

NAME \_\_\_\_\_ ADDRESS: \_\_\_\_\_

IN ADDITION TO HIMSELF, OWNER DESIGNATES \_\_\_\_\_

OF FLORIDA STATUTES

EXPIRATION DATE IS 1 YEAR FROM DATE OF RECORDING UNLESS A DIFFERENT DATE IS SPECIFIED.

SIGNATURE OF OWNER: X Scott C. Collins

SWORN to and subscribed before me this 16 day of June AD. 2006

NOTARY PUBLIC [Signature]

MY COMMISSION EXPIRES

NANCY A. ERNEY

Notary Public, State of Florida  
My comm. expires May 8, 2007

Comm. No. DD 194650

Bonded Thru Troy Fain Insurance

## REF. NO.

3601 N.W. 97th Blvd.  
Gainesville, Florida 32606

AGE \_\_\_\_\_ JOB NO \_\_\_\_\_

to 6' PERM 136 ARE

HECK SURFACE PAVER DEC

CANTILEVER 

COLOR Dark

WHEEL COLOR *Dark*

TYPE DM SIZE 150 PU

LET'S GO MAIN DR.

ND RAIL 250 LADDER

VOLTS 110, W

SIZE 130

DR ~~SAT~~ TIMER  $\frac{1}{5}$  /  $\frac{1}{5}$

MANUA SWIMOUT 1/5/82

ROPE ANCHORS

SYSTEM ~~SHARK~~ POOL HEATER

IDE 20 SIZE 20

## SPA SPECIFICATIONS

PTH 31 JETS

KIMMER ~~20~~ 210 71111

LATER  
 MAIN DE

over 1 ROOF DANGER

GUTHER *Em*

REPLACE FENCEMEN ITEM

## STUMP REMOVAL

HAULAW,

SEWER LINE

RELOCATE 00

WATERLINE

REROUTE Dunes C

ACCESS PERMISSION

James

## Design...FUN-STATE POOLS

5/11/19

old milk

PHONE: 386 9

100

OCK \_\_\_\_\_ SUB \_\_\_\_\_

---

0

Saint C. C. C.

TE 9-16-05 CHK. BY 1

1/28/01

2/2/20

