

DATE 04/04/2007

Columbia County Building Permit

PERMIT

This Permit Expires One Year From the Date of Issue

000025695

APPLICANT DAVID SIMQUE PHONE 755-7787
ADDRESS 588 SW ARROWHEAD TERR LAKE CITY FL 32024
OWNER GLEN & SANDRA SKINNER PHONE 752-8238
ADDRESS 588 SW ARROWHEAD TERR LAKE CITY FL 32025
CONTRACTOR DAVID SIMQUE PHONE 755-7787
LOCATION OF PROPERTY 47 S, CR 242, R ARROWHEAD TERR, APPROX. 3/4 MILE
ON LEFT ACROSS FROM RSC

TYPE DEVELOPMENT INTERIOR BUILDOUT ESTIMATED COST OF CONSTRUCTION 500000.00
HEATED FLOOR AREA TOTAL AREA HEIGHT STORIES
FOUNDATION WALLS ROOF PITCH FLOOR
LAND USE & ZONING ILW MAX. HEIGHT
Minimum Set Back Requirments: STREET-FRONT REAR SIDE
NO. EX.D.U. 1 FLOOD ZONE X DEVELOPMENT PERMIT NO.

PARCEL ID 24-4S-16-03120-000 SUBDIVISION WINDSWEPT INDUSTRIAL PARK
LOT 1S2 BLOCK PHASE UNIT TOTAL ACRES 4.20

CBC056158
Culvert Permit No. Culvert Waiver Contractor's License Number Applicant/Owner/Contractor
EXISTING 06-0659-N BK JH N
Driveway Connection Septic Tank Number LU & Zoning checked by Approved for Issuance New Resident

COMMENTS: INTERIOR BUILDOUT, NOC ON FILE
SDP 06-6

Check # or Cash 1507

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Power Foundation Monolithic
 date/app. by date/app. by date/app. by
Under slab rough-in plumbing Slab Sheathing/Nailing
 date/app. by date/app. by date/app. by
Framing Rough-in plumbing above slab and below wood floor
 date/app. by date/app. by date/app. by
Electrical rough-in Heat & Air Duct Peri. beam (Lintel)
 date/app. by date/app. by date/app. by
Permanent power C.O. Final Culvert
 date/app. by date/app. by date/app. by
M/H tie downs, blocking, electricity and plumbing Pool
 date/app. by date/app. by
Reconnection Pump pole Utility Pole
 date/app. by date/app. by date/app. by
M/H Pole Travel Trailer Re-roof
 date/app. by date/app. by date/app. by

BUILDING PERMIT FEE \$ 2500.00 CERTIFICATION FEE \$ 0.00 SURCHARGE FEE \$ 0.00
MISC. FEES \$ 0.00 ZONING CERT. FEE \$ FIRE FEE \$ 0.00 WASTE FEE \$
FLOOD DEVELOPMENT FEE \$ FLOOD ZONE FEE \$ CULVERT FEE \$ TOTAL FEE \$2500.00
INSPECTORS OFFICE *L. J. [Signature]* CLERKS OFFICE *CH*


NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVENIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.



REVISED 8/3/6

SITE PLAN

06-0659-N
APPROVED

DEGP x LONG
338.81 x 487.6

Scale 1" = 30'

\$2500.00

Refer to permit # 24931 INTERIOR ONLY
Columbia County Building Permit Application

#24931 ATTACHE

For Office Use Only Application # 0702-67 Date Received 3/23 By JW Permit # 25695
Application Approved by - Zoning Official BLK Date 01.03.07 Plans Examiner OK JTH Date 4-3-07
Flood Zone X Development Permit N/A Zoning ILW Land Use Plan Map Category IND.
Comments SDP 06-6

☒ NOC ☒ EH ☐ Deed or PA ☒ Site Plan on file ☐ State Road Info ☒ Parent Parcel # N/A Development Permit Fax _____

Name Authorized Person Signing Permit David Simons Phone 386-755-7787

Address 588 S.W. ARROWHEAD TER.

Owners Name GLEN RAY SKINNER Phone 386-252-8238

911 Address 588 S.W. ARROWHEAD TER. Lake City FL 32024

Contractors Name Simons Const. (David Simons) Phone 386-755-7787

Address P.O. Box 2962 Lake City, FL 32055

Fee Simple Owner Name & Address GLEN RAY SKINNER

Bonding Co. Name & Address _____

Architect/Engineer Name & Address FREEMAN DESIGN 161 NW MADISON ST. Lake City 32055

Mortgage Lenders Name & Address CASH

Circle the correct power company - FL Power & Light - Clay Elec. - Suwannee Valley Elec. - Progressive Energy

Property ID Number 24-4516-03120101-000 Estimated Cost of Construction 500,000.00

Subdivision Name WINDSWEEP INDUSTRIAL PARK Lot 142 Block _____ Unit _____ Phase _____

Driving Directions 47. South - Right on ARROWHEAD RT - ACROSS THE STREET FROM PERI

Type of Construction INTERIOR COMMERCIAL Number of Existing Dwellings on Property 1

Total Acreage 4.20 Lot Size _____ Do you need a - Culvert Permit or Culvert Waiver or Have an Existing Drive

Actual Distance of Structure from Property Lines - Front _____ Side _____ Side _____ Rear _____

Total Building Height _____ Number of Stories _____ Heated Floor Area _____ Roof Pitch _____

Application is hereby made to obtain a permit to do work and installations as indicated. I certify that no work or installation has commenced prior to the issuance of a permit and that all work be performed to meet the standards of all laws regulating construction in this jurisdiction.

OWNERS AFFIDAVIT: I hereby certify that all the foregoing information is accurate and all work will be done in compliance with all applicable laws and regulating construction and zoning.

WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOU PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.

Owner Builder or Authorized Person by Notarized Letter


STATE OF FLORIDA
COUNTY OF COLUMBIA

Sworn to (or affirmed) and subscribed before me

this 23 day of February 2007

Personally known _____ or Produced Identification ✓

Contractor Signature _____
Contractors License Number CB C056158
Competency Card Number _____



Notary Signature _____

(Revised Sept. 2006)

NOTICE OF COMMENCEMENT FORM
COLUMBIA COUNTY, FLORIDA

THIS DOCUMENT MUST BE RECORDED AT THE COUNTY
CLERKS OFFICE BEFORE YOUR FIRST INSPECTION

THE UNDERSIGNED hereby gives notice that improvement will be made to certain real property, and in accordance with Chapter 713, Florida Statutes, the following information is provided in this Notice of Commencement.

IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.

Tax Parcel ID Number 24 45 16 031 20101 Permit Number _____

1. Description of property: (legal description of the property and street address or 911 address)

24-45-R-16 S.W. ARROWHEAD TERRACE

2. General description of improvement: INTERIOR FINISHES ON EXISTING METAL BLDG. STRUCTURE.

3. Owner Name & Address Alan Ray Shuman 10434 SW County R 240
Lake City FL Interest in Property Sole OWNER.

4. Name & Address of Fee Simple Owner (if other than owner): _____

5. Contractor Name Simone Const. (David) Phone Number 386-755-7787

Address P.O. Box 2962 Lake City, FL 32056

6. Surety Holders Name _____ Phone Number _____

Address _____

Amount of Bond _____ Inst: 2007004117 Date: 02/20/2007 Time: 15:56

7. Lender Name S. F. DC, P. Dewitt Cason, Columbia County B: 1111 P: 839

Address _____

8. Persons within the State of Florida designated by the Owner upon whom notices or other documents may be served as provided by section 718.13 (1)(a) 7; Florida Statutes:

Name David Simone Phone Number 386-755-7787

Address P.O. Box 2962 Lake City, FL 32056

9. In addition to himself/herself the owner designates _____ of

_____ to receive a copy of the Lien Notice as provided in Section 713.13 (1) -

(a) 7. Phone Number of the designee _____

10. Expiration date of the Notice of Commencement (the expiration date is 1 (one) year from the date of recording, (Unless a different date is specified) _____


THE OWNER MUST SIGN THE NOTICE OF COMMENCEMENT AND NO ONE ELSE MAY BE PERMITTED TO SIGN IN HIS/HER STEAD.

Alan Ray Shuman
Signature of Owner

Sworn to (or affirmed) and subscribed before day of February 20, 2007.

Nicole Storer
Signature of Notary

NOTARY STAMP/SEAL



DATE 08/30/2006

Columbia County Building Permit**PERMIT**
000024931

This Permit Expires One Year From the Date of Issue

APPLICANT SHAUNA TURBERVILLE PHONE 755-8238

ADDRESS 323 SOUTH MARION AVE LAKE CITY FL 32055

OWNER GLEN & SANDRA SKINNER PHONE 752-8238

ADDRESS 538 SW ARROWHEAD TERR LAKE CITY FL 32025

CONTRACTOR RB&M ENTERPRISE, INC PHONE 755-7878

LOCATION OF PROPERTY 47 S, CR 242, R ARROWHEAD TERR, APPROX. 3/4 MILE
ON LEFT ACROSS FROM RSC

TYPE DEVELOPMENT COMM METAL BLDG ESTIMATED COST OF CONSTRUCTION 349000.00

HEATED FLOOR AREA TOTAL AREA 2500.00 HEIGHT 27.00 STORIES 1

FOUNDATION CONCRETE WALLS METAL ROOF PITCH 1/12 FLOOR SLAB

LAND USE & ZONING ILW MAX. HEIGHT 35

Minimum Set Back Requirements: STREET-FRONT 20.00 REAR 15.00 SIDE 15.00

NO. EX.D.U. FLOOD ZONE X DEVELOPMENT PERMIT NO.

PARCEL ID 24-4S-16-03120-000 SUBDIVISION WINDSWEPT INDUSTRIAL PARK

Columbia County Building Permit Application

For Office Use On Application # 0608-13 Date Received 8/4 By [Signature] Permit # 24931

Application App'd by - Zoning Official 30.08.06 Date BLK Plans Examiner *JTH Date OK 8-17-06

Flood Zone Development Permit NIA Zoning ILW Land Use Plan Map Category IND.

Comments *AER STIPULATION OF LETTER FROM FREEMAN TO PERMIT SOP 06-6
CITY WATER

Check # or Cash 2761764

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Power Foundation Monolithic 10/19/2006 RJ
date/app. by date/app. by date/app. by

Under slab rough-in plumbing Slab Sheathing/Nailing
date/app. by date/app. by date/app. by

Framing Rough-in plumbing above slab and below wood floor
date/app. by date/app. by

Electrical rough-in Heat & Air Duct Peri. beam (Lintel)
date/app. by date/app. by date/app. by

Permanent power C.O. Final Culvert
date/app. by date/app. by date/app. by

M/H tie downs, blocking, electricity and plumbing Pool
date/app. by date/app. by

Reconnection Pump pole Utility Pole
date/app. by date/app. by date/app. by

M/H Pole Travel Trailer Re-roof
date/app. by date/app. by date/app. by

12.50

CERTIFICATION FEE \$

12.50

SURCHARGE FEE \$ 12.50

	Columbia County	
52000	Land	001
	AG	000
	Bldg	000
7670	Xfea	001
59670	TOTAL	B*

1	LOT 1 WINDSWEPT INDUSTRIAL S/D	PHASE 1. ORB 949-271.	2
3			4
5			6
7			8
9			10
11			12
13			14
15			16
17			18
19			20
21			22
23			24
25			26
27			28

Mnt 5/21/2002 KYLIE

F1=Task F3=Exit F4=Prompt F10=GoTo PgUp/PgDn F24=More



STATE OF FLORIDA
DEPARTMENT OF HEALTH

APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT

Permit Application Number

06-0659N

PART II - SITE PLAN

Scale: Each block represents 5 feet and 1 inch = 50 feet.

See attached

Notes:

Site Plan submitted by:

Michael W. Powell
Signature

Agent
Title

Plan Approved ☒

Not Approved ☐

Date

8/3/06

By

Robert M. [Signature]

County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

Florida Energy Efficiency Code For Building Construction
Florida Department of Community Affairs
EnergyGauge FLA/COM 2004 v3.00 -- Form 400A-2004
Method A: Whole Building Performance Method for Commercial Buildings
Effective December 8, 2006

PROJECT SUMMARY

Short Desc: New Prj	Description: N. Fl. Truck Parts
Owner: Bo Skinner	
Address1: SW Arrowhead Terrace	City: Lake City
Address2:	State: FL
	Zip: 0
Type: Automotive Facility	Class: New Finished building
Jurisdiction: COLUMBIA COUNTY, COLUMBIA COUNTY, FL (221000)	
Cond Area: 2468 SF	Cond & UnCond Area: 37318 SF
No of Storeys: 1	Area entered from Plans 37500 SF
Permit No: 0	Max Tonnage 5
	If different, write in: _____

Compliance Summary

Component	Design	Criteria	Result
Gross Energy Use	7,836.6	11,130.9	PASSES
LIGHTING CONTROLS			PASSES
EXTERNAL LIGHTING			PASSES
HVAC SYSTEM			PASSES
PLANT			None Entered
WATER HEATING SYSTEMS			Not Checked
PIPING SYSTEMS			None Entered
Met all required compliance from Check List?			Yes/No/NA

IMPORTANT NOTE: An input report of this design building must be submitted along with this Compliance Report.

CERTIFICATIONS

I hereby certify that the plans and specifications covered by this calculation are in compliance with the Florida Energy Code

Prepared By:

William H. Freeman

Building Official:

Date:

2/15/07

Date:

I certify that this building is in compliance with the FLorida Energy Efficiency Code

Owner Agent:

Date:

If Required by Florida law, I hereby certify (*) that the system design is in compliance with the FLorida Energy Efficiency Code

Architect: William H. Freeman

Reg No: PE# 56001

Electrical Designer: Nicholas P. Giesler

Reg No: AR# 0007005

Lighting Designer: Nicholas P. Giesler

Reg No:

AR # 000 7005

Mechanical Designer: William H. Freeman

Reg No: PE# 56001

Plumbing Designer: William H. Freeman

Reg No: PE# 56001

(*) Signature is required where Florida Law requires design to be performed by registered design professionals. Typed names and registration numbers may be used where all relevant information is contained on signed/sealed plans.

Project: New Prj
 Title: N. FL. Truck Parts
 Type: Automotive Facility
 (WEA File: JACKSONVILLE.TMY)

Whole Building Compliance

	Design	Reference
Total	70.96	100.00
	\$7,837	\$11,131
ELECTRICITY(MBtu/k Wh/\$)	70.96 153359 \$7,837	100.00 216134 \$11,131
AREA LIGHTS	10.32 22294 \$1,139	39.07 84447 \$4,349
MISC EQUIPMT	47.48 102610 \$5,243	47.48 102610 \$5,284
PUMPS & MISC	0.03 59 \$3	0.03 59 \$3
SPACE COOL	6.66 14381 \$735	6.13 13251 \$682
VENT FANS	6.48 14015 \$716	7.29 15767 \$812

Credits & Penalties (if any): Modified Points: = 70.96

PASSES

Project: New Prj
 Title: N. Fl. Truck Parts
 Type: Automotive Facility
 (WEA File: JACKSONVILLE.TMY)

External Lighting Compliance

Description	Category	Allowance (W/Unit)	Area or Length or No. of Units (Sqft or ft)	ELPA (W)	CLP (W)
Ext Light 1	Main entries	30.00	40.0	1,200	500
Design: 1000 (W)				PASSES	
Allowance: 1200 (W)					

Project: New Prj
 Title: N. Fl. Truck Parts
 Type: Automotive Facility
 (WEA File: JACKSONVILLE.TMY)

Lighting Controls Compliance

Acronym	Ashrae ID	Description	Area (sq.ft)	No. of Tasks	Design CP	Min CP	Compliance
Pr0Zo1Sp1	6	Toilet and Washroom	49	1	2	2	PASSES
Pr0Zo1Sp2	17	Office - Enclosed	121	1	2	2	PASSES
Pr0Zo1Sp3	9	Food Service - Bar/Lounge	100	1	4	4	PASSES
Pr0Zo1Sp4	12	Lobby (General) - Reception and Waiting	192	1	9	9	PASSES
Pr0Zo2Sp1	17	Office - Enclosed	100	1	2	2	PASSES
Pr0Zo2Sp2	3	Storage & Warehouse - Bulky Active Storage	100	1	2	2	PASSES
Pr0Zo2Sp3	,001	Automotive Service/Repair	689	1	100	50	PASSES
							PASSES

Project: New Prj
 Title: N. FL. Truck Parts
 Type: Automotive Facility
 (WEA File: JACKSONVILLE.TMY)

System Report Compliance

Pr0Sy1 System 1 Constant Volume Air Cooled No. of Units
 Split System < 65000 Btu/hr 1

Component	Category	Capacity	Design Eff	Eff Criteria	Design IPLV	IPLV Criteria	Compliance
Cooling System	Air Cooled < 65000 Btu/h		13.00	13.00	8.00		PASSES
Air Handling System -Supply	Cooling Capacity Air Handler (Supply) - Constant Volume		0.80	0.90			PASSES

PASSES

Plant Compliance

Description	Installed No	Size	Design Eff	Min Eff	Design IPLV	Min IPLV	Category	Compliance
-------------	--------------	------	------------	---------	-------------	----------	----------	------------

None

Project: New Prj
 Title: N. FL. Truck Parts
 Type: Automotive Facility
 (WEA File: JACKSONVILLE.TMY)

Water Heater Compliance

Description	Type	Category	Design Eff	Min Eff	Design Loss	Max Loss	Compliance
Water Heater 1	Gas Instantaneous water heater	Unknown	0.90				Not Checked

Not Checked

Piping System Compliance

Category	Pipe Dia [inches]	Is Runout?	Operating Temp [F]	Ins Cond [Btu-in/hr .SF.F]	Ins Thick [in]	Req Ins Thick [in]	Compliance

None

Project: New Prj
Title: N. FL. Truck Parts
Type: Automotive Facility
(WEA File: JACKSONVILLE.TMY)

Other Required Compliance

Category	Section	Requirement (write N/A in box if not applicable)	Check
Infiltration	406.1	Infiltration Criteria have been met	☒
System	407.1	HVAC Load sizing has been performed	☒
Ventilation	409.1	Ventilation criteria have been met	☒
ADS	410.1	Duct sizing and Design have been performed	☒
T & B	410.1	Testing and Balancing will be performed	☒
Motors	414.1	Motor efficiency criteria have been met	☒
Lighting	415.1	Lighting criteria have been met	☒
O & M	102.1	Operation/maintenance manual will be provided to owner	☒
Roof/Ceil	404.1	R-19 for Roof Deck with supply plenums beneath it	☒
Report	101	Input Report Print-Out from EnergyGauge FlaCom attached?	☒

EnergyGauge FLA/COM 2004 v3.00
INPUT DATA REPORT

Project Information

Project Name: New Pri	Orientation: North
Project Title: N. Fl. Truck Parts	Building Type: Automotive Facility
Address: SW Arrowhead Terrace	Building Classification: New Finished building
State: FL	No.of Storeys: 1
Zip: 0	GrossArea: 37318 SF
Owner: Bo Skinner	

Zones

No	Acronym	Description	Type	Area [sf]	Multiplier	Total Area [sf]
1	Pr0Zo1	Front Showroom	CONDITIONED	2468.0	1	2468.0
2	Pr0Zo2	Zone 2	UNCONDITIONED	34850.0	1	34850.0

Spaces

No	Acronym	Description	Type	Depth [ft]	Width [ft]	Height [ft]	Multi plier	Total Area [sf]	Total Volume [cf]
In Zone: Pr0Zo1									
1	Pr0Zo1Sp1	Zo0Sp1	Toilet and Washroom	7.00	7.00	10.00	2	98.0	980.0
2	Pr0Zo1Sp2	Zo0Sp2	Office - Enclosed	11.00	11.00	10.00	2	242.0	2420.0
3	Pr0Zo1Sp3	Zo0Sp3	Food Service - Bar/Lounge	10.00	10.00	10.00	4	400.0	4000.0
4	Pr0Zo1Sp4	Zo0Sp4	Lobby (General) - Reception and Waiting	12.00	16.00	10.00	9	1728.0	17280.0
In Zone: Pr0Zo2									
1	Pr0Zo2Sp1	Zo0Sp1	Office - Enclosed	10.00	10.00	10.00	2	200.0	2000.0
2	Pr0Zo2Sp2	Zo0Sp2	Storage & Warehouse - Bulky Active Storage	10.00	10.00	12.00	2	200.0	2400.0
3	Pr0Zo2Sp3	Zo0Sp3	Automotive Service/Repair	26.50	26.00	21.00	50	34450.0	723450.0

Lighting

No	Type	Category	No. of Luminaires	Watts per Luminaire	Power [W]	Control Type	No. of Ctrl pts
In Zone: Pr0Zo1							
In Space: Pr0Zo1Sp1							
1	Incandescent	General Lighting	1	40	40	Manual On/Off	1
In Space: Pr0Zo1Sp2							
1	Compact Fluorescent	General Lighting	4	20	80	Manual On/Off	1
In Space: Pr0Zo1Sp3							
1	Compact Fluorescent	General Lighting	4	20	80	Manual On/Off	1
In Space: Pr0Zo1Sp4							
1	Compact Fluorescent	General Lighting	4	40	160	Manual On/Off	1
In Zone: Pr0Zo2							
In Space: Pr0Zo2Sp1							

1	Incandescent	General Lighting	1	100	100	Manual On/Off	1	☐
In Space: Pr0Zo2Sp2								
1	Compact Fluorescent	General Lighting	1	40	40	Manual On/Off	1	☐
In Space: Pr0Zo2Sp3								
1	Low pressure Sodium	General Lighting	1	100	100	Manual On/Off	2	☐

Walls

No	Description	Type	Width [ft]	H (Effec) [ft]	Multi plier	Area [sf]	Direction	Conductance [Btu/hr. sf. F]	Heat Capacity [Btu/sf.F]	Dens. [lb/cf]	R-Value [h.s.f.F/Btu]
In Zone: Pr0Zo1											
1	North Wall	Metal siding/2x4@24"+R1 1Batt/5/8"Gyp	50.00	10.00	1	500.0	North	0.0920	1.072	19.38	10.9 ☐
2	East Wall	Metal siding/2x4@24"+R1 1Batt/5/8"Gyp	50.00	10.00	1	500.0	East	0.0920	1.072	19.38	10.9 ☐
3	South Wall	Metal siding/2x4@24"+R1 1Batt/5/8"Gyp	50.00	10.00	1	500.0	North	0.0920	1.072	19.38	10.9 ☐
4	West Wall	Metal siding/2x4@24"+R1 1Batt/5/8"Gyp	50.00	10.00	1	500.0	North	0.0920	1.072	19.38	10.9 ☐
In Zone: Pr0Zo2											
1	North Wall	Metal siding/2x4@24"+R1 1Batt/5/8"Gyp	100.00	20.00	1	2000.0	North	0.0920	1.072	19.38	10.9 ☐
2	West Wall	Metal siding/2x4@24"+R1 1Batt/5/8"Gyp	350.00	20.00	1	7000.0	West	0.0920	1.072	19.38	10.9 ☐
3	South Wall	Metal siding/2x4@24"+R1 1Batt/5/8"Gyp	100.00	20.00	1	2000.0	South	0.0920	1.072	19.38	10.9 ☐
4	East Wall	Metal siding/2x4@24"+R1 1Batt/5/8"Gyp	350.00	20.00	1	7000.0	East	0.0920	1.072	19.38	10.9 ☐

Windows

No	Description	Type	Shaded	U [Btu/hr sf F]	SHGC	Vis.Tra	W [ft]	H (Effec) [ft]	Multi plier	Total Area [sf]
In Zone: Pr0Zo1										
In Wall: Pr0Zo1Wa1										
1	Pr0Zo1Wa1Wil	User Defined	No	1.2500	0.82	0.76	4.00	5.00	4	80.0
In Wall: Pr0Zo1Wa2										
1	Pr0Zo1Wa2Wil	User Defined	No	1.2500	0.82	0.76	4.00	5.00	8	160.0
In Wall: Pr0Zo1Wa3										
1	Pr0Zo1Wa3Wil	User Defined	No	1.2500	0.82	0.76	4.00	5.00	4	80.0

Doors

No	Description	Type	Shaded?	Width [ft]	H (Effec) [ft]	Multi plier	Area [sf]	Cond. [Btu/hr. sf. F]	Dens. Heat Cap. [lb/cf] [Btu/sf. F]	R-Value [h.s.f.F/Btu]
In Zone: Pr0Zo1										
In Wall: Pr0Zo1Wa2										
1	Pr0Zo1Wa2Dr1	Solid core flush (2.25)	No	6.00	7.00	1	42.0	0.3504	0.00	2.85
In Wall: Pr0Zo1Wa4										
1	Pr0Zo1Wa4Dr1	Solid core flush (2.25)	No	6.00	7.00	1	42.0	0.3504	0.00	2.85
In Zone: Pr0Zo2										
In Wall: Pr0Zo2Wa1										
1	Pr0Zo2Wa1Dr1	Solid core flush (2.25)	No	3.00	7.00	1	21.0	0.3504	0.00	2.85
In Wall: Pr0Zo2Wa2										
1	Pr0Zo2Wa2Dr1	Solid core flush (2.25)	No	14.00	14.00	12	196.0	0.3504	0.00	2.85
2	Pr0Zo2Wa2Dr2	Solid core flush (2.25)	No	3.00	7.00	2	21.0	0.3504	0.00	2.85
In Wall: Pr0Zo2Wa3										
1	Pr0Zo2Wa3Dr1	Solid core flush (2.25)	No	3.00	7.00	1	21.0	0.3504	0.00	2.85
In Wall: Pr0Zo2Wa4										
1	Pr0Zo2Wa4Dr1	Solid core flush (2.25)	No	14.00	14.00	11	196.0	0.3504	0.00	2.85

2	Pr0Zo2Wa4Dr2	Solid core flush (2.25)	No	3.00	7.00	2	21.0	0.3504	0.00	0.00	2.85	☐
3	Pr0Zo2Wa4Dr3	Solid core flush (2.25)	No	6.00	7.00	1	42.0	0.3504	0.00	0.00	2.85	☐

Roofs

No	Description	Type	Width [ft]	H (Effec) [ft]	Multi plier	Area [sf]	Tilt [deg]	Cond. [Btu/hr. Sf. F]	Heat Cap. Dens. [Btu/sf. F]	Dens. [lb/cf]	R-Value [h.sf.F/Btu]	
In Zone: Pr0Zo1												
1	Pr0Zo1Rf1	Mtl Bldg Roof/R-19 Batt	50.00	50.00	1	2500.0	0.00	0.0492	1.34	9.49	20.3	☐
In Zone: Pr0Zo2												
1	Pr0Zo2Rf1	Mtl Bldg Roof/R-19 Batt	350.00	100.00	1	35000.0	0.00	0.0492	1.34	9.49	20.3	☐

Skylights

No	Description	Type	U [Btu/hr sf F]	SHGC	Vis.Trans	W [ft]	H (Effec) [ft]	Multiplier	Area [Sf]	Total Area [Sf]	
In Zone: In Roof:											
											☐

Floors

No	Description	Type	Width [ft]	H (Effec) [ft]	Multi plier	Area [sf]	Cond. [Btu/hr. sf. F]	Heat Cap. Dens. [Btu/sf. F]	Dens. [lb/cf]	R-Value [h.sf.F/Btu]	
In Zone: Pr0Zo1											
1	Showroom Roof	1 ft. soil, concrete floor, carpet and rubber pad	50.00	50.00	1	2500.0	0.1745	54.00	108.00	5.73	☐
In Zone: Pr0Zo2											

1	PrZo2F11	1 ft. soil, concrete floor, carpet and rubber pad	350.00	100.00	1	35000.0	0.1745	54.00	108.00	5.73	☐
---	----------	---	--------	--------	---	---------	--------	-------	--------	------	--------------------------

Systems

Pr0Sy1	System 1	Constant Volume Air Cooled Split System < 65000 Btu/hr			No. Of Units 1
Component	Category	Capacity	Efficiency	IPLV	
1	Cooling System (Air Cooled < 65000 Btu/h Cooling Capacity)	60000.00	13.00	8.00	☐
2	Air Handling System -Supply (Air Handler (Supply) - Constant Volume)	2000.00	0.80		☐

Plant

Equipment	Category	Size	Inst.No	Eff.	IPLV
					☐

Water Heaters

W-Heater Description		CapacityCap.Unit	I/P Rt.	Efficiency	Loss
1	Gas Instantaneous water heater	[Gal]	[Btu/h]	0.9000 [Ef/Et]	[Btu/h]
					☐

Ext-Lighting

Description	Category	No. of Luminaires	Watts per Luminaire	Area/Len/No. of units [sf/ft/No]	Control Type	Wattage [W]
1	Ext Light 1	2	500	40.00	Photo Sensor control	1000.00
						☐

Piping

No	Type	Operating Temperature [F]	Insulation Conductivity [Btu-in/h.sf.F]	Nomonal pipe Diameter [in]	Insulation Thickness [in]	Is Runout?
						☐

Fenestration Used

Name	Glass Type	No. of Panes	Glass Conductance [Btu/h.sf.F]	SHGC	VLT
ASHULSg ClrAll Frn	User Defined	1	1.2500	0.8200	0.7600

Materials Used

Mat No	Acronym	Description	Only R-Value Used	RValue [h.sf.F/Btu]	Thickness [ft]	Conductivity [Btu/h.ft.F]	Density [lb/cf]	SpecificHeat [Btu/lb.F]
187	Mat1187	GYP OR PLAS BOARD, 1/2IN	No	0.4533	0.0417	0.0920	50.00	0.2000
178	Mat1178	CARPET W/RUBBER PAD	Yes	1.2300				
265	Mat1265	Soil, 1 ft	No	2.0000	1.0000	0.5000	100.00	0.2000
48	Mat148	6 in. Heavyweight concrete	No	0.5000	0.5000	1.0000	140.00	0.2000
23	Mat123	6 in. Insulation	No	20.0000	0.5000	0.0250	5.70	0.2000
4	Mat14	Steel siding	No	0.0002	0.0050	26.0000	480.00	0.1000
271	Mat1271	2x4@24" oc + R11 Batt	No	10.4179	0.2917	0.0280	7.11	0.2000
94	Mat194	BUILT-UP ROOFING, 3/8IN	No	0.3366	0.0313	0.0930	70.00	0.3500

Constructs Used

No	Name	Simple Construct	Massless Construct	Conductance [Btu/h.s.f.F]	Heat Capacity [Btu/sf.F]	Density [lb/cf]	RValue [h.s.f.F/Btu]
1055	Metal siding/2x4@24"+R11 Batt/5/8"Gyp	No	No	0.09	1.07	19.38	10.9
							☐
Layer	Material No.	Material	Thickness [ft]	Framing Factor			
1	4	Steel siding	0.0050	0.000			☐
2	271	2x4@24" oc + R11 Batt	0.2917	0.000			☐
3	187	GYP OR PLAS BOARD, 1/2IN	0.0417	0.000			☐
No	Name	Simple Construct	Massless Construct	Conductance [Btu/h.s.f.F]	Heat Capacity [Btu/sf.F]	Density [lb/cf]	RValue [h.s.f.F/Btu]
1056	Mtl Bldg Roof/R-19 Batt	No	No	0.05	1.34	9.49	20.3
							☐
Layer	Material No.	Material	Thickness [ft]	Framing Factor			
1	94	BUILT-UP ROOFING, 3/8IN	0.0313	0.000			☐
2	23	6 in. Insulation	0.5000	0.000			☐
No	Name	Simple Construct	Massless Construct	Conductance [Btu/h.s.f.F]	Heat Capacity [Btu/sf.F]	Density [lb/cf]	RValue [h.s.f.F/Btu]
1057	1 ft. soil, concrete floor, carpet and rubber pad	No	No	0.17	54.00	108.00	5.7
							☐
Layer	Material No.	Material	Thickness [ft]	Framing Factor			
1	265	Soil, 1 ft	2.0000	0.000			☐
2	48	6 in. Heavyweight concrete	0.5000	0.000			☐
3	178	CARPET W/RUBBER PAD		0.000			☐

No	Name	Simple Construct	Massless Construct	Conductance [Btu/h.sf.F]	Heat Capacity [Btu/sf.F]	Density [lb/cf]	RValue [h.sf.F/Btu]
1058	Solid core flush (2.25)	No	Yes	0.35			2.9

Layer	Material No.	Material	Thickness [ft]	Framing Factor
1	279	Solid core flush (2.25")		0.000

COLUMBIA COUNTY OFFICE CITY

OCCUPANCY

COLUMBIA COUNTY, FLORIDA

Department of Building and Zoning Inspection

This Certificate of Occupancy is issued to the below named permit holder for the building and premises at the below named location, and certifies that the work has been completed in accordance with the Columbia County Building Code.

Parcel Number 24-4S-16-03120-000

Building permit No. 000025695

Use Classification INTERIOR BUILDOUT

Fire: 112.03

Permit Holder DAVID SIMQUE

Waste: _____

Owner of Building GLEN & SANDRA SKINNER

Total: 112.03

Location: 588 SW ARROWHEAD TERR, LAKE CITY, FL 32025



Date: 07/12/2007

Tony Dicks

Building Inspector

POST IN A CONSPICUOUS PLACE
(Business Places Only)



Engineers • Planners

161 N.W. Madison St. Suite 10
Lake City, Florida 3205
Tel: 386-758-4209
Fax: 386-758-4290

25695

May 23, 2007

Columbia County Building Dept.
Lake City, FL. 32055

RE: **North Florida Truck Parts**

To Whom It May Concern:

The occupancy of North Florida Truck Parts may be classified as Group S-1. This classification allows vehicle repair garages complying with the maximum allowable quantities of hazardous material listed in Table 307.7(1) FBC 2004. The parts area between the auto repair and the auto body sections contain items listed 311.2 FBC 2004. The partition walls separating the sections are for security reasons only. These walls shall not require a fire rated separation based on Group S-1 throughout the main workshop area. This area is protected throughout with an automatic sprinkler. Table 302.3.2 requires a 3 hour separation between the front mercantile area and the Group S-1 portion of the building. Section 302.3.2 FBC 2004 has an exception which allows a reduction by 1 hour in the fire separation if equipped with an automatic sprinkler except for Group H and Group I-2 areas. Table 6.1.14.1(b) NFPA 101 Life Safety Code, 2006 contains the same 3 hour separation requirement between S-1 and Mercantile occupancies but allows the fire resistance rating to be reduced by 1 hour where a building is protected throughout by an approved automatic sprinkler system in accordance with NFPA 13. North Florida Truck Parts meets these requirement and shall be permitted to have a 2 hour fire separation between Mercantile and Group S-1 occupancies. If you have any questions, please call me at (386) 758-4209.

Sincerely,

William H. Freeman, P.E.
President

Certificate of Authorization # 00008701



Engineers • Planners

161 N.W. Madison St. Suite 102
Lake City, Florida 32055
Tel: 386-758-4209
Fax: 386-758-4290

May 23, 2007

Columbia County Building Dept.
Lake City, FL. 32055

RE: North Florida Truck Parts

To Whom It May Concern:

The occupancy of North Florida Truck Parts may be classified as Group S-1. This classification allows vehicle repair garages complying with the maximum allowable quantities of hazardous material listed in Table 307.7(1) FBC 2004. The parts area between the auto repair and the auto body sections contain items listed 311.2 FBC 2004. The partition walls separating the sections are for security reasons only. These walls shall not require a fire rated separation based on Group S-1 throughout the main workshop area. This area is protected throughout with an automatic sprinkler. Table 302.3.2 requires a 3 hour separation between the front mercantile area and the Group S-1 portion of the building. Section 302.3.2 FBC 2004 has an exception which allows a reduction by 1 hour in the fire separation if equipped with an automatic sprinkler except for Group H and Group I-2 areas. Table 6.1.14.1(b) NFPA 101 Life Safety Code, 2006 contains the same 3 hour separation requirement between S-1 and Mercantile occupancies but allows the fire resistance rating to be reduced by 1 hour where a building is protected throughout by an approved automatic sprinkler system in accordance with NFPA 13. North Florida Truck Parts meets these requirement and shall be permitted to have a 2 hour fire separation between Mercantile and Group S-1 occupancies. If you have any questions, please call me at (386) 758-4209.

Sincerely,

William H. Freeman, P.E.

President

Certificate of Authorization # 00008701

*Bo here is A
List And
Description of
PARIS de Warehouse*

CCC250-4-241-1-X	X 6.5 SPL 250	1 1A1
CCC6-4-8681-1X	X 6H 6-4-8681	1 1A2
CCC6.3-4-1521-1X	X 7H 6.3-4-15	2 1A2
CCC6-4-4981	X 6F 6-4-4981	1 1A3
CCC6-4-6391X	X 6F 6-4-6391	1 1A3
CCC6-4-8531-1X		0 1A3
CCC6-4-8531X	X 6F 6-4-8531	1 1A3
CCC6-4-8541X	X 6F 6-4-8541	1 1A3
CCC6.3-4-1711-1X	SPICER YOKE 39 X 7H 6.3-4-17	1 1A4
CCC6.3-4-541-1X	SPICER YOKE 39 X 7H 6.3-4-54	1 1A4
CCC6.3-4-541X	SPICER YOKE 39 X 7F 6.3-4-54	0 1A4
CCC170-4-201-1X	SPICER YOKE 44 X 6.5 SPL 170	1 1A5
CCC6-4-8451	SPICER YOKE	2 1A5
CCC6.3-4-5221-1X	SPICER YOKE 44 X 7	1 1A5
NCBHB2100842X A	CARRIER BEARING	1 1A7
PAIEM69020	CARRIER BEARING 2101211X	3 1A7
PAIEM69010	HANGER BRG 210161-1X	6 1A8
CCC6-4-1981	SPICER YOKE 10 X 6F 6-4-1981	1 1B1
CCC6-4-3241	SPICER YOKE 10 X 6F 6-4-3241	2 1B1
CCC17N45061X	SPICER YOKE 16 X 16F 17N4506	1 1B2
CCC6-4-5071X	SPICER YOKE 16 X 6 F, END YO	1 1B2
CCC6.3-4-161	SPICER YOKE 16 X 7F 6.3-4-16	1 1B2
CCC6.5-4-1891	SPICER YOKE 16 X 7F 6.5-4-18	1 1B2
CCC5-4-6291-1X	SPICER YOKE 39 X 5.5H 5-4-62	1 1B3
CCC5-4-6291X	SPICER YOKE 39 X 5.5F 5-4-62	1 1B3
CCC5/4/5981	SPICER YOKE 39 X 5.5F 5-4-59	2 1B3
CCC170-4-241-1X	SPICER YOKE 39 X 6.5 SPL 170	1 1B4
CCC170-4-281-1X	SPICER YOKE 39 X 6.5 SPL 170	1 1B4
CCC170-4-671-1X	END YOKE	2 1B4
CCC250-4-391-1X	YOKE	1 1B4
CCC6-4-6041-1X	SPICER YOKE 44 X 6H 6-4-6041	2 1B5
CCC6-4-6041X	SPICER YOKE 44 X 6F 6-4-6041	2 1B5
CCC6-4-8981-1X	SPICER YOKE 44 X 6H 6-4-8981	1 1B5
CCC6-4-5841R	SPICER YOKE 46 X 6F 6-4-5841	1 1B6
CCC6.3-4-1041-1X	SPICER YOKE 46 X 7H 6.3-4-10	1 1B6
CCC6.5-4-4271-1X	MACK YOKE 6.5-4-4271-1X	1 1B7
CCC6.5-4-4631-1	SPICER YOKE 54X7-1/2	1 1B8
CCC6-4-5151X	SPICER YOKE 10 X 6F 6-4-5151	1 1C1
CCC6-4-6921-1X	SPICER YOKE 10 X 6H 6-4-6921	2 1C1
CCC6-4-6921X	SPICER YOKE 10 X 6F 6-4-6921	1 1C1
CCC6-4-6931-1X	SPICER YOKE 10 X 6H 6-4-6931	0 1C1
CCC6-4-6931X	YOKE	1 1C1
CCC6.5-4-2341X	SPICER YOKE 10 X 7.5F 6.5-4-	2 1C2
CCC6.5-4-3551-1X	SPICER YOKE 10 X 7.5H 6.5-4-	1 1C2
CCC6-4-7141	SPICER YOKE 38 X 6F 6-4-7141	1 1C3
CCC6.3-4-1561-1X	SPICER YOKE 36 X 7H 6.3-4-15	1 1C3
CCC6-4-6421X	SPICER YOKE 39 X 6F 6-4-6421	1 1C4
CCC6-4-7631-1X	SPICER YOKE 39 X 6	1 1C4
CCC6-4-9001-1X	SPICER YOKE 39 X 6H 6-4-9001	2 1C4
CCC2060489	YOKE 6-4-7541	1 1C5
CCC6-4-7561X	YOKE	1 1C5

*Walt A. Fawcett
6/3/07*

CCC6-4-5461X
 CCC6-4-7181-1X
 CCC6-4-7481-1
 CCC6.5-4-3591-1
 CCC6.5-4-3731-1X
 CCC6.5-4-3731X
 CCC5-4-4491X
 CCC6-4-4481X
 CCC6-4-4861X
 CCC6.3-4-181X
 CCC6.3-4-791-1X
 CCC6.3-4-791X
 CCC6-4-6321
 CCC6-4-6451
 CCC6-4-9021-1
 CCC6-4-6411X
 CCC6-4-8991-1X
 CCC6-4-8991X
 CCC6-4-9031-1X
 PAIBCY6843
 CCC6.5-4-3381-1X
 CCC6.5-4-3381X
 CCC6.5-4-3281-1X
 CCC6.5-4-4571-1X
 CCC6.5-4-4571X
 CCC176NYS38-14
 CCC6.3-4-821-1
 TODMACK93R464
 TODMACK93R464-C1
 TODMACK93R464-C5
 TODMACK93R573
 TODMACK93R573-C1
 TODMACK93R573-C5
 RBD23121-370
 RBD23121-370-C1
 RBD23121-370-C5
 TOD23160RD.614
 TOD23160RD.614-C1
 TOD23160RD.614-C5
 TOD23160RR614
 TOD23160RR614-C1
 TOD23160RR614-C5
 TODRA472F391-C5
 TODSSHD/SHD/SHR529
 TODSSHD/SHD/SHR529-C1
 TODSSHD/SHD/SHR529-C5
 CCCK3602
 NCBTRK-145A
 NCBTRK-149
 CCCS1250
 CCCS1251

Untitled

SPICER YOKE 46 X 6F 6-4-5461	1 1C6
SPICER YOKE 46 X 6H 6-4-7181	1 1C6
SPICER YOKE 46 X 6H 6-4-7481	1 1C6
SPICER YOKE 46 X 7.5H 6.5-4-	1 1C7
SPICER YOKE 46 X 7.5H 6.5-4-	1 1C7
SPICER YOKE 46 X 7.5F 6.5-4-	1 1C7
SPICER YOKE 10 X 5 1/2F 5-4-	1 1D1
SPICER YOKE 10 X 6F 6-4-4481	1 1D1
SPICER YOKE 10 X 6F 6-4-4861	1 1D1
SPICER YOKE 10 X 7F 6.3-4-18	1 1D2
SPICER YOKE 10 X 7H 6.3-4-79	2 1D2
SPICER YOKE 10 X 7F 6.3-4-79	1 1D2
SPICER YOKE 34 X 6	1 1D3
SPICER YOKE 34 X 6F 6-4-6451	1 1D3
SPICER YOKE 34 X 6H 6-4-9021	1 1D3
SPICER YOKE 39 X 6F 6-4-6411	1 1D4
SPICER YOKE 39 X 6	1 1D4
SPICER YOKE 39 X 6F 6-4-8991	1 1D4
SPICER YOKE 39 X 6H 6-4-9031	1 1D4
MACK YOKE 171MU51P32/6-4-585	1 1D4
SPICER YOKE 39 X 7.5H 6.5-4-	1 1D5
SPICER YOKE 39 X 7.5F 6.5-4-	4 1D5
SPICER YOKE 44 X 7.5H 6.5-4-	1 1D6
SPICER YOKE 44 X 7-1/2	2 1D6
SPICER YOKE 44 X 7-1/2	2 1D6
SPICER YOKE 46 X 7F 176NYS38	1 1D7
SPICER YOKE 46 X 7H 6.3-4-82	1 1D7
MACK-CRD93-464 ..RATIO 4:64	0 20B
C LEVEL 1 CORE	1 20B
C LEVEL 5 CORE	0 20B
MACK REAR 93 5:73	1 20B
C LEVEL 1 CORE	0 20B
C LEVEL 5 CORE	0 20B
EATON-23121-370 ..RATIO 3:70	1 22B
C LEVEL 1 CORE	0 22B
C LEVEL 5 CORE	0 22B
23160 FRT 6.14	0 22B
C LEVEL 1 CORE	0 22B
C LEVEL 5 CORE	0 22B
23160 REAR 6.14	3 22B
C LEVEL 1 CORE	0 22B
C LEVEL 5 CORE	0 22B
C LEVEL 5 CORE	0 22B
SHR 5:29 RATIO	1 22B
C LEVEL 1 CORE	0 22B
C LEVEL 5 CORE	0 22B
INPUT SHAFT OLD#4302315	1 2A1
BRG KIT TRK-145A	1 2A1
BEARING KIT TRK-149	2 2A1
INPUT SHAFT S1250G	1 2A2
INPUT SHAFT S1251G	1 2A2


 6/3/07

	Untitled	
CCCS1252	INPUT SHAFT S1252G	1 2A2
CCCS1341	MAINSHAFT	2 2A2
MW S1131	INPUT SHAFT "14661"	1 2A2
MW S1253	INPUT S1253	1 2A2
MW S1254	INPUT SHAFT S1254A	1 2A2
MW S1255	INPUT SHAFT S1255A	1 2A2
MW S1340	MAINSHAFT S1340A	2 2A2
MW S1341	MAINSHAFT S1341A	1 2A2
CCCK2030	VALVE CONV KIT K2030G	2 2A3
CCCK2054	O-RING KIT K2054G	3 2A3
CCCK2063	SMALL PARTS KIT K2063G	1 2A3
CCCK2170	FILTER-REG KIT K2170G	1 2A3
CCCK2796	RETAINER REPL KIT K2796G	2 2A4
CCCK2801	SMALL PARTS KIT K2801G	2 2A4
CCCK2802	O-RING KIT K2802G	3 2A4
CCCK2803	O-RING KIT K2803G	3 2A4
CCCK2804	O-RING KIT K2804G	2 2A4
MW S2688	MAIN SHAFT S2688A	1 2A4
CCCK3260	SMALL PARTS KIT K3260G	1 2A5
CCCK3262	COUNTERSHAFT	1 2A5
CCCK3264	COUNTER SHAFT KIT	1 2A5
CCCK3315	MAINSHAFT REPL KIT K3315G 43	2 2A5
CCCK3331	SPLITTER VALVE REPL KIT K333	1 2A5
CCCK3332	SPLITTER VALVE REPL KIT K333	1 2A5
CCCK3333	SPLITTER VALVE REPL KIT K333	1 2A5
CCCA4989	KEY ASSY MAINSHAFT A4989G	2 2A6
CCCA5083	SHAFT ASSY INPUT A5083G	1 2A6
CCCA5156	A5156 MAIN SHAFT ASSEMBLY	1 2A6
CCCA5160	YOKE ASSY A5160G	2 2A6
MW A4957	AUX COUNTERSHAFT ASSY A4740G	1 2A6
MW A5022	SHAFT ADDY INPUT A5022A	1 2A6
NCBTRK179A	BEARING KIT TRK-179A	1 2B1
CCCK1447	O-RING KIT K1444G	2 2B2
CCCK1450	O-RING KIT K1450G	1 2B2
CCCS1429	REAR BRG COVER S1429G	2 2B2
MW S1409	INPUT SHAFT S1409A	1 2B2
CCCK2262	OIL SEAL KIT K2262G	10 2B3
CCCK2298	O-RING KIT-COMplete K2298G	2 2B3
CCCK2309	REPLT KIT-DR GEAR K2309G	1 2B3
NCBDTK2262	FULLER REAR SEAL	10 2B3
CCCK2805	SHIM KIT K2805G	20 2B4
CCCK2808	REPLT KIT-DR GEAR K2808G	1 2B4
CCCK2839	ORING KIT	1 2B4
CCCK2864	KEY & WASHER KIT K2864G	2 2B4
CCCS2822	INPUT SHAFT S2822G	2 2B4
MW K2808	REPLT KIT DR. GEAR K2808A	1 2B4
CCCK3334	RANGE VALVE REPL KIT K3334G	1 2B5
CCCK3341	O-RING KIT K3341G	3 2B5
CCCK3367	OIL PUMP	2 2B5
CCCK3376	O-RING & WASHER KIT K3376G	10 2B5
CCCK3399	ISOLATER	1 2B

Will H. H. H.
6/3/07

CCK3416
 CCCK3419
 CCCA5474
 CCCA6159
 MW TRK202
 NCBTRK-205
 NCBTRK203
 CCCK1476
 CCCK1500
 CCCK1550
 MW S1607
 CCCK2311
 CCCK2316
 CCCK2366
 CCCK2867
 CCCK2910
 CCCK2917
 CCCK2918
 CCCK3420
 CCCK3455
 CCCK3484
 CCCK3492
 MW K3420
 CCCA6160
 CCCA6161
 CCCA6163
 NCBTRK-1000
 NCBTRK-1000AUX
 NCBTRK-206
 CCCK1644
 CCCS1659
 MW S1659
 CCCK2402
 CCCK2424
 CCCK2428
 CCCK2429
 CCCK2923
 CCCK2942
 CCCK2947
 CCCK2965
 CCCK2973
 CCCK2977
 CCCK3493
 CCCK3494
 CCCK3495
 CCCK3497
 MW K3495
 MW K3497
 CCCA6188
 CCCA6224
 CCCA6340

Untitled		
GEAR UPDATE KIT K3416G		0 2B5
GEAR UPDATE KIT K3419G		1 2B5
SHIFT YOKE ASSEMBLY A5474G		4 2B6
YOKE ASSY RANGE A6159G		1 2B6
BEARING KIT		1 2C1
BEARING KIT TRK-205		2 2C1
BEARING KIT		1 2C1
REPLT KIT-LEVER HSG K1476G		1 2C2
S SMALL PARTS KIT K1500G		2 2C2
VALVE REPAIR KIT K1550G		2 2C2
ADAPTOR S1607A		1 2C2
REPLT KIT-DR GEAR K2311G REF		1 2C3
REPLT KIT-DR GEAR K2316G OLD		3 2C3
KEY & WASHER KIT K2366G WAS		2 2C3
REPLT KIT-DR GEAR K2867G		1 2C4
COVER KIT K2910G		2 2C4
SMALL PARTS KIT K2917G		3 2C4
OIL SEAL KIT ELEC COVER K291		2 2C4
GEAR UPDATE KIT K3420G		2 2C5
SPEED SENSOR KIT-DUAL K3455G		2 2C5
ORING KIT		1 2C5
SYNCHRONIZER KIT K3492G		4 2C5
GEAR UPDATE KIT SPCK3420		3 2C5
YOKE ASSY RANGE A6160G		2 2C6
RANGE YOKE ASSY A6161G		1 2C6
YOKE ASSY RANGE A6163G		1 2C6
BEARING KIT TRK-1000		1 2D1
BEARING KIT TRK-1000AUX		1 2D1
BEARING KIT		1 2D1
QUILL REPLT KIT K1644G		1 2D2
INPUT SHAFT		2 2D2
INPUT SHAFT S1659A		10 2D2
COVER & SCREW KIT K2402G		6 2D3
VALVE REPLT KIT K2424G		1 2D3
SERVICE LEVER KIT K2428G		2 2D3
SERVICE LEVER KIT K2429G		1 2D3
RANGE PISTON KIT K2923G		2 2D4
C/S REPL KIT		1 2D4
C/SHAFT REPL KIT		2 2D4
RETAINER KIT K2965G		6 2D4
SHIFT LEVER HSG KIT K2973G		1 2D4
REPL KIT-LEVER HSG K2977G		1 2D4
REPL KIT-SLIDING CLUTCH K349		2 2D5
REPL KIT-SLIDING CLUTCH OLD#		4 2D5
REPL KIT-SLIDING CLUTCH K349		3 2D5
REPL KIT-SLIDING CLUTCH K349		3 2D5
SCYN ASSY		3 2D5
SYNC.KIT		1 2D5
YOKE ASSY RANGE A6188G		1 2D6
YOKE ASSY RANGE A6224G		1 2D6
RETAINER ASSY A6340G		1 2D6


 6/3/07

	Untitled	
CCCA6573	SHIFTER A6573G	1 2D6
CCCA6724	SENSOR ASSY A6724G	2 2D6
CCCK1872	BEARING KIT K-1872G	1 2E1
NCBTRK2043	BRG KIT K2043	1 2E1
CCCK1699	S VALVE REPAIR KIT K1699G	2 2E2
MW K1786	REPL KIT-DR GEAR K1786A	2 2E2
MW K1787	REPL KIT-DR GEAR K1787A	3 2E2
MW K1788	REPL KIT-DR GEAR K1788A	1 2E2
MW K1789	REPL KIT-DR GEAR K1789A	1 2E2
CCCK2430	SHIM KIT K2430G	1 2E3
CCCK2444	SYNCHRONIZER KIT K2444G	1 2E3
CCCK2445	SYNCHRONIZER KIT K2445G	1 2E3
MW K2439	KEY & WASHER KIT K2439A	3 2E3
MW K2446	SYCN,ASSY FULLER#K3492/K1946	4 2E3
CCCK2978	REPLT KIT-SHIFT LEVER K2978G	1 2E4
CCCK3100	ACTUATOR PIN	2 2E4
CCCK3104	K3104 ACTUATOR PIN KIT	2 2E4
CCCK3121	AIR VALVE CONV KIT K3121G	1 2E4
CCCK3128	S PISTON KIT K3128G	1 2E4
CCCA3990	KEY ASSY M-SHAFT A3990G	1 2E5
CCCK3500	C/SHAFT OLD#A6843	2 2E5
CCCK3581	O-RING KIT SPLITTER K3581G	2 2E5
CCCK3582	O-RING KIT RANGE K3582G	1 2E5
CCCK3651	OIL SEAL TOOL KIT K3651G	1 2E5
MW A3546	VALVE ASSY RANGE MASTER A354	1 2E5
CCCA6909	RANGE MASTER VALVE A6909G OL	1 2E6
CCCA6910	RANGE MASTER VALVE A6910G	1 2E6
CCCA6913	MASTER SHIFT VALVE A6913G	1 2E6
CCCA6915	SHIFT VALVE/A5015	1 2E6
CCCA7011	YOKE ASSY, SPLT A7011G	3 2E6
MW A6909R	RANGE MASTER VALVE A6909RA..	1 2E6
MW A6913R	MASTER SHIFT VALVE A6913RA	1 2E6
MW A6915R	VALVE ASSY MASTER SHIFT A691	1 2E6
MW A6918R	VALVE ASSY MASTER SHAFT A691	2 2E6
CCCK3676	FULLER K3676 OLD# A7145	1 2F1
CCCK1958	O-RING KIT K1958G	1 2F2
CCCK2003	PIN AND BUSHING	12 2F2
MW K1847	RPLT KIT-DR GEAR K1847A	3 2F2
MW K2019	UPDATE KIT K2019A	3 2F2
CCC2536	SPRING 2536G	2 2F3
CCCK2640	DRIVE GEAR KIT W/K2641 / 430	1 2F3
CCCS2562	MAINSHAFT S2562G	1 2F3
CCCS2688	MAINSHAFT S2688G	2 2F3
MW K2448	SYN KIT K1948/K3494..	6 2F3
MW K2640	DRIVE GEAR KIT	1 2F3
MW S2560	MAINSHAFT RTLO18918B	1 2F3
CCCK3130	SHIFT YOKE KIT K3130G	2 2F4
CCCK3131	YOKE BAR KIT	1 2F4
CCCK3150	IDLER SHAFT KIT K3150G	2 2F4
CCCK3189	S REPLT KIT-DR GEAR K3189G	1 2F4

W.D.H. Fu
6/3/07

	Untitled	
CCCK3198	T-2 SOL.VALVE KIT	2 2F4
CCCK3209	IDLER SHAFT REPL KIT K3209G	1 2F4
CCCK3215	SHIPPING COVER K3215G WAS 99	20 2F4
CCCA4729	RETAINER ASSY A4729G	4 2F5
CCCA4740	FILTER/REG ASSY AIR A4740G	1 2F5
MW A4041	FILTER A4041A	1 2F5
MW A4487	VALVE ASSY SELECTOR A4487A	1 2F5
CCC8968	PLUG SHIFT DETENT	2 2F6
CCC8997	NUT 8997G	9 2F6
CCCA7012	YOKE ASSY, SPLT A7012G	1 2F6
RBDDS402PD	DS402 POWERDIVIDER	1 30A
RBDDS404F308	DS 404 DIFFERENTIAL 3:08 RAT	1 30A
RBDDS404F336	DS404 3:36 RATIO	1 3
RBDDS404F355	DS 404 3:55 RATIO	1 30A
RBDDS404F370	DS404 DIFF 3:70	1 30A
RBDDS404F390	DS404 3:90 RATIO	1 30A
RBDDS404F411		1 30A
RBDDS404F433	DS 404 4:33 RATIO ..	1 30A
RBDDS404PD-1GEN	"127605"POWERDIVIDER	1 30A
RBDRS404R308	RS404 3:08 RATIO	1 30A
RBDRS404R336	RS404 3:36 RATIO	1 30A
RBDRS404R355	RS404 3:55 RATIO.....	1 30A
RBDRS404R370	DS404 REAR 3.70	1 30A
RBDRS404R390	RS 404 3:90 RATIO	1 30A
RBDRS404R411	RS404 4:11 RATIO	1 30A
RBDRS404R433	IRS 404 4:33 RATIO	1 30A
RBTES53-5A	TRANS	1 30A
RBTRT6613	RT6613 1.00 RATIO 13 SPEED	0 30A
TODRS404R433	EATON-33	1 30A
TOTFR14210B	FULLER-FR14210B	0 30A
TOTFS6305B	FS6305B 1.0 RATIO	0 30A
TOTPSO150-10S	PSO150-10S TRANSMISSION 10 S	1 30A
TOTRTL014610A	RTL014610A 76.	0 30A
TOTRTL018918B	RTL018918B 18 SPEED TRANSMIS	0 30A
TOTRTX16709B	RTX16709B .73 RATIO..	1 30A
RBDDS402F336NOP.D.	EATON-DS402-336 RATIO 3:36 N	1 30B
RBDDS402F355	DS402 3:55 RATIO	1 30B
RBDDS402F390	DS402 FRT 3.90	1 30B
RBDDS402F411	DS 402 4:11 RATIO	0 30B
RBDDS402F411NOP.D.	EATON-DS402-411 RATIO 4:11 N	0 30B
RBDDS402F433	EATON DS 402 433 RATIO	1 30B

John W. F...
6/3/07

	Untitled	
RBDRS402R355	RS 402 3:55 RATIO	1 30B
RBDRS402R370	EATON RS 402 370 RATIO	1 30B
RBDRS402R390	EATON DIFFERENTIAL RS402 RAT	0 30B
RBDRS402R433	EATON DIFFERENTIAL RS402 RAT	1 30B
RBTRT7608LL	RT7608LL 1:00 RAIO FULLER EA	0 30B
RBTRTLO16713A	RTLO16713A REBUILT TRANSMISS	1 30B
RBTRTLO16913A	RTLO16913A .73 RATIO 13 SPEE	1 30B
RBTRTLO16918B	FULLER RTLO16918B .73 RATIO	0 30B
RBTRTLO18913A	FULLER RTLO18913A .73 RATIO	1 30B
RBTRTO14908LL	TRANSMISSION	0 30B
RBTRTO16908LL	RTLO16908LL .74 RATIO	1 30B
RBTRTX11708LL	FULLER-EATON RTX11708LL 74 8	0 30B

W. H. H. H.
6/3/07

	Untitled	
RBTRTO11609A	TRANS	0 31B
RBTRTO11609B	RT011609B .73 RATIO 9 SPEED	0 31B
RBTRTX13710C	RTX13710C 10 SPEED TRANSMISS	0 31B
RBTRTX14609R	TRANS	1 31B
RBTRTX14710B	TRANS	1 31B
RBTRTX14710C	RTX14710C TRANSMISSION	1 31B
RBTRTX15710C	RTX15710C 10 SPEED TRANSMISS	0 31B
RBTRTX16709B	TRANS	0 31B
RBD400F354	"129572"POWERDIVIDER	1 33A
RBDN400F354	N400 SPICER 3.54	1 33A
RBDN400F391	N400 3:91	1 33A
RBDN400F410	N400 SPICER 4.10	1 33A
RBDN400PD	N400 POWERDIVIDER	1 33A
RBDN400R354	N400 3.54	1 33A
RBDN400R373	N400 REAR 3.73	1 33A
RBDQD100PD	QD100 POWERDIVIDER	1 33A
RBDRA472F410	RA472 FRONT 4.10	1 33A
RBTFR15210B	TRANSMISSION	1 33A
RBTRTA016710C-AS	RTA016710-AS 10 SPEED TRANSM	1 33A
CCC16566	BUSHINGS	7 3A2
CCC16628	SNAP RING	4 3A2
CCC16672	GEAR MAIN SHAFT....	1 3A2
CCC16674	GEAR M/S O/D	1 3A2
CCC16713	GEAR	1 3A2
CCC16715	GEAR AUX DRIVE	1 3A2
MW 16593	GEAR MAINSHAFT	1 3A2
MW 16674	GEAR M/S O/D	1 3A2
MW 16705	GEAR M/S	1 3A2
MW 16707	GEAR M/S	1 3A2
MW 16709	GEAR	1 3A2
MW 16711	GEAR	1 3A2
MW 16715	GEAR AUX DRIVE	1 3A2
CCC17909	GEAR MAINSHAFT 17909G	2 3A3
CCC17910	SLIDING CLUTCH 17910G	1 3A3
CCC17911	COUPLER-MAINSHAFT 17911G	1 3A3
CCC17914	COUPLER RANGE M-SHAFT 17914G	1 3A3
CCC18019	WASHER 18019G	4 3A3
CCC18025	OIL COOLER 18025G	2 3A3
CCC18125	RING 18125G	1 3A3
MW 17910	SLIDING CLUTCH 17910A	1 3A3
MW 17911	COUPLER-MAINSHAFT 17911A	1 3A3
MW 17912	GEAR	1 3A3
MW 17913	SLIDING CLUTCH 17913A	1 3A3
MW 19633	GEAR 20459	3 3A4
MW 19667	19667A AUX M/S GEAR RTO. RTX	3 3A4
MW 19726	GEAR 19726A	1 3A4
MW 19783	GEAR 19783A	1 3A4
CCC20550	FRONT BEARING COVER 20550G	4 3A5
CCC20597	GEAR M/S 20597G	1 3A5
CCC20614	MAINSHAFT 20614G	1 3A5
CCC20615	SLIDING CLUTCH 20615G	2 3A5
CCC20617	WASHER 20617G	2 3A5
MW 20550	FRONT BEARING COVER 20550A	7 3A5

W.D. H. free
6/8/07

CCC128624
 CCC128628
 CCC128643
 CCC129771
 CCC129783
 CCC130836
 CCC130837
 CCC130877
 CCC130907
 CCC210020
 CCC508506
 CCC508652
 CCC510052
 MW 508652
 CCC510017
 CCC510018
 MW DS402FSKL
 MW DS402FSKL
 CCC48921
 CCC48922
 CCC51228
 CCC51238
 CCC60817
 CCC70745
 CCC78931
 CCC85358
 CCC113610
 CCC114470
 MW 113556
 MW 113610
 MW 114470
 CCC127720
 CCC127721
 CCC128016
 CCC128042
 MW 128016
 MW 128042
 PAIEE73070
 CCC129577
 CCC129579
 CCC129580
 CCC129583
 CCC129584
 CCC129594
 CCC507709
 CCC508121
 CCC508457
 CCC216220
 CCC114394
 MW 45481
 MW DS404FSK

Untitled		
PISTON 128624G	2	5B4
DRIVE COUPLING 128628G	3	5B4
GASKET PISTON COVER 128643G	1	5B4
COMP DIFF ASSY"128634"	2	5B5
SHIFT FORK ASSY 129783G	2	5B5
CAPSCREW, WAS 130158	8	5B5
HEX CAPSCREW 130837G	6	5B5
PLAIN WASHER 130877G	10	5B5
GEAR & BSHG ASSY 130907G	1	5B5
SPRING PIN 210020	2	5B5
KIT-LOCKOUT PARTS 508506G	1	5B6
KIT-NUT & BOLT 508652G	2	5B6
KIT-LOCKOUT 510052G	1	5B6
KIT NUT AND BOLT 508652A	4	5B6
DIFF CARRIER 510017G	1	5B7
510018 G HOUSING	1	5B7
POWER DIVIDER KIT DS402FSKL	1	5C1
POWER DIVIDER KIT DS402FSKL	1	5C1
BUSHING 48921G	2	5C2
BUSHING 48922G	2	5C2
BRASS WASHER 51228G	5	5C2
SPRING 52138G	6	5C2
O-RING 60817G	4	5C2
KIT-NUT & BOLT 70745G	2	5C2
O-RING 78931G	2	5C2
WHL DIFF KIT 85358G	1	5C2
ELEC SWITCH 113610G	1	5C3
KIT-WHL DIFF 114470	3	5C3
GEAR 113556A	1	5C3
ELEC SWITCH 113610A	2	5C3
KIT DIFF COMP 41 SPL S.G 114	2	5C3
OIL SEAL 127720G	5	5C4
OIL SEAL 127721G	2	5C4
SL CL GEAR 128016G	1	5C4
HEL GR & BSHG ASSY 128042G	1	5C4
SLCL GEAR 128016A	1	5C4
HEL GR & BSHG ASSY 128042A	3	5C4
SEAL-EAT127721A	1	5C4
TROUGH-LUBE 129577G	3	5C5
O-RING 129579G	3	5C5
PISTON 129580G	3	5C5
PUSH ROD ASSY 129583G	2	5C5
SPRING	1	5C5
SNAP RING 129594G	2	5C5
KIT-PISTON 507709G	1	5C6
KIT-LOCKOUT 508121G	1	5C6
KIT-LOCKOUT-PARTS 508457G	7	5C6
BEARING KIT	1	5C7
BEARING KIT	1	5D1
DS402 POWER DIVIDER COVER	3	5D1
DS404FSK DS404 FRONT SEC KIT	7	5D1


 6/3/07

CCC127719
 MW 127645
 NCBDT7592
 PAIEE73050
 CCC129290
 CCC129305
 CCC129371
 CCC129425
 CCC129433
 CCC129573
 CCC129575
 CCC217465
 CCC217792
 CCC328344
 CCC507162
 CCC507494
 CCC508726
 NCBDRK208
 NCBDRK222F
 NCBDRK222R
 NCBDRK404F
 NCBDRK404R
 CCC32826
 CCC32832
 CCC32861
 CCC43268
 CCC43269
 MW 37069
 MW 37071
 MW 38289
 CCC104139
 CCC106368
 CCC107620
 MW 104139
 MW 110525
 CCC127523
 CCC127545
 CCC127567
 CCC127591
 CCC127592
 MW 127523
 NCBDT7591
 CCC129120
 CCC129126
 CCC129128
 CCC129169
 CCC129175
 MW 129128
 MW 129130
 CCC216229

Untitled
 OIL SEAL 127719G
 OUTPUT SIDE GEAR 127645A
 OIL SEAL DT7592
 SEAL-EAT 127719
 PISTON 129290G
 T WASHER 129305G
 BUSHING 129371G
 COVER
 SNAP RING 129433G
 PISTON CUP ASSY 129573G
 CAGE & CUP ASSY 129573G
 SHIFT FORK ASSY WAS 128609
 AIR LOCKOUT PARTS 217792G
 KINGPIN KIT
 KIT-BREATHER & TUBE 507162G
 KIT-LOCKOUT 507494G
 WHEEL DIFF. CASE
 BEARING KIT
 BEARING KIT
 BEARING KIT
 BEARING KIT
 BEARING KIT
 O-RING 32826G
 O-RING 32832G
 SWITCH ASSY 32861G
 T WASHER 43268G
 T WASHER 43269G
 SIDE GEAR 37069A
 SIDE PINION 37071A
 DIFF SPIDER 38289A
 SIDE PINION 104139G
 KIT-LUBE PUMP 106368G
 SHIFT FORK ASSY 107620G
 SIDE PINION 104139A
 SIDE GEAR 110525A
 HELICAL GEAR-PINION 127523G
 O-RING 127545G
 NUT 127567G
 OIL SEAL 127591G
 OIL SEAL 127592G
 HELICAL GEAR
 OIL SEAL DT7591
 SPACER 129120G
 SPACER 129126G
 DIFF BRG ADJUSTER 129128G
 SPACER 129169G
 BEARING 129175G
 DIFF BRG ADJUSTER 129128A
 DIFF BRG ADJUSTER 129130A
 KIT-WHL DIFF 216229G

3 5D4
 1 5D4
 3 5D4
 5 5D4
 2 5D5
 20 5D5
 2 5D5
 1 5D5
 2 5D5
 1 5D5
 1 5D5
 2 5D6
 1 5D6
 1 5D6
 3 5D6
 4 5D6
 1 5D7
 1 5E1
 2 5E1
 3 5E1
 2 5E1
 2 5E1
 4 5E2
 10 5E2
 1 5E2
 2 5E2
 2 5E2
 2 5E2
 1 5E2
 1 5E2
 4 5E3
 1 5E3
 1 5E3
 3 5E3
 2 5E3
 1 5E4
 8 5E4
 6 5E4
 3 5E4
 5 5E4
 1 5E4
 4 5E4
 1 5E5
 1 5E5
 1 5E5
 1 5E5
 2 5E5
 2 5E5
 3 5E5
 2 5E6


 6/3/07

CCC217461
 CCC217463
 MW 216229
 NCBDRK1
 NCBDRK18E
 NCBDRK193
 NCBDRK194RB
 NCBDRK196
 NCBDRK1A
 NCBDRK23D
 NCBDRK64FD
 CCC18346
 CCC19411
 CCC20850
 CCC20894
 CCC25968
 CCC27274
 MW 3266H970
 MW A26-3235L1156
 CCCKIT326
 MW KIT318
 MW KIT322
 MW KIT326
 CCCKIT5331
 CCCKIT5363
 CCCKIT5367
 CCCKIT5389
 CCCKIT5394
 MW KIT5367
 MW KIT5385
 CCC1225U880
 CCC1829H859
 CCC2208H944
 CCC2234D966
 CCCA12297D862
 CCCA2297E811
 MW 1229D992
 MW 1229E993
 MW 2234C783
 CCC1229A1301
 CCC15X1306
 CCC2258D1278
 CCC2258E1279
 CCC42X1250
 CCCA1205E1227
 CCCA1228G1307
 CCCA3226Z1222
 CCC3280X2520
 CCCA1205N2588
 NCBDTN2588
 NCBDTP2590

Untitled

KIT-WHL DIFF 217461G	1	5E6
BEARING KIT	1	5E6
404 AXLE GEAR KIT	4	5E6
BEARING KIT	2	5F1
BEARING KIT	1	5F1
BEARING KIT	1	5F1
BEARING KIT	1	5F1
BEARING KIT	2	5F1
BEARING KIT DRK-1A	1	5F1
BEARING KIT DRK-23D	1	5F1
BEARING KIT	1	5F1
T WASHER 18346G	3	5F2
PLUG 19411G	1	5F2
T WASHER 20850G	2	5F2
GEAR	1	5F2
T WASHER 25968G	4	5F2
T WASHER 27274G	2	5F2
QD100 COVER	1	6A1
DIFF CASE A263235L1156	1	6A1
DIFFERENTIAL KIT KIT326G	1	6A2
DIFFERENTIAL KIT KIT318A	1	6A2
DIFFERENTIAL KIT KIT322A	2	6A2
DIFFERENTIAL KIT KIT326A	1	6A2
MISC TRANS KIT KIT5331G	1	6A3
S MAINSHAFT KIT	0	6A3
S TRANS INPUT SHAFT KIT KIT536	0	6A3
OUTPUT SEAL KIT KIT5389G	10	6A3
MAINSHAFT KIT KIT5394G	1	6A3
SHAFT	0	6A3
VALVE KIT ER37010A (KIT5385)	2	6A3
BUSHING 1225U880G	6	6A4
SNAP RING 1829H859G	13	6A4
GASKET 2208H944G	5	6A4
SIDE GEAR 2234D966G	4	6A4
SHIFT FORK ASSY A12297D862G	1	6A4
FORK A2297E811G	1	6A4
WASHER	8	6A4
WASHER	4	6A4
SIDE GEAR SQ100	4	6A4
SNAP RING 1229A1301	8	6A5
POWER DIVIDER BOLTS 15X1306	1	6A5
SPRING 2258D1278	9	6A5
SPRING 2258E1279	3	6A5
T WASHER 42X1250	1	6A5
OIL SEAL A1205E1227	1	6A5
ROLLER TAPER BRG A1228G1307	1	6A5
CAGE ASSY A3226Z1222	1	6A5
CLUTCH COLLAR 3280X2520	1	6A6
OIL SEAL A1205N2588G	3	6A6
OIL SEAL DTN2588	6	6A6
OIL SEAL DTP2590A	4	6A6


 6/3/07

CCC2203A7827
 CCC2203J9474
 CCC2203K9475
 CCC2203M9477
 CCC2203P9480
 CCC2203U9485
 CCCA3200F9392
 CCCSN8161
 MW A2-3235W1843
 MW A28-3235D1174
 CCCKIT530
 CCCKIT545
 CCCKIT576
 MW KIT570
 CCC2233A105
 CCC3278H86
 CCC3296E57

CCCA3226Z78
 CCCKIT5396
 MW A13297X50
 CCC2214Y1039
 CCC46X1029
 CCC5X1034
 CCCA3303P1030
 MW 2234E1019
 MW A13297A1015
 MW A3297Z1014
 CCC1228E1357K
 CCC1228F1358K
 CCC1228G1359K
 CCC1229N1470
 CCC1229P1446
 CCC3296Z1326
 CCC42X1457
 CCC42X1458
 CCC42X1459
 MW A3297U1347
 CCC1229G2763
 CCCA1-1205A2731
 CCCA1-1205X2728
 CCCA1-1205Y2729
 MW 1229M2769R
 NCBDR2592
 CCC2203A9491
 CCC2203E9807
 CCC2203F9808
 CCCR801700
 MW A83235W1843
 MW MPS3344

Untitled	
SHIM 2203A7827G	1 6A7
SPACER 2203J9474G	1 6A7
SPACER 2203K9475G	1 6A7
SPACER 2203M9477G	1 6A7
SPACER 2203P9480G	1 6A7
SPACER 2203U9485G	1 6A7
SOLENOID ASSY A3200F9392G	1 6A7
STUD SN8161G	1 6A7
DIFF CASE A23235W1843	2 6B1
DIFF CASE A283235D1174	1 6B1
SNAP RING KIT KIT530G	2 6B2
SPACER KIT KIT545G	1 6B2
SNAP RING KIT KIT576G	1 6B2
BOLT KIT KIT570A	3 6B2
PINION GEAR 2233A105G	1 6B3
SPIDER 3278H86G	1 6B3
FORK 3296E57G	1 6B3
BEARING CAGE A3226Z78G	1 6B3
GEAR AUX TRANS OLD#3892K5315	1 6B3
UPDATE IAD KIT A13297X50A	1 6B3
ADJUSTING RING	2 6B4
SNAP RING	2 6B4
O-RING 5X1034G	5 6B4
ASSY PUMP A3303P1030G	1 6B4
SIDE GEAR 2234E1019A	1 6B4
INPUT SHAFT ASSY A13297A1015	2 6B4
INPUT SHAFT ASSY A3297Z1014A	2 6B4
RACE 1228E1357K	2 6B5
RACE 1228F1358K	4 6B5
RACE 1228G1359K	2 6B5
SNAP RING 1229N1470	5 6B5
SNAP RING 1229P1446	7 6B5
FORK SHIFT 3296Z1326	1 6B5
WASHER 42X1457	5 6B5
WASHER 42X1458	5 6B5
WASHER 42X1459	5 6B5
INPUT SHAFT A3297U1347	1 6B5
SNAP RING 1229G2763G	6 6B6
OIL SEAL	1 6B6
OIL SEAL OLD# A1205R2592	1 6B6
OIL SEAL WAS A1205P2590..	4 6B6
WASHER	3 6B6
OIL SEAL DTR2592	5 6B6
SPACER 2203A9491G	1 6B7
SPACER 2203E9807G	1 6B7
SPACER 2203F9808G	1 6B7
PAWL ASSY.	2 6B7
DIFF CASE A83235W1843	0 6C1
MPS3344 INTER DIFF DIT SQ100	3 6C1

W. H. Frier
 6/3/07

	Untitled	
CCC231502	DRIVELINE NUT	1 7B2
CCCKIT-RPL25-20	BILT KIT	2 7B2
MW WAP1705	SERIES 60 DET WATER PUMP	1 7B2
PDC11900	AIR BRK FITTING	10 7B3
PDC11901	3/8X3/8 FITTING	8 7B3
PDC11913	3/8 X 3/8 UNION	6 7B3
PDCRB60-6	3/8 FERRREL	21 7B3
PDCRB60-8	1/2 FERRULE	17 7B3
PDCRB62-8	1/2 UNION	2 7B3
PDCRB68SG6-8	1/2 FITTING X 3/8 HOSE	2 7B3
PDCRB68SG8-6	3/8 X1/2 FITTING	7 7B3
PDCRB68SG8-8	1/2 X1/2 FITTING	7 7B3
MIS37992	BUSHING	4 7B4
MIS9004	LAMP	3 7B4
MISRSC85927C1	WATER LEVEL SENSOR	1 7B4
MISTAS000001	SEAL KIT	2 7B4
MIS23-15273	PETE HOOD HINGE BOLT KIT	1 7B5
MIS35P8	PTO SHIFT COVER GASKET	10 7B5
MIS5295	KW SPRING BUSHING	2 7B5
MIS5296	KW SPRING PIN	0 7B5
MIS660-1-2	PACCAR SENSOR	1 7B5
MIS688951R1	BUSHING	4 7B5
MIS9006	BULB	2 7B5
MISK379-60	SPEEDO SENSOR	1 7B5
MISL92-6000-0580	379 HOOD CABLE	2 7B5
MW WA600221	TOWER	1 7B5
CCC28P216	PTO SEAL	3 7B6
MIS328356-13X	CHELSEA GASKET KIT	1 7B6
MUN13T38541	SHIFT LEVER GASKET	10 7B6
MUN20MK6700	6 BOLT STD MOUNTING KIT	1 7B6
MUN20MK8801	8 BOLT STD MOUNTING KIT	1 7B6
MUN20MKM602	6 BOLT METRIC BOLT KIT	1 7B6
MUN20MKM802	8 BOLT STD MOUNTING KIT	2 7B6
MUN30T38110	2&3 ARRAG.INDICATOR SWITCH	2 7B6
MUN30T38111	INDICATOR SWTCH 1&4 ARRAG.	2 7B6
MUNTG-GSK-A1	GASKET/SEAL KIT	2 7B6
MUNTG-RBK-A1	REBUILD KIT	2 7B6
MW WA201X	S KIT	0 7B6
MIS600-650	24.5 BALANACER STUD/HUB PILO	2 7B7
BPC7071X	SMOOTH CUMMINS IDLER PULLEY	2 7C1
MW MK7065	WATER PUMP MK7065	1 7C1
MW WAP1170	CUMMINS BC3 WATERPUMP 7052X	1 7C1
MW WAP2260	N14 WATER PUMP 7068X	2 7C1
CCC230323	STRAP/LOCKS	10 7C2
CCC5-103X	U'JOINT KIT	4 7C2
CCC5-279X	U'JOINT KIT	2 7C2
CCC5-460X	UJOINT	2 7C2
CCC6.5-70-18X	CLAMP	4 7C2
MW 5-279XRM	U-JOINT 5-279XRM	4 7C2

W.D. H. Lee
6/3/07

MW 5-674XR
 CCC5-280X
 CCC5-675X
 MW 5-280XRM
 MW 5-675XR
 CCC5-407X
 CCC5-677X
 MW 5-407XRM
 MW 5-677XR
 CCC5-281X
 CCC5-676X
 MW 5-281XRM
 MW 5-676XR
 CCC170-70-18X
 CCC250-70-18X
 CCCCP20RPLS
 CCCSPL170X
 MW 5-677XR
 CCC5-281X
 CCC5-676X
 MW 5-281XRM
 MW 5-676XR
 CCC170-70-18X
 CCC250-70-18X
 CCCCP20RPLS
 CCCSPL170X
 CCCSPL250X
 MW WA170XR
 MW WA250XR
 BPC7051
 BPC7051X
 BPC7063
 MW WAP2025
 MW 1651271C91
 MW 1651276C91
 CCC1665319C1
 CCC1665324C1
 CCC1665331C91
 CCC512865
 MW 1665325C91R
 CCC201-118-1
 CCC201-118-2
 CCC201-381-1
 CCC201-381-3
 CCC201-438-2
 CCC201-438-5
 CCC201-438-7-1X
 CCC201-463-8
 CCC464862
 CCC472HH101
 CCC472SU101

Untitled		
U'JOINT KIT		5 7C2
U-JOINT KIT 5-280XG		9 7C3
U'JOINT KIT		4 7C3
U-JOINT 1710 SERIES-METAL CA		5 7C3
U'JOINT KIT 1/2 ROUND 5-675X		6 7C3
U'JOINT KIT 5-407XG		4 7C4
U'JOINT KIT		5 7C4
U'JOINT KIT		4 7C4
U'JOINT KIT		6 7C4
U'JOINT KIT		7 7C5
U'JOINT KIT		7 7C5
U'JOINT KIT		4 7C5
U'JOINT KIT		2 7C5
STRAP KIT		4 7C6
STRAP KIT, BEARING CAP ASSEM		6 7C6
JOINT		1 7C6
U'JOINT KIT		1 7C6
U'JOINT KIT		6 7C4
U'JOINT KIT		7 7C5
U'JOINT KIT		7 7C5
U'JOINT KIT		4 7C5
U'JOINT KIT		2 7C5
STRAP KIT		4 7C6
STRAP KIT, BEARING CAP ASSEM		6 7C6
JOINT		1 7C6
U'JOINT KIT		1 7C6
U'JOINT KIT		1 7C6
U'JOINT KIT		0 7C6
U'JOINT KIT		2 7C6
CUMMINS FFC 2GRV 5-1/8PULLEY		1 7D1
CUMMINS RBUILT 2GRV PUMP		1 7D1
3.9&5.9 CUMMINS WATERPUMP		1 7D1
3406E WATER PUMP 7006EX		3 7D1
DIFFERENTIAL KIT		1 7D2
DIFFERENTIAL PARTS KIT		1 7D2
SHIM		5 7D3
WASHER		1 7D3
FORK		1 7D3
S400 P/DIV. KIT		2 7D3
P/D KIT 400 SERIES		2 7D3
GASKET SLAVE VALVE		6 7D4
GASKET		4 7D4
SNAP RING		3 7D4
SNAP RING		4 7D4
BACKUP LIGHT PIN		1 7D4
PIN		3 7D4
SPICER PIN 201-438-7-1X		1 7D4
OUTPUT SEAL		1 7D4
CLIP KIT		4 7D5
OUTPUT SEAL		2 7D5
AIR SHIFT CYLINDER		1 7D5


 9/3/07

NCBDRK223R
 NCBRA-192FA
 MW 1651280C91
 MW 1654949C91
 MW 1665300C1
 MW 1665307C91
 MW 1665309C91
 CCC1665374C91
 CCC1665378C1
 MW 1665332C1
 MW 1665380C1
 MW 1691147C2
 CCC201-465-5
 CCC201-486-1
 CCC201-487-1
 CCC330955
 CCC378066R1
 CCC390HH101
 CCC390HR107
 CCC390HS101
 CCC390HS109
 CCC390KK102X
 CCC401HH102
 CCCGGAHH106
 MW 481108C1
 MW 483442C1
 NCBTRA4860A
 NCBW4860A
 CCC63-463-1
 MW 1651277C91
 NCB117-L
 NCB118-L
 NCB204A
 NCB567
 NCB572
 NCB575
 NCB576
 NCB580
 NCB1212-SLV
 NCBMR1307EL
 NCBMU1306UGV
 NCBMUSB1307UM
 PAIBBG7320
 NCB3720
 NCB3782
 NCB3820
 NCB3877
 NCB3920
 NCB3979
 NCB3982

Untitled
 BEARING KIT
 DIFFERENTIAL BEARING KIT
 SEAL
 IDLER GEAR KIT RA472
 REAR SIDE GEAR
 IAD ASSEMBLY

 BEARING
 SPACER
 COLLAR
 GEAR
 SEAL
 CLUTCH COLLAR
 SHOE/SHIFT FORK
 WEDGE
 WASHER
 SNAP RING
 SEAL-AIR SHIFT 390HH101
 SPRING 390HR107G
 THRUST WASHER
 WASHER 390HS109G
 INPUT SHAFT KIT 390KK102X
 PINION SEAL
 SEAL
 INPUT GEAR
 GEAR
 BEARING
 BEARING
 OIL SEAL
 DIFFERENTIAL KIT
 BEARING 117-L
 BEARING 118-L
 BEARING 204A
 BEARING 567
 BEARING
 BEARING
 BEARING
 BEARING
 BEARING 1212-SLV
 BEARING
 BEARING
 BEARING
 BEARING
 BEARING
 BEARING
 RACE
 BEARING
 BEARING 3920
 BEARING 3979
 BEARING 3982

2 7F2
 1 7F2
 1 7F3
 1 7F3
 1 7F3
 1 7F3
 1 7F3
 1 7F4
 2 7F4
 1 7F4
 1 7F4
 1 7F4
 1 7F5
 4 7F5
 11 7F5
 2 7F5
 6 7F5
 2 7F5
 1 7F5
 6 7F5
 9 7F5
 2 7F5
 2 7F5
 1 7F6
 1 7F6
 2 7F6
 5 7F6
 3 7F6
 1 7F7
 1 7F7
 2 8B2
 3 8B2
 17 8B2
 4 8B3
 3 8B3
 3 8B3
 1 8B3
 4 8B3
 4 8B4
 4 8B4
 2 8B4
 3 8B4
 1 8B4
 3 8B5
 3 8B5
 2 8B5
 2 8B5
 1 8B5
 2 8B5
 2 8B5


 6/3/07

NCB25821
 NCB25877
 NCB28622
 NCB28682
 NCB28920
 NCB28921
 NCB45284
 NCB47620
 NCB47623A
 NCB47686
 NCB47687
 NCBDRK304MK
 NCBH715310
 NCBH715311
 NCBJLM710949
 NCBJLM714110
 NCB205-SS
 NCB206-SS
 NCB209-SS
 NCB210
 NCB211B
 NCB211S
 NCBMRCG212SF
 NCB582
 NCB592
 NCB592-A
 NCB594
 NCB594-A
 NCB1308-L
 NCBMU1307GUM
 NCBMU1307TM
 NCBMU1307UM
 NCBMU1308TV
 NCBMUB1307UM
 NCB5735
 NCB5760
 NCB6320
 NCBMR5208EL
 NCB5RA5304
 NCB28985
 NCB29620
 NCB29630
 NCB29675
 NCB31520
 NCB31597
 NCB32020-X
 NCB47820
 NCB47890
 NCB52387
 NCBF54970
 NCBLM48510

Untitled
 BEARING 25821
 BEARING 25877
 BEARING 28622
 BEARING 28682
 BEARING 28920
 BEARING 28921
 BEARING 45284
 BEARING 47620
 BEARING 47623A
 BEARING 47686
 BEARING 47687
 S BRG KIT
 BEARING H715310
 BEARING H715311
 BEARING JLM710949
 BEARING JLM714110
 BEARING 205-SS
 BEARING 206-SS
 BEARING 209-SS
 BEARING 210
 BEARING
 BEARING
 BEARING MRCG212SF
 BEARING 582
 BEARING 592
 BEARING 592-A
 BEARING 594
 BEARING 594-A
 BEARING 1308-L
 BEARING MU1307GUM
 BEARING
 BEARING MU1308TV
 BEARING MUB1307UM
 BEARING 5735
 BEARING 5760
 BEARING 6320
 BEARING MR5208EL
 BEARING SRA5304
 BEARING 28985
 BEARING 29620
 BEARING 29630
 BEARING 29675
 BEARING 31520
 BEARING 31597
 BEARING 32020-X
 BEARING 47820
 BEARING 47890
 BEARING 52387
 BEARING F54970
 BEARING LM48510

2 8B6
 2 8B6
 2 8B6
 2 8B6
 2 8B6
 1 8B6
 4 8B7
 2 8B7
 2 8B7
 1 8B7
 1 8B7
 1 8C1
 2 8C10
 2 8C10
 1 8C10
 1 8C10
 1 8C2
 1 8C2
 1 8C2
 3 8C2
 2 8C2
 1 8C2
 1 8C2
 1 8C2
 1 8C3
 8 8C3
 3 8C3
 4 8C3
 2 8C3
 3 8C4
 5 8C4
 4 8C4
 2 8C4
 2 8C4
 2 8C4
 2 8C5
 1 8C5
 2 8C5
 2 8C5
 1 8C5
 1 8C6
 3 8C6
 3 8C6
 4 8C6
 2 8C6
 2 8C6
 1 8C6
 1 8C7
 1 8C7
 1 8C7
 2 8C7
 2 8C7


 6/3/07

	Untitled	
MW KN26000	KN26000 MULTI RELAY	3 9D3
MW KN28520	VALVE	1 9D3
MW KN32040	Q-RELEASE VALVE KN32040	1 9D3
MW WAKN27000	WAKN27000 HEIGHT VALVE	4 9D3
MW WAKN28510	RELAY VALVE KN28510	1 9D3
MW 102626	R12 VALVE 102626	1 9D4
MW 109871	109871 HARN & SPLC KIT	1 9D4
MW WA103009	R12H VALVE WA103009	1 9D4
MW WA103010	R14 HORZ.VALVE	1 9D4
MW WA103028	R14 VALVE	1 9D4
MW WA103818	PURGE VALVE WA103818	2 9D4
PAIEM55870	EM55870 CARTRIDGE #107796	2 9D4
MW 276566	276566 CONTROL VALVE	2 9D5
MW WA109994	R950011 DRYER FILTER	1 9D5
MW WA90054007	WA90054007 LEVELING VALVE	2 9D5
PAI229859	229859 Q-RELEASE VALVE	3 9D5
PAI229860X	229860X Q-RELEASE VALVE	1 9D5
PAI236577BXW	236577BXW GOV GASKET	13 9D5
PAIEM36570	EM36570 VALVE	1 9D5
MW 281923	281923 RESV DRAIN VALVE	1 9D6
MW 283090	283090 TP-2	2 9D6
MW KN28080X	MDLND RELAY VALVE KN28080X	1 9D6
PAI279615	279615 UNLOADER KIT	2 9D6
MW WA5005037	AD9 PURGE VALVE KIT	1 9D7
PAI3046298	3046298 CUM SINGLE LUNG TOWE	1 9D7
PAI6997312X	6997312X SOLENOID VALVE	4 9D7
PAI8022507	8022507 COMPRESSOR	1 9D7
TB 530W2DT	HARNES	32 9D8
TMKSET401	580/572 brg set	2 9D8
TMKSET402	S 582/572 BRG SET	1 9D8
TMKSET403	594A/592A BRG SET	1 9D8
TMKSET404	598A/592A BRG SET	2 9D8
TMKSET405	663/653 BRG SET	2 9D8
TMKSET406	3782/3720 BRG SET	2 9D9
IDP2W6000	LINER	7 9B7
MW 21552	21552 TRACT/PROTECT VALVE	2 9C2
MW KN20031	VALVE KN20031	1 9C2
MW WA13255	WA13255 VALVE	2 9C2
MW WAKN18530	WAKN18530 GOVERNOR	7 9C2
PAIAR12719	CUMMINS UNLOADER KIT	2 9C2
PAIEM35890	EM35890 VALVE	1 9C3
PAIEM36130	EM36130 VALVE	1 9C3
PAIEM36430	EM36430 VALVE	1 9C3
PAIEM36440	EM36440 VALVE	1 9C3
PAIEM36850	EM36850 VALVE	1 9C3
PAIEM40750	EM40750 VALVE	1 9C3
MW 223220	223220 SL2 VALVE	1 9C4
MW WA228750	WA228750 LP3 VALVE	2 9C4
PAI223578	LP2 VALVE 223578	1 9C4
PAI228687	228687 SL4 VALVE	1 9C4
PAI229635	CONTROL VALVE 229635	1 9C4
MW WA279180	WA279180 RELAY VALVE	1 9C5

Walt Brown
6/3/07

COLUMBIA COUNTY FIRE DEPARTMENT



135 NE HERNANDO AVENUE

P. O. BOX 1529

SUITE 203

LAKE CITY, FL 32055

PHONE (386) 754-7089

FAX (386) 758-2182

David L. Boozer
Division Chief

02 April 2007

TO: Joe Haltiwanger
FROM: David L. Boozer
RE: Plans Review, North Florida Truck Parts

A plans review has been conducted of the North Florida Truck Parts Facility, to be located in Windswept Industrial Park on Arrowhead Terrace. We recommend approval of provided plans with the following additional information:

- **Sprinkler Company**
 - Contractor License Number
 - F/D Connection to be located at roadway with 5" Stortz Connection
 - 3 Fire Hydrants located within 800' of facility, with one within 100' of F/D Connection
 - City approval of TAP for Sprinkler System

FILE COPY

FAX TO BILL FREEMAN 3-27-07
758-4290

COLUMBIA COUNTY FIRE DEPARTMENT



135 NE HERNANDO AVENUE
P. O. BOX 1529
SUITE 203
LAKE CITY, FL 32055

PHONE (386) 754-7089
FAX (386) 758-2182

David L. Boozer
Division Chief

26 March 2007

TO: Joe Haltiwanger
FROM: David L. Boozer
RE: Plans Review, North Florida Truck Parts

In reviewing the provided plans of the North Florida Truck Parts Facility, located on Arrowhead Road in Columbia County, we request the following additional information to complete our review process. We are requesting the following:

- **Foam Application:**
 - Documentation from Manufacturer concerning Foam Application, Physical Characteristics, Longevity of product and any restrictions concerning application
- **Fire Shutters:**
 - Documentation from Manufacturer including specific model, drawings and fusible link rating
- **Paint Booth:**
 - Specific Manufacturer, specifications, whether it is suppressed. Is it equipped with an automatic gas shut off tied to alarm system. (plans indicate CD Hines as manufacturer with a fire suppression system. Have specs on Crowe Manufacturer, doesn't include fire suppression)
- **Overhead Doors or Crane (bay area)**
 - Specific manufacturer and type. Will door or crane obstruct sprinkler system
- **Sprinkler Company**
 - Contractor License Number
 - F/D Connection to be located at roadway with 5" Stortz Connection
 - 3 Fire Hydrants located within 800' of facility, with one within 100' of F/D Connection
 - City approval of TAP for Sprinkler System

FILE COPY

COLUMBIA COUNTY FIRE DEPARTMENT



135 NE HERNANDO AVENUE
P. O. BOX 1529
SUITE 203
LAKE CITY, FL 32055

PHONE (386) 754-7089
FAX (386) 758-2182

David L. Boozer
Division Chief

26 March 2007

TO: Joe Haltiwanger
FROM: David L. Boozer
RE: Plans Review, North Florida Truck Parts

In reviewing the provided plans of the North Florida Truck Parts Facility, located on Arrowhead Road in Columbia County, we request the following additional information to complete our review process. We are requesting the following:

- **Foam Application:**
 - Documentation from Manufacturer concerning Foam Application, Physical Characteristics, Longevity of product and any restrictions concerning application
- **Fire Shutters:**
 - Documentation from Manufacturer including specific model, drawings and fusible link rating
- **Paint Booth:**
 - Specific Manufacturer, specifications, whether it is suppressed. Is it equipped with an automatic gas shut off tied to alarm system. (plans indicate CD Hines as manufacturer with a fire suppression system. Have specs on Crowe Manufacturer, doesn't include fire suppression)
- **Overhead Doors or Crane (bay area)**
 - Specific manufacturer and type. Will door or crane obstruct sprinkler system
- **Sprinkler Company**
 - Contractor License Number
 - F/D Connection to be located at roadway with 5" Stortz Connection
 - 3 Fire Hydrants located within 800' of facility, with one within 100' of F/D Connection
 - City approval of TAP for Sprinkler System

COLUMBIA COUNTY FIRE DEPARTMENT

135 NE HERNANDO AVENUE

P. O. BOX 1529

SUITE 203

LAKE CITY, FL 32055

PHONE (386) 754-7089

FAX (386) 758-2182



David L. Boozer
Division Chief

26 March 2007

TO: Joe Haltiwanger
FROM: David L. Boozer
RE: Plans Review, North Florida Truck Parts

In reviewing the provided plans of the North Florida Truck Parts Facility, located on Arrowhead Road in Columbia County, we request the following additional information to complete our review process. We are requesting the following:

- **Foam Application:**
 - Documentation from Manufacturer concerning Foam Application, Physical Characteristics, Longevity of product and any restrictions concerning application
- **Fire Shutters:**
 - Documentation from Manufacturer including specific model, drawings and fusible link rating
- **Paint Booth:**
 - Specific Manufacturer, specifications, whether it is suppressed. Is it equipped with an automatic gas shut off tied to alarm system. (plans indicate CD Hines as manufacturer with a fire suppression system. Have specs on Crowe Manufacturer, doesn't include fire suppression)
- **Overhead Doors or Crane (bay area)**
 - Specific manufacturer and type. Will door or crane obstruct sprinkler system
- **Sprinkler Company**
 - Contractor License Number
 - F/D Connection to be located at roadway with 5" Stortz Connection
 - 3 Fire Hydrants located within 800' of facility, with one within 100' of F/D Connection
 - City approval of TAP for Sprinkler System

25695

COLUMBIA COUNTY FIRE DEPARTMENT

135 NE HERNANDO AVENUE

P. O. BOX 1529

SUITE 203

LAKE CITY, FL 32055



PHONE (386) 754-7089

FAX (386) 754-7064

Jeffery Crawford
Lieutenant / Inspector #136416


11 July 2007

To: Harry Dicks
Bldg. Inspector, Columbia County

Re: North Florida Truck Parts
510 SW Arrowhead Rd.
Lake City, Florida 32025

Mr. Dicks,

An inspection was performed today of the North Florida Truck Parts located at 510 SW Arrowhead Rd, in Lake City, Florida. This Building meets all requirements of Chapter 40 of the Florida Fire Prevention Code. No violations were noted. I recommend Approval of this facility.



... Fire Protection by Computer Design

GEORGIA AUTOMATIC SPRINKLER CO
1405 HARBIN CIRCLE
VALDOSTA, GEORGIA 31601
229-247-9939

Job Name : NORTH FLORIDA TRUCK PARTS
Building :
Location : LAKE CITY, FLORIDA
System : REMOTE AREA 2
Contract :
Data File : TRUCK PARTS.WX2

07-029

Stephen J. Hahn
02/20/07

FILE COPY

Hydraulic Design Information Sheet

Name - NORTH FLORIDA TRUCK PARTS

Date - 02/12/07

Location - LAKE CITY, FLORIDA

Building -

System No. - REMOTE AREA 2

Contractor -

Contract No. -

Calculated By - S. HUTCHINSON

Drawing No. -

Construction: () Combustible (X) Non-Combustible

Ceiling Height - 27'-0"

Occupancy - REPAIR GARAGE - OFFICE AREA

S (X) NFPA 13 () Lt. Haz. Ord.Haz.Gp. () 1 (X) 2 () 3 () Ex.Haz.

Y () NFPA 231 () NFPA 231C () Figure Curve

S Other

T Specific Ruling

Made By

Date

E

M Area of Sprinkler Operation - 1500 System Type Sprinkler/Nozzle

Density - .10 (X) Wet Make GLOBE

D Area Per Sprinkler - 123 () Dry Model GL5601

E Elevation at Highest Outlet - 26' () Deluge Size 1/2"

S Hose Allowance - Inside - 0 () Preaction K-Factor 5.6

I Rack Sprinkler Allowance - 0 () Other Temp.Rat.155

G Hose Allowance - Outside - 100

N

Note

Calculation Flow Required - 227.6 Press Required - 76.8 At Base of Riser
Summary C-Factor Used: 120 Overhead 150 Underground

W Water Flow Test:

Pump Data:

Tank or Reservoir:

A Date of Test -

Cap. -

T Time of Test -

Rated Cap.-

Elev.-

E Static Press - 110

@ Press -

R Residual Press - 85

Elev. -

Well

Flow - 1550

Proof Flow

S Elevation - 0

U

P Location -

P

L Source of Information -

Y

C Commodity

Class

Location

O Storage Ht.

Area

Aisle W.

M Storage Method: Solid Piled

%

Palletized %

Rack

M

() Single Row () Conven. Pallet () Auto. Storage () Encap.

S R () Double Row () Slave Pallet () Solid Shelf () Non

T A () Mult. Row () Open Shelf

O C

R K Flue Spacing Clearance:Storage to Ceiling

A Longitudinal Transverse

G

E Horizontal Barriers Provided:


GEORGIA AUTOMATIC SPRINKLER CO
NORTH FLORIDA TRUCK PARTS

City Water Supply:

C1 - Static Pressure : 110
C2 - Residual Pressure: 85
C2 - Residual Flow : 1550

Demand:

D1 - Elevation : 11.261
D2 - System Flow : 227.616
D2 - System Pressure : 77.496
Hose (Adj City) : 100
Hose (Demand) : 327.616
D3 - System Demand : 31.094
Safety Margin :



Pressure / Flow Summary - STANDARD

GEORGIA AUTOMATIC SPRINKLER CO
NORTH FLORIDA TRUCK PARTS

Page 3
Date 02/12/07

Node No.	Elevation	K-Fact	Pt Actual	Pn	Flow Actual	Density	Area	Press Req.
44	26.0	5.6	7.0	na	14.82	0.1	123	7.0
45	26.0	5.6	7.73	na	15.57	0.1	123	7.0
46	26.0	5.6	10.5	na	18.14	0.1	123	7.0
48	26.0	5.6	7.6	na	15.44	0.1	123	7.0
49	26.0	5.6	8.39	na	16.22	0.1	123	7.0
50	26.0	5.6	11.37	na	18.88	0.1	123	7.0
52	26.0	5.6	9.85	na	17.57	0.1	123	7.0
53	26.0	5.6	10.85	na	18.45	0.1	123	7.0
54	26.0	5.6	14.64	na	21.43	0.1	123	7.0
56	26.0	5.6	15.16	na	21.8	0.1	123	7.0
57	26.0	5.6	16.66	na	22.85	0.1	123	7.0
58	26.0	5.6	22.29	na	26.44	0.1	123	7.0
47	24.0		13.53	na				
51	24.0		14.57	na				
55	24.0		18.47	na				
59	24.0		27.56	na				
1	24.5		52.53	na				
2	30.3		50.01	na				
3	30.3		50.01	na				
4	30.3		50.01	na				
5	30.3		50.0	na				
6	30.3		50.0	na				
8	24.5		52.53	na				
9	30.3		50.01	na				
10	30.3		50.01	na				
11	30.3		50.01	na				
12	30.3		50.0	na				
13	30.3		50.0	na				
15	24.5		52.53	na				
16	30.3		50.01	na				
17	30.3		50.01	na				
18	30.3		50.01	na				
20	24.5		52.53	na				
22	24.5		52.54	na				
24	24.5		52.54	na				
26	24.5		52.55	na				
28	24.5		52.57	na				
30	24.5		52.59	na				
32	24.5		52.62	na				
34	24.5		52.66	na				
36	24.5		52.73	na				
38	24.5		52.82	na				
40	24.5		52.95	na				
42	24.5		53.14	na				
61	24.5		53.41	na				
64	24.5		53.73	na				
66	24.5		53.95	na				
68	24.5		54.1	na				
70	24.5		54.21	na				
72	24.5		54.29	na				
74	24.5		54.34	na				
76	24.5		54.37	na				
78	24.5		54.39	na				
80	24.5		54.41	na				
82	24.5		54.41	na				
84	24.5		54.42	na				
86	24.5		54.42	na				
7	24.5		52.5	na				
14	24.5		52.5	na				
19	24.5		52.5	na				
21	24.5		52.5	na				

Flow Summary - Standard

GEORGIA AUTOMATIC SPRINKLER CO
NORTH FLORIDA TRUCK PARTS

Page 4
Date 02/12/07

Node No.	Elevation	K-Fact	Pt Actual	Pn	Flow Actual	Density	Area	Press Req.
23	24.5		52.5	na				
25	24.5		52.5	na				
27	24.5		52.5	na				
29	24.5		52.49	na				
31	24.5		52.48	na				
33	24.5		52.48	na				
35	24.5		52.46	na				
37	24.5		52.44	na				
39	24.5		52.41	na				
41	24.5		52.37	na				
43	24.5		52.32	na				
60	24.5		52.3	na				
62	24.5		53.16	na				
63	24.5		54.9	na				
65	24.5		54.71	na				
67	24.5		54.64	na				
69	24.5		54.59	na				
71	24.5		54.56	na				
73	24.5		54.54	na				
75	24.5		54.52	na				
77	24.5		54.51	na				
79	24.5		54.5	na				
81	24.5		54.5	na				
83	24.5		54.5	na				
85	24.5		54.5	na				
BOR	1.0		76.88	na				
SRCE	0.0		77.5	na	100.0			

The maximum velocity is 24.67 and it occurs in the pipe between nodes 55 and 59

Final Calculations - Hazen-Williams

GEORGIA AUTOMATIC SPRINKLER CO
NORTH FLORIDA TRUCK PARTS

Page 5
Date 02/12/07

Hyd. Ref. Point	Qa Qt	Dia. "C" Pf/Ft	Fitting or Eqv. Ln.	Pipe Ftng's Total	Pt Pe Pf	Pt Pv Pn	***** Notes *****
44 to 45	14.82	1.049 120	0.0 0.0	9.800 0.0	7.000 0.0		K Factor = 5.60
45 to 46	14.82	0.0747	0.0	9.800	0.732		Vel = 5.50
45 to 46	15.57	1.049 120	0.0 0.0	9.800 0.0	7.732 0.0		K Factor = 5.60
46 to 47	30.39	0.2821	0.0	9.800	2.765		Vel = 11.28
46 to 47	18.14	1.38 120	1E 1T	3.300 6.0	10.497 0.866		K Factor = 5.60
47	48.53	0.1765	0.0	12.300	2.171		Vel = 10.41
	0.0 48.53				13.534		K Factor = 13.19
48 to 49	15.44	1.049 120	0.0 0.0	9.800 0.0	7.598 0.0		K Factor = 5.60
49 to 50	15.44	0.0805	0.0	9.800	0.789		Vel = 5.73
49 to 50	16.21	1.049 120	0.0 0.0	9.800 0.0	8.387 0.0		K Factor = 5.60
50 to 51	31.65	0.3043	0.0	9.800	2.982		Vel = 11.75
50 to 51	18.89	1.38 120	1E 1T	3.300 6.0	11.369 0.866		K Factor = 5.60
51	50.54	0.1902	0.0	12.300	2.339		Vel = 10.84
	0.0 50.54				14.574		K Factor = 13.24
52 to 53	17.57	1.049 120	0.0 0.0	9.800 0.0	9.849 0.0		K Factor = 5.60
53 to 54	17.57	0.1024	0.0	9.800	1.004		Vel = 6.52
53 to 54	18.45	1.049 120	0.0 0.0	9.800 0.0	10.853 0.0		K Factor = 5.60
54 to 55	36.02	0.3865	0.0	9.800	3.788		Vel = 13.37
54 to 55	21.43	1.38 120	1E 1T	3.300 6.0	14.641 0.866		K Factor = 5.60
55	57.45	0.2411	0.0	12.300	2.965		Vel = 12.32
	0.0 57.45				18.472		K Factor = 13.37
56 to 57	21.80	1.049 120	0.0 0.0	9.800 0.0	15.159 0.0		K Factor = 5.60
57 to 58	21.8	0.1527	0.0	9.800	1.496		Vel = 8.09
57 to 58	22.86	1.049 120	0.0 0.0	9.800 0.0	16.655 0.0		K Factor = 5.60
58 to 59	44.66	0.5752	0.0	9.800	5.637		Vel = 16.58
58 to 59	26.44	1.38 120	1E 1T	3.300 6.0	22.292 0.866		K Factor = 5.60
59	71.1	0.3576	0.0	12.300	4.398		Vel = 15.25
	0.0 71.10				27.556		K Factor = 13.54
47 to 51	48.53	1.61 120	0.0 0.0	12.500 0.0	13.534 0.0		
51	48.53	0.0832	0.0	12.500	1.040		Vel = 7.65

[illegible]

Page 7
Date 02/12/07

[illegible]

Final Calculations - Standard

GEORGIA AUTOMATIC SPRINKLER CO
NORTH FLORIDA TRUCK PARTS

Page 8
Date 02/12/07

Hyd. Ref. Point	Qa Qt	Dia. "C" Pf/Ft	Fitting or Eqv. Ln.	Pipe Ftng's Total	Pt Pe Pf	Pt Pv Pn	*****	Notes	*****
	0.0 -2.56				52.485			K Factor = -0.35	
32 to 33	-3.07 -3.07	1.38 120 -0.0011	0.0 0.0 0.0	135.100 0.0 135.100	52.619 0.0 -0.144			Vel = 0.66	
	0.0 -3.07				52.475			K Factor = -0.42	
34 to 35	-3.69 -3.69	1.38 120 -0.0015	0.0 0.0 0.0	135.100 0.0 135.100	52.664 0.0 -0.203			Vel = 0.79	
	0.0 -3.69				52.461			K Factor = -0.51	
36 to 37	-4.45 -4.45	1.38 120 -0.0021	0.0 0.0 0.0	135.100 0.0 135.100	52.729 0.0 -0.287			Vel = 0.95	
	0.0 -4.45				52.442			K Factor = -0.61	
38 to 39	-5.38 -5.38	1.38 120 -0.0030	0.0 0.0 0.0	135.100 0.0 135.100	52.821 0.0 -0.408			Vel = 1.15	
	0.0 -5.38				52.413			K Factor = -0.74	
40 to 41	-6.51 -6.51	1.38 120 -0.0043	0.0 0.0 0.0	135.100 0.0 135.100	52.953 0.0 -0.580			Vel = 1.40	
	0.0 -6.51				52.373			K Factor = -0.90	
42 to 43	-7.88 -7.88	1.38 120 -0.0061	0.0 0.0 0.0	135.100 0.0 135.100	53.141 0.0 -0.826			Vel = 1.69	
	0.0 -7.88				52.315			K Factor = -1.09	
61 to 62	-4.17 -4.17	1.38 120 -0.0019	0.0 0.0 0.0	135.100 0.0 135.100	53.410 0.0 -0.254			Vel = 0.89	
	0.0 -4.17				53.156			K Factor = -0.57	
64 to 65	8.66 8.66	1.38 120 0.0073	0.0 0.0 0.0	135.100 0.0 135.100	53.727 0.0 0.982			Vel = 1.86	
	0.0 8.66				54.709			K Factor = 1.17	
66 to 67	7.17 7.17	1.38 120 0.0051	0.0 0.0 0.0	135.100 0.0 135.100	53.948 0.0 0.693			Vel = 1.54	
	0.0								

Final Calculations - Standard

GEORGIA AUTOMATIC SPRINKLER CO
NORTH FLORIDA TRUCK PARTS

Page 9
Date 02/12/07

Hyd. Ref. Point	Qa Qt	Dia. "C" Pf/Ft	Fitting or Eqv. Ln.	Pipe Ftng's Total	Pt Pe Pf	Pt Pv Pn	*****	Notes	*****
	7.17				54.641			K Factor = 0.97	
68 to 69	5.95	1.38 120	0.0 0.0	135.100 0.0	54.103 0.0				
	5.95	0.0036	0.0	135.100	0.491			Vel = 1.28	
	0.0 5.95				54.594			K Factor = 0.81	
70 to 71	4.96	1.38 120	0.0 0.0	135.100 0.0	54.211 0.0				
	4.96	0.0026	0.0	135.100	0.350			Vel = 1.06	
	0.0 4.96				54.561			K Factor = 0.67	
72 to 73	4.16	1.38 120	0.0 0.0	135.100 0.0	54.285 0.0				
	4.16	0.0019	0.0	135.100	0.253			Vel = 0.89	
	0.0 4.16				54.538			K Factor = 0.56	
74 to 75	3.52	1.38 120	0.0 0.0	135.100 0.0	54.336 0.0				
	3.52	0.0014	0.0	135.100	0.186			Vel = 0.76	
	0.0 3.52				54.522			K Factor = 0.48	
76 to 77	3.04	1.38 120	0.0 0.0	135.100 0.0	54.371 0.0				
	3.04	0.0010	0.0	135.100	0.141			Vel = 0.65	
	0.0 3.04				54.512			K Factor = 0.41	
78 to 79	2.68	1.38 120	0.0 0.0	135.100 0.0	54.393 0.0				
	2.68	0.0008	0.0	135.100	0.112			Vel = 0.57	
	0.0 2.68				54.505			K Factor = 0.36	
80 to 81	2.43	1.38 120	0.0 0.0	135.100 0.0	54.407 0.0				
	2.43	0.0007	0.0	135.100	0.094			Vel = 0.52	
	0.0 2.43				54.501			K Factor = 0.33	
82 to 83	2.28	1.38 120	0.0 0.0	135.100 0.0	54.415 0.0				
	2.28	0.0006	0.0	135.100	0.083			Vel = 0.49	
	0.0 2.28				54.498			K Factor = 0.31	
84 to 85	2.21	1.38 120	0.0 0.0	135.100 0.0	54.419 0.0				
	2.21	0.0006	0.0	135.100	0.078			Vel = 0.47	
	0.0 2.21				54.497			K Factor = 0.30	

Final Calculations - Standard

GEORGIA AUTOMATIC SPRINKLER CO
NORTH FLORIDA TRUCK PARTS

Page 10
Date 02/12/07

Hyd. Ref. Point	Qa Qt	Dia. "C" Pf/Ft	Fitting or Eqv. Ln.	Pipe Ftng's Total	Pt Pe Pf	Pt Pv Pn	*****	Notes	*****
86 to 87	2.19 2.19	1.38 120 0.0006	0.0 0.0 0.0	135.100 0.0 135.100	54.420 10.611 0.077			Vel = 0.47	
	0.0 2.19				65.108			K Factor = 0.27	
1 to 8	1.09 1.09	2.067 120 0.0	0.0 0.0 0.0	12.500 0.0 12.500	52.528 0.0 0.0			Vel = 0.10	
8 to 15	1.10 2.19	2.067 120 0.0002	0.0 0.0 0.0	12.500 0.0 12.500	52.528 0.0 0.002			Vel = 0.21	
15 to 20	1.13 3.32	2.067 120 0.0002	0.0 0.0 0.0	12.500 0.0 12.500	52.530 0.0 0.002			Vel = 0.32	
20 to 22	1.20 4.52	2.067 120 0.0003	0.0 0.0 0.0	12.500 0.0 12.500	52.532 0.0 0.004			Vel = 0.43	
22 to 24	1.42 5.94	2.067 120 0.0005	0.0 0.0 0.0	12.500 0.0 12.500	52.536 0.0 0.006			Vel = 0.57	
24 to 26	1.59 7.53	2.067 120 0.0008	0.0 0.0 0.0	12.500 0.0 12.500	52.542 0.0 0.010			Vel = 0.72	
26 to 28	1.84 9.37	2.067 120 0.0011	0.0 0.0 0.0	12.500 0.0 12.500	52.552 0.0 0.014			Vel = 0.90	
28 to 30	2.15 11.52	2.067 120 0.0018	0.0 0.0 0.0	12.500 0.0 12.500	52.566 0.0 0.022			Vel = 1.10	
30 to 32	2.56 14.08	2.067 120 0.0025	0.0 0.0 0.0	12.500 0.0 12.500	52.588 0.0 0.031			Vel = 1.35	
32 to 34	3.07 17.15	2.067 120 0.0036	0.0 0.0 0.0	12.500 0.0 12.500	52.619 0.0 0.045			Vel = 1.64	
34 to 36	3.69 20.84	2.067 120 0.0052	0.0 0.0 0.0	12.500 0.0 12.500	52.664 0.0 0.065			Vel = 1.99	
36 to 38	4.45 25.29	2.067 120 0.0074	0.0 0.0 0.0	12.500 0.0 12.500	52.729 0.0 0.092			Vel = 2.42	
38 to 40	5.39 30.68	2.067 120 0.0106	0.0 0.0 0.0	12.500 0.0 12.500	52.821 0.0 0.132			Vel = 2.93	
40 to 42	6.51 37.19	2.067 120 0.0150	0.0 0.0 0.0	12.500 0.0 12.500	52.953 0.0 0.188			Vel = 3.56	

Final Calculations - Standard

GEORGIA AUTOMATIC SPRINKLER CO
NORTH FLORIDA TRUCK PARTS

Page 11
Date 02/12/07

Hyd. Ref. Point	Qa Qt	Dia. "C" Pf/Ft	Fitting or Eqv. Ln.	Pipe Ftng's Total	Pt Pe Pf	Pt Pv Pn	*****	Notes	*****
42 to 61	7.88 45.07	2.067 120 0.0215	0.0 0.0 0.0	12.500 0.0 12.500	53.141 0.0 0.269			Vel = 4.31	
61 to 64	4.17 49.24	2.067 120 0.0254	0.0 0.0 0.0	12.500 0.0 12.500	53.410 0.0 0.317			Vel = 4.71	
64 to 66	-8.65 40.59	2.067 120 0.0177	0.0 0.0 0.0	12.500 0.0 12.500	53.727 0.0 0.221			Vel = 3.88	
66 to 68	-7.17 33.42	2.067 120 0.0124	0.0 0.0 0.0	12.500 0.0 12.500	53.948 0.0 0.155			Vel = 3.20	
68 to 70	-5.95 27.47	2.067 120 0.0086	0.0 0.0 0.0	12.500 0.0 12.500	54.103 0.0 0.108			Vel = 2.63	
70 to 72	-4.96 22.51	2.067 120 0.0059	0.0 0.0 0.0	12.500 0.0 12.500	54.211 0.0 0.074			Vel = 2.15	
72 to 74	-4.16 18.35	2.067 120 0.0041	0.0 0.0 0.0	12.500 0.0 12.500	54.285 0.0 0.051			Vel = 1.75	
74 to 76	-3.52 14.83	2.067 120 0.0028	0.0 0.0 0.0	12.500 0.0 12.500	54.336 0.0 0.035			Vel = 1.42	
76 to 78	-3.04 11.79	2.067 120 0.0018	0.0 0.0 0.0	12.500 0.0 12.500	54.371 0.0 0.022			Vel = 1.13	
78 to 80	-2.67 9.12	2.067 120 0.0011	0.0 0.0 0.0	12.500 0.0 12.500	54.393 0.0 0.014			Vel = 0.87	
80 to 82	-2.43 6.69	2.067 120 0.0006	0.0 0.0 0.0	12.500 0.0 12.500	54.407 0.0 0.008			Vel = 0.64	
82 to 84	-2.29 4.4	2.067 120 0.0003	0.0 0.0 0.0	12.500 0.0 12.500	54.415 0.0 0.004			Vel = 0.42	
84 to 86	-2.21 2.19	2.067 120 0.0001	0.0 0.0 0.0	12.500 0.0 12.500	54.419 0.0 0.001			Vel = 0.21	
	0.0 2.19				54.420			K Factor = 0.30	
7 to 14	-1.09 -1.09	2.635 120 0.0	0.0 0.0 0.0	12.500 0.0 12.500	52.503 0.0 0.0			Vel = 0.06	
14 to 19	-1.10 -2.19	2.635 120 0.0	0.0 0.0 0.0	12.500 0.0 12.500	52.503 0.0 0.0			Vel = 0.13	

Final Calculations - Standard

GEORGIA AUTOMATIC SPRINKLER CO
NORTH FLORIDA TRUCK PARTS

Page 12
Date 02/12/07

Hyd. Ref. Point	Qa Qt	Dia. "C" Pf/Ft	Fitting or Eqv. Ln.	Pipe Ftng's Total	Pt Pe Pf	Pt Pv Pn	*****	Notes	*****
19 to 21	-1.13 -3.32	2.635 120 -0.0001	0.0 0.0 0.0	12.500 0.0 12.500	52.503 0.0 -0.001			Vel = 0.20	
21 to 23	-1.20 -4.52	2.635 120 -0.0001	0.0 0.0 0.0	12.500 0.0 12.500	52.502 0.0 -0.001			Vel = 0.27	
23 to 25	-1.42 -5.94	2.635 120 -0.0002	0.0 0.0 0.0	12.500 0.0 12.500	52.501 0.0 -0.002			Vel = 0.35	
25 to 27	-1.59 -7.53	2.635 120 -0.0002	0.0 0.0 0.0	12.500 0.0 12.500	52.499 0.0 -0.003			Vel = 0.44	
27 to 29	-1.84 -9.37	2.635 120 -0.0004	0.0 0.0 0.0	12.500 0.0 12.500	52.496 0.0 -0.005			Vel = 0.55	
29 to 31	-2.15 -11.52	2.635 120 -0.0005	0.0 0.0 0.0	12.500 0.0 12.500	52.491 0.0 -0.006			Vel = 0.68	
31 to 33	-2.56 -14.08	2.635 120 -0.0008	0.0 0.0 0.0	12.500 0.0 12.500	52.485 0.0 -0.010			Vel = 0.83	
33 to 35	-3.07 -17.15	2.635 120 -0.0011	0.0 0.0 0.0	12.500 0.0 12.500	52.475 0.0 -0.014			Vel = 1.01	
35 to 37	-3.69 -20.84	2.635 120 -0.0015	0.0 0.0 0.0	12.500 0.0 12.500	52.461 0.0 -0.019			Vel = 1.23	
37 to 39	-4.45 -25.29	2.635 120 -0.0023	0.0 0.0 0.0	12.500 0.0 12.500	52.442 0.0 -0.029			Vel = 1.49	
39 to 41	-5.39 -30.68	2.635 120 -0.0032	0.0 0.0 0.0	12.500 0.0 12.500	52.413 0.0 -0.040			Vel = 1.81	
41 to 43	-6.51 -37.19	2.635 120 -0.0046	0.0 0.0 0.0	12.500 0.0 12.500	52.373 0.0 -0.058			Vel = 2.19	
43 to 60	-7.88 -45.07	2.635 120 -0.0064	0.0 0.0 0.0	2.800 0.0 2.800	52.315 0.0 -0.018			Vel = 2.65	
60 to 62	227.61 182.54	2.635 120 0.0877	0.0 0.0 0.0	9.800 0.0 9.800	52.297 0.0 0.859			Vel = 10.74	
62 to 63	-4.17 178.37	2.635 120 0.0840	1T 16.474 0.0 0.0	4.300 16.474 20.774	53.156 0.0 1.746			Vel = 10.49	
63 to 65	-227.61 -49.24	2.635 120 -0.0078	1T 16.474 0.0 0.0	8.300 16.474 24.774	54.902 0.0 -0.193			Vel = 2.90	

Final Calculations - Standard

GEORGIA AUTOMATIC SPRINKLER CO
NORTH FLORIDA TRUCK PARTS

Page 13
Date 02/12/07

Hyd. Ref. Point	Qa Qt	Dia. "C" Pf/Ft	Fitting or Eqv. Ln.	Pipe Ftng's Total	Pt Pe Pf	Pt Pv Pn	*****	Notes	*****
65	8.65	2.635	0.0	12.500	54.709				
to		120	0.0	0.0	0.0				
67	-40.59	-0.0054	0.0	12.500	-0.068		Vel = 2.39		
67	7.17	2.635	0.0	12.500	54.641				
to		120	0.0	0.0	0.0				
69	-33.42	-0.0038	0.0	12.500	-0.047		Vel = 1.97		
69	5.95	2.635	0.0	12.500	54.594				
to		120	0.0	0.0	0.0				
71	-27.47	-0.0026	0.0	12.500	-0.033		Vel = 1.62		
71	4.96	2.635	0.0	12.500	54.561				
to		120	0.0	0.0	0.0				
73	-22.51	-0.0018	0.0	12.500	-0.023		Vel = 1.32		
73	4.16	2.635	0.0	12.500	54.538				
to		120	0.0	0.0	0.0				
75	-18.35	-0.0013	0.0	12.500	-0.016		Vel = 1.08		
75	3.52	2.635	0.0	12.500	54.522				
to		120	0.0	0.0	0.0				
77	-14.83	-0.0008	0.0	12.500	-0.010		Vel = 0.87		
77	3.04	2.635	0.0	12.500	54.512				
to		120	0.0	0.0	0.0				
79	-11.79	-0.0006	0.0	12.500	-0.007		Vel = 0.69		
79	2.67	2.635	0.0	12.500	54.505				
to		120	0.0	0.0	0.0				
81	-9.12	-0.0003	0.0	12.500	-0.004		Vel = 0.54		
81	2.43	2.635	0.0	12.500	54.501				
to		120	0.0	0.0	0.0				
83	-6.69	-0.0002	0.0	12.500	-0.003		Vel = 0.39		
83	2.29	2.635	0.0	12.500	54.498				
to		120	0.0	0.0	0.0				
85	-4.4	-0.0001	0.0	12.500	-0.001		Vel = 0.26		
85	2.21	2.635	0.0	12.500	54.497				
to		120	0.0	0.0	10.611				
87	-2.19	0.0	0.0	12.500	0.0		Vel = 0.13		
	0.0								
	-2.19				65.108		K Factor = -0.27		
63	227.62	2.635	1E	8.237	31.400	54.902			
to		120	1A	10.571	20.181	15.178			
BOR	227.62	0.1319	1G	1.373	51.581	6.804	* Fixed loss = 5 Vel = 13.39		
BOR	0.0	6.09	1E	21.583	100.000	76.884			
to		150		0.0	21.583	0.433			
SRCE	227.62	0.0015		0.0	121.583	0.179	Vel = 2.51		
	100.00						Qa = 100.00		
	327.62				77.496		K Factor = 37.22		

To
Be skinner

STATE OF FLORIDA
DEPARTMENT OF FINANCIAL SERVICES
DIVISION OF STATE FIRE MARSHAL
TALLAHASSEE, FLORIDA
CERTIFICATE OF COMPETENCY



THIS CERTIFIES THAT: SAMMY HUTCHINSON
1405 HARBIN CIRCLE
VALDOSTA, GA 31601-

BUSINESS ORGANIZATION: GEORGIA AUTOMATIC SPRINKLER CO INC

CONTRACTOR IS LIMITED TO THE EXECUTION OF CONTRACTS REQUIRING THE ABILITY TO LAYOUT, FABRICATE, INSTALL, INSPECT, ALTER, OR SERVICE WATER SPRINKLER SYSTEMS, WATER SPRAY SYSTEMS, FOAM-WATER SPRINKLER SYSTEMS, FOAM-WATER SPRAY SYSTEMS, STANDPIPES, COMBINATION STANDPIPES AND SPRINKLER RISERS, ALL PIPING THAT IS AN INTEGRAL PART OF THE SYSTEM BEGINNING AT THE POINT OF SERVICE, SPRINKLER TANK HEATERS, AIR LINES, THERMAL SYSTEMS USED IN CONNECTION WITH SPRINKLERS, AND TANKS AND PUMPS CONNECTED THERETO, EXCLUDING PRE-ENGINEERED SYSTEMS.

Chief Financial Officer

Tom Gallagher

07	01	2006	07	16	Out of state	34676700011994	7584040001	150.00	06	30	2008
Issue Date			Type	Class	County	License/Permit Number	Application #	Taxes & Fees	Expire Date		

FILE COPY

25695



**NOTICE OF INSPECTION
AND/OR TREATMENT**

Date of Inspection	4/18/07
Date of Treatment	Premise
Pesticide Used	subterranean Termites
Wood-Destroying Organisms Treated	

****Notice****

It is a violation of Florida State Law (Chap. 482.226) for anyone other than the property owner to remove this notice.

Address:

Pestmaster Services of Lake City

879 S.W. Arlington Blvd., Suite 106 • Lake City, FL 32025

DATE 08/30/2006

Columbia County Building Permit**PERMIT****This Permit Expires One Year From the Date of Issue****000024931**

APPLICANT SHAUNA TURBERVILLE PHONE 755-8238
ADDRESS 323 SOUTH MARION AVE LAKE CITY FL 32055
OWNER GLEN & SANDRA SKINNER PHONE 752-8238
ADDRESS 538 SW ARROWHEAD TERR LAKE CITY FL 32025
CONTRACTOR RB&M ENTERPRISE, INC PHONE 755-7878
LOCATION OF PROPERTY 47 S, CR 242, R ARROWHEAD TERR, APPROX. 3/4 MILE
ON LEFT ACROSS FROM RSC

TYPE DEVELOPMENT COMM METAL BLDG ESTIMATED COST OF CONSTRUCTION 349000.00
HEATED FLOOR AREA TOTAL AREA 2500.00 HEIGHT 27.00 STORIES 1
FOUNDATION CONCRETE WALLS METAL ROOF PITCH 1/12 FLOOR SLAB
LAND USE & ZONING ILW MAX. HEIGHT 35
Minimum Set Back Requirments: STREET-FRONT 20.00 REAR 15.00 SIDE 15.00
NO. EX.D.U. FLOOD ZONE X DEVELOPMENT PERMIT NO.

PARCEL ID 24-4S-16-03120-000 SUBDIVISION WINDSWEPT INDUSTRIAL PARK

Columbia County Building Permit Application

For Office Use Only Application # 0608-13 Date Received 8/14 By LG Permit # 24931
Application Approved by - Zoning Official 30.05.06 Date Bik Plans Examiner *JTH Date OK 8-17-06
Flood Zone X Development Permit N/A Zoning ILW Land Use Plan Map Category IND.
Comments *ATTACH STIPULATION OF LETTER FROM FREEMAN TO PERMIT SDP 06-6
CITY WATER
Check # or Cash 2761764

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Power Foundation Monolithic 10/19/2006 RJ
 date/app. by date/app. by date/app. by
Under slab rough-in plumbing Slab Sheathing/Nailing
 date/app. by date/app. by date/app. by
Framing Rough-in plumbing above slab and below wood floor
 date/app. by date/app. by date/app. by
Electrical rough-in Heat & Air Duct Peri. beam (Lintel)
 date/app. by date/app. by date/app. by
Permanent power C.O. Final Culvert
 date/app. by date/app. by date/app. by
M/H tie downs, blocking, electricity and plumbing Pool
 date/app. by date/app. by
Reconnection Pump pole Utility Pole
 date/app. by date/app. by date/app. by
M/H Pole Travel Trailer Re-roof
 date/app. by date/app. by date/app. by

BUILDING PERMIT FEE \$ 1745.00 CERTIFICATION FEE \$ 12.50 SURCHARGE FEE \$ 12.50
MISC. FEES \$ 0.00 ZONING CERT. FEE \$ 50.00 FIRE FEE \$ 0.00 WASTE FEE \$
FLOOD DEVELOPMENT FEE \$ FLOOD ZONE FEE \$ 25.00 CULVERT FEE \$ **TOTAL FEE** 1845.00

INSPECTORS OFFICE CLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVENIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.