



202f



[BCIS Home](#) [Log In](#) [User Registration](#) [Hot Topics](#) [Submit Surcharge](#) [Stats & Facts](#) [Publications](#) [Contact Us](#) [BCIS Site Map](#) [Links](#) [Search](#)



Product Approval

USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > Application Detail

FL # FL27402-R3
Application Type Revision
Code Version 2023
Application Status Approved

Comments
Archived

Product Manufacturer Carports Anywhere
Address/Phone/Email 10858 S.E. County Road 221
Starke, FL
(352) 468-1116
bodom@carportsanywhere.com

Authorized Signature Brandie Odom
bodom@carportsanywhere.com

Technical Representative
Address/Phone/Email

Quality Assurance Representative
Address/Phone/Email

Category Structural Components
Subcategory Roof Deck

Compliance Method Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer
Evaluation Report - Hardcopy Received

Florida Engineer or Architect Name who developed the Evaluation Report Johnathan Green
Florida License PE-88223
Quality Assurance Entity PRI Construction Materials Technologies, LLC
Quality Assurance Contract Expiration Date 09/11/2026
Validated By Steven M. Ulrich, PE
Validation Checklist - Hardcopy Received

Certificate of Independence [FL27402_R3_COI_Letter of Certification.pdf](#)

Referenced Standard and Year (of Standard)	Standard	Year
	ASTM E 1592	2005
	FM 4471	1992

Equivalence of Product Standards
Certified By

Sections from the Code

Product Approval Method

Method 1 Option D

Date Submitted

08/31/2023

Date Validated

09/01/2023

Date Pending FBC Approval

09/12/2023

Date Approved

12/13/2023

Summary of Products

FL #	Model, Number or Name	Description
27402.1	Hampton Rib Roof Panel	Hampton Rib Roof Panel over Open Framing
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +54.7 psf/-57.3 psf Other: See evaluation report for various design pressures Install per Manufacturer's details. Not for use in HVHZ Zones.		Installation Instructions FL27402_R3_01_Hampton_Rib_Roof_Panel_over_open_framing.pdf Verified By: Johnathan E Green, P.E. 88223 Created by Independent Third Party: Yes Evaluation Reports FL27402_R3_AE_Hampton_Rib_Roof_Panel_over_open_framing.pdf Created by Independent Third Party: Yes



Contact Us :: 2601 Blair Stone Road, Tallahassee FL 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida](#). :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:



Credit Card

Safe



WALL



[BCIS Home](#) [Log In](#) [User Registration](#) [Hot Topics](#) [Submit Surcharge](#) [Stats & Facts](#) [Publications](#) [Contact Us](#) [BCIS Site Map](#) [Links](#) [Search](#)



Product Approval

USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > [Application Detail](#)

FL #	FL27403-R3
Application Type	Revision
Code Version	2023
Application Status	Approved
Comments	
Archived	
Product Manufacturer	Carports Anywhere
Address/Phone/Email	10858 S.E. County Road 221 Starke, FL (352) 468-1116 bodom@carportsanywhere.com
Authorized Signature	Brandie Odom bodom@carportsanywhere.com
Technical Representative	
Address/Phone/Email	
Quality Assurance Representative	
Address/Phone/Email	
Category	Structural Components
Subcategory	Structural Wall
Compliance Method	Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer Evaluation Report - Hardcopy Received
Florida Engineer or Architect Name who developed the Evaluation Report	Johnathan Green
Florida License	PE-88223
Quality Assurance Entity	PRI Construction Materials Technologies, LLC
Quality Assurance Contract Expiration Date	09/11/2026
Validated By	Steven M. Urlich, PE Validation Checklist - Hardcopy Received
Certificate of Independence	FL27403 R3 COI Letter of Certification.pdf
Referenced Standard and Year (of Standard)	
Equivalence of Product Standards Certified By	
Sections from the Code	1709.2
Product Approval Method	Method 2 Option B

Date Submitted	08/31/2023
Date Validated	09/01/2023
Date Pending FBC Approval	09/12/2023
Date Approved	12/13/2023

Summary of Products

FL #	Model, Number or Name	Description
27403.1	Hampton Rib Wall Panel	Hampton Rib Wall Panel over open Framing
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +46.9 psf/-57.3 psf Other: See Evaluation Report for various Design Pressures. Install per Manufacturer's Details. Not for use in HVHZ Zones.		Installation Instructions FL27403_R3_II_Hampton_Rib_Wall_Panel.pdf Verified By: Johnathan E Green, P.E. 88223 Created by Independent Third Party: Yes Evaluation Reports FL27403_R3_AE_Hampton_Rib_Wall_Panel.pdf Created by Independent Third Party: Yes
27403.2	Resi-Lap Sliding Wall Panel	Resi-Lap Sliding Wall Panel over open Framing
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: +40.0 psf/-37.0 psf Other: +40.0 psf at 4'-0" o.c. -37.0 psf at 4'-0" o.c. Install per Manufacturer's Details. Not for use in HVHZ Zones.		Installation Instructions FL27403_R3_II_Resi-Lap_Wall_Panel.pdf Verified By: Johnathan E Green, P.E. 88223 Created by Independent Third Party: Yes Evaluation Reports FL27403_R3_AE_Resi-Lap_Wall_Panel.pdf Created by Independent Third Party: Yes



Contact Us :: 2601 Blair Stone Road, Tallahassee FL 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. Copyright 2007-2013 State of Florida. :: [Privacy Statement](#) : [Accessibility Statement](#) [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395 *Pursuant to Section 455 275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:



Credit Card
Safe



407

myj



[BCIS Home](#) [Log In](#) [User Registration](#) [Hot Topics](#) [Submit Surcharge](#) [Stats & Facts](#) [Publications](#) [Contact Us](#) [BCIS Site Map](#) [Links](#) [Search](#)



Product Approval
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > [Application Detail](#)

FL # FL17996-R3
Application Type Revision
Code Version 2023
Application Status Approved

*Approved by DBPR. Approvals by DBPR shall be reviewed and ratified by the POC and/or the Commission if necessary.

Comments
Archived

Product Manufacturer Elixir Door and Metal Company
Address/Phone/Email 1215 Pope Drive
Douglas, GA 31533
(912) 493-2215
ryarberry@elixirdmc.com

Authorized Signature Randall Yarberry
ryarberry@elixirdmc.com

Technical Representative PTC Product Design Group
Address/Phone/Email PO Box 520775
Longwood, FL 32752
(321) 690-1788
info@ptc-corp.com

Quality Assurance Representative
Address/Phone/Email

Category Exterior Doors
Subcategory Swinging Exterior Door Assemblies

Compliance Method Certification Mark or Listing

Certification Agency Fenestration and Glazing Industry Alliance (formerly AAMA)
Validated By Fenestration and Glazing Industry Alliance (formerly AAMA)

Referenced Standard and Year (of Standard)	<u>Standard</u>	<u>Year</u>
	ASTM E330	2014

Equivalence of Product Standards
Certified By

Product Approval Method Method 1 Option A

Date Submitted 11/16/2023
Date Validated 12/19/2023

Date Pending FBC Approval

Date Approved

12/26/2023

Summary of Products

FL #	Model, Number or Name	Description
17996.1	Series 202-20S Steel Door	Series 202-20S Steel O.S. Door w/ Vertical Slider Window
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +38.7/-32 Other:		Certification Agency Certificate FL17996_R3_C_CAC_19359_Elixir - 202-20S OS Door (1b).pdf Quality Assurance Contract Expiration Date 07/11/2024 Installation Instructions FL17996_R3_II_ELIX0034_Rev B Model 202-20S_ss.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL17996_R3_AE_PER_1642_Rev4_ss.pdf Created by Independent Third Party: Yes
17996.2	Series 230 W9 Steel Door	Series 230 W9 Steel O.S. Door w/ Cottage Window
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +25.3/-25.3 Other:		Certification Agency Certificate FL17996_R3_C_CAC_19346_Elixir - 230-W9 OS Door (1b).pdf Quality Assurance Contract Expiration Date 07/11/2024 Installation Instructions FL17996_R3_II_ELIX0033_Rev B Model 230 W9_ss.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL17996_R3_AE_PER_1642_Rev4_ss.pdf Created by Independent Third Party: Yes
17996.3	Series 402-14	Vinyl Steel Out-Swinging Regular Door - 14" x 14" Window
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +66/-56 Other:		Certification Agency Certificate FL17996_R3_C_CAC_19349_Elixir - 402-14 OS Door (1b).pdf Quality Assurance Contract Expiration Date 08/26/2025 Installation Instructions FL17996_R3_II_ELIX0050_REV-B OS MODEL 402-14_ss.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL17996_R3_AE_PER_1951_Rev4_ss.pdf Created by Independent Third Party: Yes
17996.4	Series 402-20S	Vinyl Steel Out-swinging Regular Door - 20" slider window
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +66/-56 Other:		Certification Agency Certificate FL17996_R3_C_CAC_19358_Elixir - 402-20S OS Door (1b).pdf Quality Assurance Contract Expiration Date 08/26/2025 Installation Instructions FL17996_R3_II_ELIX0051_REV-B OS MODEL 402-20S_ss.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL17996_R3_AE_PER_1951_Rev4_ss.pdf Created by Independent Third Party: Yes
17996.5	Series 407	Vinyl Steel Out-Swing Regular Door - Blank (no window)
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +50/-50 Other:		Certification Agency Certificate FL17996_R3_C_CAC_19345_Elixir - 407 OS Door (1b) ASTM Jan. 2021.pdf Quality Assurance Contract Expiration Date 08/19/2025 Installation Instructions FL17996_R3_II_ELIX0052_REV-B OS MODEL 407_ss.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL17996_R3_AE_PER_1951_Rev4_ss.pdf Created by Independent Third Party: Yes

17996.6	Series 430 W9	Vinyl Steel Out-swinging Regular Door - 9-Lite Window (1'8" x 3'0")
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +50/-50 Other:		Certification Agency Certificate FL17996 R3 C CAC 19344 Elxlr - 430-W9 OS Door (1b) ASTM Jan. 2021.pdf Quality Assurance Contract Expiration Date 08/25/2025 Installation Instructions FL17996 R3 II ELIX0053 REV-B OS MODEL 430-W9 ss.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Thrd Party: Yes Evaluation Reports FL17996 R3 AE PER 1951 Rev4 ss.pdf Created by Independent Third Party: Yes
17996.7	Series 6400 W9 Cottage	Series 6400-W9 Non-Impact Inswing Painted Steel Door w/Storm Door
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +66.7/-56.7 Other:		Certification Agency Certificate FL17996 R3 C CAC 19352 Elxlr - 6400-W9 IS Door w-Storm (1b) ASTM Jan. 2021.pdf Quality Assurance Contract Expiration Date 09/07/2024 Installation Instructions FL17996 R3 II ELIX0056 Rev-B IS MODEL 6400-W9 WITH STORM DOOR ss.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL17996 R3 AE PER 1954 Rev4 ss.pdf Created by Independent Third Party: Yes
17996.8	Series 7500 Oval	Series 7500 Non-Impact Inswing Vinyl Laminated Steel Door w/Storm Door and PVC Jambes
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +50/-50 Other:		Certification Agency Certificate FL17996 R3 C CAC 19348 Elxlr - 7500 IS Door w-Storm (1b) ASTM Jan. 2021.pdf Quality Assurance Contract Expiration Date 08/23/2024 Installation Instructions FL17996 R3 II ELIX0060 Rev-B IS MODEL STR 7500 OVAL WITH STORM DOOR ss.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL17996 R3 AE PER 1955 Rev4 ss.pdf Created by Independent Third Party: Yes
17996.9	Series 8400 W9 Cottage	Series 8400-W9 Non-Impact Oval Inswing Vinyl Laminated Steel Door w/Storm Door
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +50/-50 Other:		Certification Agency Certificate FL17996 R3 C CAC 19353 Elxlr - 8400-W9 IS Door w-Storm (1b) ASTM Jan. 2021.pdf Quality Assurance Contract Expiration Date 09/07/2024 Installation Instructions FL17996 R3 II ELIX0057 Rev-B IS MODEL 8400-W9 OVAL WITH STORM DOOR ss.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Thrd Party: Yes Evaluation Reports FL17996 R3 AE PER 1954 Rev4 ss.pdf Created by Independent Third Party: Yes
17996.10	Series 9000	Series 9000 Non-Impact Inswing Vinyl Laminated Steel Door w/Storm Door
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +50/-50.7 Other:		Certification Agency Certificate FL17996 R3 C CAC 19374 Elxlr - 9000 IS Door w-Storm (1b) ASTM Jan. 2021.pdf Quality Assurance Contract Expiration Date 09/06/2024 Installation Instructions FL17996 R3 II ELIX0058 Rev-B IS BLANK 9000 DOOR W. STORM DOOR ss.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL17996 R3 AE PER 1954 Rev4 ss.pdf Created by Independent Third Party: Yes

17996.11	Series 9400-W9 Cottage	Series 9400-W9 Non-Impact Inswing Vinyl Laminated Steel Door w/Storm Door
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +50/-50 Other:		Certification Agency Certificate FL17996 R3 C CAC 19350 Elxir - 9400-W9 IS Door w-Storm (1b) ASTM Jan. 2021.pdf Quality Assurance Contract Expiration Date 09/06/2024 Installation Instructions FL17996 R3 II ELIX0059 Rev-B IS MODEL 9400-W9 COTTAGE W. STORM DOOR ss.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL17996 R3 AE PER 1954 Rev4 ss.pdf Created by Independent Third Party: Yes
17996.12	Series AFIF7N	Series AFIF7N Non-Impact IS Fiberglass Door
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +38.7/-38.7 Other:		Certification Agency Certificate FL17996 R3 C CAC 19351 Elxir - AFIF7N IS Door (1b) ASTM Jan. 2021.pdf Quality Assurance Contract Expiration Date 08/21/2024 Installation Instructions FL17996 R3 II ELIX0040 AFIF7N-BFIF7N RevB ss.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL17996 R3 AE PER 1952 Rev4 ss.pdf Created by Independent Third Party: Yes
17996.13	Series AVIF7N	Series AVIF7N Non-Impact IS Steel Door
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +38/-38 Other:		Certification Agency Certificate FL17996 R3 C CAC 19356 Elxir - AVIF7N IS Door (1b) ASTM Jan. 2021.pdf Quality Assurance Contract Expiration Date 07/22/2025 Installation Instructions FL17996 R3 II ELIX0047 AVIF7N RevB ss.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL17996 R3 AE PER 1953 Rev4 ss.pdf Created by Independent Third Party: Yes
17996.14	Series BFIF7N	Series BFIF7N Non-Impact IS Fiberglass Door
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +38.7/-38.7 Other:		Certification Agency Certificate FL17996 R3 C CAC 19357 Elxir - BFIF7N IS Door w-Side Lites (1b) ASTM Jan. 2021.pdf Quality Assurance Contract Expiration Date 08/21/2024 Installation Instructions FL17996 R3 II ELIX0040 AFIF7N-BFIF7N RevB ss.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL17996 R3 AE PER 1952 Rev4 ss.pdf Created by Independent Third Party: Yes
17996.15	Series BVI63S	Series BVI63S Non-Impact Single Inswing Door w/Fixed Lite Insert and Outswing Storm Door
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +65/-65 Other:		Certification Agency Certificate FL17996 R3 C CAC Elxir - BVI63S IS Door w-Storm (1a) ASTM Aug. 2023.pdf Quality Assurance Contract Expiration Date 03/24/2028 Installation Instructions FL17996 R3 II ELIX0061 BVI63S RevC ss.pdf Verified By: Robert J. Amoruso, PE FL PE No. 49752 Created by Independent Third Party: Yes Evaluation Reports FL17996 R3 AE PER 2244 Rev4 ss.pdf Created by Independent Third Party: Yes
17996.16	Series BVIF7N	Series BVIF7N Non-Impact IS Steel Door
Limits of Use Approved for use in HVHZ: No		Certification Agency Certificate FL17996 R3 C CAC 19354 Elxir - BVIF7N IS Door (1b)

Approved for use outside HVHZ: Yes
Impact Resistant: No
Design Pressure: +40/-40
Other:

[ASTM Jan. 2021.pdf](#)

Quality Assurance Contract Expiration Date
07/29/2025

Installation Instructions

[FL17996_R3_II_ELIX0049_BVIF7N_BVIF7S_RevB_ss.pdf](#)

Verified By: Robert J. Amoruso, PE FL PE No. 49752

Created by Independent Third Party: Yes

Evaluation Reports

[FL17996_R3_AE_PER_1953_Rev4_ss.pdf](#)

Created by Independent Third Party: Yes

17996.17

Series BVIF7S

Series BVIF7S Non-Impact IS Steel Door

Limits of Use

Approved for use in HVHZ: No

Approved for use outside HVHZ: Yes

Impact Resistant: No

Design Pressure: +50/-50

Other:

Certification Agency Certificate

[FL17996_R3_C_CAC_19355_Elixir - BVIF7S IS Door w-Storm](#)

[\(1b\) ASTM Jan. 2021.pdf](#)

Quality Assurance Contract Expiration Date

07/29/2025

Installation Instructions

[FL17996_R3_II_ELIX0049_BVIF7N_BVIF7S_RevB_ss.pdf](#)

Verified By: Robert J. Amoruso, PE FL PE No. 49752

Created by Independent Third Party: Yes

Evaluation Reports

[FL17996_R3_AE_PER_1953_Rev4_ss.pdf](#)

Created by Independent Third Party: Yes



Contact Us :: [2601 Blair Stone Road, Tallahassee FL 32399](#) Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida](#). :: [Privacy Statement](#) :: [Accessibility Statement](#) . [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:



Credit Card

Safe





[BCIS Home](#) | [Log In](#) | [User Registration](#) | [Hot Topics](#) | [Submit Surcharge](#) | [Stats & Facts](#) | [Publications](#) | [Contact Us](#) | [BCIS Site Map](#) | [Links](#) | [Search](#)



[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**



FL # FL21450-R11
Application Type Revision
Code Version 2023
Application Status Approved

Comments
Archived

Product Manufacturer Janus International Group, LLC.
Address/Phone/Email 135 Janus International Blvd.
Temple, GA 30179
(770) 562-6135 Ext 360
curts@janusintl.com

Authorized Signature Curtis Schroeder
curts@janusintl.com

Technical Representative Curtis L. Schroeder
Address/Phone/Email 134 Janus International Blvd.
Temple, GA 30179
(770) 562-2850 Ext 360
curts@janusintl.com

Quality Assurance Representative Chris Meyer
Address/Phone/Email 135 Janus International Blvd
Temple, GA 30179
(770) 562-2850
chris.meyer@janusintl.com

Category Exterior Doors
Subcategory Roll-Up Exterior Door Assemblies

Compliance Method Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer
Evaluation Report - Hardcopy Received

Florida Engineer or Architect Name who developed the Evaluation Report John E. Scates
Florida License PE-51737
Quality Assurance Entity National Accreditation and Management Institute
Quality Assurance Contract Expiration Date 12/31/2025
Validated By Kurt Dietrich PE
Validation Checklist - Hardcopy Received

Certificate of Independence [FL21450 R11 COI Cert of Ind Scates 2023 Janus s.pdf](#)

Referenced Standard and Year (of Standard)	Standard	Year
	ANSI/DASMA 108	2017
	ANSI/DASMA 115	2017
	ASTM E330	2014
	TAS 201	1994
	TAS 202	1994
	TAS 203	1994

Equivalence of Product Standards
Certified By

Sections from the Code

Product Approval Method

Method 1 Option D


Date Submitted 08/15/2023
Date Validated 08/15/2023
Date Pending FBC Approval 08/16/2023
Date Approved 10/17/2023

Summary of Products

FL #	Model, Number or Name	Description
21450.1	Series 1100	Series 1100 - 26 Gauge Door Assembly Max Size: 8'-8" x 14'-0"
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +24.4/-27.0 Other: +24.4/-27.0 psf tested width of 8'-8". PSF values vary to 6'-0" and 8'-8"		Installation Instructions FL21450_R11_II_T1012_RevF_s.pdf Verified By: John E. Scates PE-51737 Created by Independent Thrd Party: Yes Evaluation Reports FL21450_R11_AE_EvalRept_Model750_1100_s.pdf Created by Independent Thrd Party: Yes
21450.2	Series 1100	Series 1100 - 26 Gauge Door Assembly Max Size: 12'-0" x 14'-0"
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +19.4/-22.7 Other: +19.4/-22.7 psf tested width of 10'-0". PSF values vary to 10'-0" and 12'-0".		Installation Instructions FL21450_R11_II_T1013_RevF_s.pdf Verified By: John E. Scates PE-51737 Created by Independent Thrd Party: Yes Evaluation Reports FL21450_R11_AE_EvalRept_Model750_1100_s.pdf Created by Independent Thrd Party: Yes
21450.3	Series 1850/3100	Series 1850/3100 - 26 Gauge Door Assembly Max Size: 20'-0" x 20'-0"
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +42.5/-45 Other: +42.5/-45.0 psf tested width of 16'-0". For non-impact rated doors, psf values vary to 8'-0" and 20'-0" widths		Installation Instructions FL21450_R11_II_T1017_RevB_sFL.pdf Verified By: John E. Scates P.E. FL 51737 Created by Independent Thrd Party: Yes Evaluation Reports FL21450_R11_AE_EvalRept_Model850_1850_3100_s.pdf Created by Independent Thrd Party: Yes
21450.4	Series 1850/3100-IM	Series 1850/3100-IM - Impact Resistant 26 Gauge Door Assembly Max Size: 16'-0" x 20'-0"
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +42.5/-45 Other: PSF values vary by width. 14'-0" width: +40.0/-40.0 and 16'-0" width: +42.5/-45.0		Installation Instructions FL21450_R11_II_T1017_RevB_sFL.pdf Verified By: John E. Scates P.E. FL 51737 Created by Independent Thrd Party: Yes Evaluation Reports FL21450_R11_AE_EvalRept_Model850_1850_3100_s.pdf Created by Independent Thrd Party: Yes
21450.5	Series 3400	Series 3400 - 24 Gauge Door Assembly Max Size: 12'-0" x 20'-0" (HVHZ)
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +43.0/-49.0 Other: FOR USE IN HIGH VELOCITY HURRICANE ZONES		Installation Instructions FL21450_R11_II_T1011-RevC_sFL.pdf Verified By: John E. Scates P.E. FL 51737 Created by Independent Thrd Party: Yes Evaluation Reports FL21450_R11_AE_EvalRept_Model850_1850_3100_s.pdf Created by Independent Thrd Party: Yes
21450.6	Series 3652	Series 3652 - 26 Gauge Door Assembly - Max Size: 18'-0" x 20'-0"

Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +36/-40 Other: Design pressure listed is at test width of 12'-0". For pressures versus widths, see table, on page 1, of drawing T1014. Not for use in High Velocity Hurricane Zones.		Installation Instructions FL21450_R11_II_T1014_RevC_s.pdf Verified By: John E. Scates P.E. FL 51737 Created by Independent Third Party: Yes Evaluation Reports FL21450_R11_AE_EvalRept_Model3652_s.pdf Created by Independent Third Party: Yes
21450.7	Series 690	Series 690 - 26 Gauge Door Assembly Max Size: 10'-0"X12'-0"
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +28.2/-32.9 Other: Pressure varies by width from +64.2/-75.0 at 4' wide to +28.2/-32.9 at 10' wide. See drawings.		Installation Instructions FL21450_R11_II_T2000_Rev- s.pdf Verified By: John E. Scates P.E. FL 51737 Created by Independent Third Party: Yes Evaluation Reports FL21450_R11_AE_EvalRept_Model690_s.pdf Created by Independent Third Party: Yes
21450.8	Series 750	Series 750 - 26 Gauge Door Assembly Max Size: 3'-0" x 12'-0"
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +35/-45 Other: Not for use in High Velocity Hurricane Zones		Installation Instructions FL21450_R11_II_T1000_RevG_s.pdf Verified By: John E. Scates, P.E. 51737 Created by Independent Third Party: Yes Evaluation Reports FL21450_R11_AE_EvalRept_Model750_1100_s.pdf Created by Independent Third Party: Yes
21450.9	Series 750	Series 750 - 26 Gauge Door Assembly Max Size: 6'-0" x 12'-0"
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +19.9/-24.4 Other: Design Pressures listed as a test width of 6'-0". For pressures vs. widths, see table, sheet 1 of 2, dwg T1001 Not for use in High Velocity Hurricane Zones.		Installation Instructions FL21450_R11_II_T1001_RevG_s.pdf Verified By: John E. Scates, P.E. 51737 Created by Independent Third Party: Yes Evaluation Reports FL21450_R11_AE_EvalRept_Model750_1100_s.pdf Created by Independent Third Party: Yes
21450.10	Series 750	Series 750 - 26 Gauge Door Assembly Max Size: 8'-8" x 12'-0"
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +24.4/-27.0 Other: +24.4/-27.0 psf tested width of 8'-8". PSF values vary to 6'-0" and 8'-8".		Installation Instructions FL21450_R11_II_T1002_RevH_s.pdf Verified By: John E. Scates, P.E. 51737 Created by Independent Third Party: Yes Evaluation Reports FL21450_R11_AE_EvalRept_Model750_1100_s.pdf Created by Independent Third Party: Yes
21450.11	Series 750	Series 750 - 26 Gauge Door Assembly Max Size: 10'-0" x 12'-0"
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +19.4/-22.7 Other: Not for use in High Velocity Hurricane Zones.		Installation Instructions FL21450_R11_II_T1003_RevH_s.pdf Verified By: John E. Scates, P.E. 51737 Created by Independent Third Party: Yes Evaluation Reports FL21450_R11_AE_EvalRept_Model750_1100_s.pdf Created by Independent Third Party: Yes
21450.12	Series 850	Series 850 - 24 Gauge Door Assembly Max Size: 8'-8" X 12'-0" (HVHZ)
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +46.0/-54.0 Other: FOR USE IN HIGH VELOCITY HURRICANE ZONES		Installation Instructions FL21450_R11_II_T1006-RevG_sFL.pdf Verified By: John E. Scates FL-51737 Created by Independent Third Party: Yes Evaluation Reports FL21450_R11_AE_EvalRept_Model850_1850_3100_s.pdf Created by Independent Third Party: Yes
21450.13	Series 850S	Series 850S - 26 Gauge Gauge Door Assembly Max Size: 12'-0"X12'-0"
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes		Installation Instructions FL21450_R11_II_T1006-S-RevG_sFL.pdf Verified By: John E. Scates FL-51737

Impact Resistant: No Design Pressure: +46.0/-54.0 Other: +46.0/-54.0 psf tested width of 8'-8". For non-impact rated doors, psf values vary to 6'-0" and 12'-0" widths		Created by Independent Third Party: Yes Evaluation Reports FL21450_R11_AE_EvalRept_Model850_1850_3100_s.pdf Created by Independent Third Party: Yes
21450.14	Series 850S-IM	Series 850S_Impact Rated. 26 Gauge Door Assembly Max Size: 8'-8" X 12'-0"
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +46.0/-54.0 Other:		Installation Instructions FL21450_R11_II_T1006-S-RevG_sFL.pdf Verified By: John E. Scates FL-51737 Created by Independent Third Party: Yes Evaluation Reports FL21450_R11_AE_EvalRept_Model850_1850_3100_s.pdf Created by Independent Third Party: Yes



Contact Us . 2601 Blair Stone Road, Tallahassee FL 32399 Phone. 850-487-1824

The State of Florida Is an AA/EEO employer. [Copyright 2007-2013 State of Florida](#) . : [Privacy Statement](#) [Accessibility Statement](#) . [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:



Credit Card

Safe

securityMETRICS