Parcel:

10-38-16-02055-002

Owner & Property Info

Result: 1 of 1

HERSHMAN EVERETT

Owner 200 NW HONEYSUCKLE WAY

LAKE CITY, FL 32055

Site 200 HONEYSUCKLE WAY, LAKE CITY

LOT 2 PARNELL HILLS S/D UNIT 1 ORB 468-168,985-2447,WD 1118-

Description* 2635,DC 1183-1729,QC 1183-1726 DC 1208-72, POA 1209-1903, WD 1209-

1914, QCD 1340-1904,

Area 1.11 AC

S/T/R 10-3S-16

Use Code** MOBILE HOM (000200) Tax District 3

MOBILE HOME INSTALLATION SUBCONTRACTOR VERIFICATION FORM

APPLICATION NUMBER			CONTRACTOR	Brent Strickland	PHONE_386-365-7043
THIS FORM MUST BE SUBMITTED PRIOR TO THE ISSUANCE OF A PERMIT Everett Hershman					ACTORES AND TOTAL (
In Columbia County one permit will cover all trades doing work at the permitted site. It is <u>KEQUIKED</u> that we have records of the subcontractors who actually did the trade specific work under the permit. Per Florida Statute 440 and Ordinance 89-6, a contractor shall require all subcontractors to provide evidence of workers' compensation or exemption, general liability insurance and a valid Certificate of Competency license in Columbia County. Any changes, the permitted contractor is responsible for the corrected form being submitted to this office prior to the					
				ill result in stop work	
ELECTRICAL		James Dale V		THORIC III	6-362-2035
MECHANICAL/	Print Name License #:	CAC 181771		Signature	6-972-1700
		pe submitted for			
Specialty L	icense	License Number	Sub-Contract	ors Printed Name	Sub-Contractors Signature
MASON					
CONCRETE FINISHER					

F. S. 440.103 Building permits; identification of minimum premium policy.—Every employer shall, as a condition to applying for and receiving a building permit, show proof and certify to the permit issuer that it has secured compensation for its employees under this chapter as provided in ss. 440.10 and 440.38, and shall be presented each time the employer applies for a building permit.

Revised 10/30/2015



COLUMBIA COUNTY BUILDING DEPARTMENT LETTER OF AUTHORIZATION TO SIGN FOR PERMITS 135 NE Hemando Ave, Suite B-21, Lake City, FL 32055 Phone 386-758-1008 Fax. 386-758-2160

, Dale Williams	(license holder name), licensed qualifier
for Affordable Electric	(company name), do certify that
the below referenced person(s) listed on this for employee leasing arrangement; or, is an officer Florida Statutes Chapter 468, and the said persontrol and is/are authorized to purchase permit	of the corporation; or partner as defined in con(s) is/are under my direct supervision and
Printed Name of Person Authorized	Signature of Authorized Person
1. Dale Burd	1.
2.	2.
3.	3.
4.	4.
5	5.
officers, or employees and that I have full respondent ordinances inherent in the privilege granted of at any time the person(s) you have authorized must notify this department in writing of the chartorm, which will supersede all previous lists. Failuse your name and/or license number to obtain	is/are no longer employee(s), or officer(s), you liges and submit a new letter of authorization ure to do so may allow upput horized persons to
Joseph Golders Signature (Notarized)	EC/300 7092 /-07-19 License Number Date
NOTARY INFORMATION: STATE OFFloridaCOUNTY OF	F: Columbia
The above license holder, whose name is the personally appeared before me and is known by type of I.D.) on the language of I.D. on the language of I.D	me or has produced identification this 7th day of January 20 19 Could Seal/Stamp
CHARLOTTE R. HARF	





COLUMBIA COUNTY BUILDING DEPARTMENT 135 NE Hernando Ave, Suite B-21, Lake City, FL 32055

Phone: 386-758-1008 Fax: 386-758-2160

W 101	
, LICENSED QUALIFII	ER AUTHORIZATION
1. MyhARIA IolAnd	(license holder name), licensed qualifier
for ACIE A/L OF OCALA	ALC (company name), do certify that
the below referenced person(s) listed on this for holder, or is/are employed by me directly or thro officer of the corporation; or, partner as defined person(s) is/are under my direct supervision and sign permits; call for inspections and sign subco	ough an employee leasing arrangement; or, is an in Florida Statutes Chapter 468, and the said discontrol and is/are authorized to purchase and
Printed Name of Person Authorized	Signature of Authorized Person
1. DAIR EAD	1.688 0
2. Kally Bistop	2. Kelly Bishop
3. Locky Fore	3. Kahy 1) 7 of
4.	4.
5.	5.
I, the license holder, realize that I am responsible under my license and fully responsible for compl. Local Ordinances. I understand that the State are authority to discipline a license holder for violation officers, or employees and that I have full responsand ordinances inherent in the privilege granted.	liance with all Florida Statutes, Codes, and and County Licensing Boards have the power and cons committed by him/her, his/her agents, insibility for compliance with all statutes, codes
If at any time the person(s) you have authorized officer(s), you must notify this department in writ authorization form, which will supersede all prey unauthorized persons to use your name and/or I	ing of the changes and submit a new letter of ious lists. Failure to do so may allow
Licensed Qualiflers Signature (Notarized)	
STATE OF VOICE COUNTY OF:	main
The above license holder, whose name is Moreover personally appeared before me and is known by (type of I.D.) on	
NOTARYS SIGNATURE	(Seal/Stamp)

AMANDA FLOOD
MY COMMISSION # FF 106012
EXPIRES: April 5, 2018
Bondad Thru Notary Public Uniderwriters

	The principle wall pleas within 2' of end of home poly Rulie 15C		Typical pier spacing Installer's initials Installer's initials Typical pier spacing Installer's initials Installer's initials	Installer Brent Strickland License # IH 1104218 Installer Mobile Phone # 386-365-7043 Address of home being installed Manufacturer Live Day Length x width 14 XXX Manufacturer H home is a single wide fill out one half of the blocking plan H home is a triple or quad wide sketch in remainder of home
within 2' of end of home spaced at 5' 4" oc Letteral Arms Longitudinal Stabilizing Device (LSD) Longitudinal Stabilizing Device w/ Lateral Arms Marriage wall Manufacturer Marriage wall Shearwall	3/16 1/2 ORS	8' 8' 8' 8' 8' 8' 8' 8' 8' 8' 8' 8' 8'	Oter 16" x 16" 18 1/2" x 13 20" x 20" 22" x 22" 24" (400) (484)" (5 6' 7' 8' 8' 8' 8' 8' 8' 8' 8' 8' 8' 8' 8' 8'	New Home New Home

Floor: Walls:

Type Fastener: Strope F

Length

Spacing: Spacing:

Spacing:

Type Fastener: TUPS Length: O Spacing: OF For used homes a ron. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv.

roofing nails at 2" on centar on both sides of the centerline

Gasket (weatherproofing requirement)

Debris and organic material removed.

Water drainage: Natural _____Swal

Swale

Pad

7 Other

Site Preparation

Fastening multi wide units

Roof:

ižlectrical Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg.	* Ol
Date Tested &-5-2020	
Installer Name PERFORMED BY ALICENSED INSTALLER	
Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may requires anohors with 4000 b hading capacity. Installer's initials	
TORQUE PROBE TEST The results of the torque probe test is 295 inch pounds or check here if you are declaring 5' anchors without testing. A test showing 275 inch pounds or less will require 5 foot anchors.	
00 <u>51</u> × 0057× 00 <u>01</u>	
Using 500 lb. increments, take the lowest reading and round down to that increment.	
 1. Lest the perimeter of the nome at 0 locations. 2. Take the reading at the depth of the footer. 	
POCKET PENETROMETER TESTING METHOD	
The pocket peneirometer tests are rounded down to 1500 psf or check here to declare 1000 ib. soil without testing. ×1500 ×1500 ×1600	
POCKET PENETROMETER TEST	

of tape will not serve as a gasket.

a result of a poorly installed or no gasket being installed. I understand a strip

installer's initials_

installed:

Between Walls Yes Between Floors Yes

Bottom of ridgebeam Yes

homes and that condensation, mold, meldew and buckled marriage walls are I understand a properly installed gasket is a requirement of all new and used

Skirting to be installed. Yes No Dryer vent installed outside of skirting. No Range downflow vent installed outside of Drain lines supported at 4 foot intervals. Electrical crossovers protected. Yes Other:	Skirting to be installed. Yes No Drysr vent Installed outside of skirting. Yes N/A Range downflow vent Installed outside of skirting. Yes N/A Drain lines supported at 4 foot intervals. Yes Electrical crossovers protected. Yes Other: Installer verifies all information given with this permit worksheet	Installerv	Skirting to be in Drysr vent instructions Range downfite Drain lines supplied Electrical crossociations.
	skirting. Yes Yes Yes Jiven with this per	erifies all information (nstalled. Yes No alled outside of skirting. Y w vent installed outside of ported at 4 foot intervals, lovers protected. Yes

Fireplace chimney installed so as not to allow intrusion of rain water. Yes

Siding on units is installed to manufacturer's specifications. Yes

The bottomboard will be repaired and/or taped. Yes_

Weatherproofing

independent water supply systems. Pg. ___

Connect all potable water supply piping to an existing water meter, water tap, or other


Installer Signature

manufacturer's installation instructions and or Rule 15C-1 & 2

124/2 Sam 8-3-202

is accurate and true based on the

Connect all sewer drains to an existing sewer tap or septic tank. Pg.



FOUNDATION NOTES:

THIS DRAWING IS DESIGNED FOR THE STANDARD WIND ZONE AND IS TO BE USED IN CONJUNCTION WITH THE INSTALLATION MANUAL AND IT'S SUPPLEMENTS.

FOOTINGS ARE SHOWN FOR EXAMPLE ONLY QUANTITY AND SPACING MAY VARY BASED ON PAD TYPE, SOIL CONDITION, ETC.

FCOTINGS ARE REQUIRED AT SUPPORT POSTS, SEE INSTALLATION MANUAL FOR REQUIREMENTS.

SUPPORT PIER/TYP

Lïve Oak Homes MODEL: V-2703A - 28 X 74 3-BEDROOM / 2-BATH

BEDROOM 2 10'-9" x 12'-4" 8 4053E BATH 2 BEDROOM 3 3053E 70'-0" DRY FAMILY ROOM 17'-6" x 12'-8" 3053

ROOU OTTAR

PORCH B-0" x 18-0"

28 X 74 - Approx. 1820 Sq. Ft. 3-BEDROOM / 2-BATH V-2703A

MASTER BEDROOM 14'-9" x 12'-4"

LIVING ROOM 17'-9" x 16'-1"

3053 3053E

Date: 11/20/19

* All room dimensions include closets and square footage figures are approximate.

STATE OF FLORIDA DEPARTMENT OF HEALTH

APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT

	Permit Application Number	
Hershman	PART II - SITEPLAN	
Scale: 1 inch = 40 feet.		
	272.84	
72'	EX SEMIL 108' REX SEMIL 108'	Homey such the Way
Notes:	252.86	
Cita Dian submitted but	CONTRACTO	
Site Plan submitted by: Plan Approved	Not Approved Date	
By		

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT