

SEE ENGINEERING DOCUMENTS FOR
ALL FOUNDATION INFORMATION
AND REQUIREMENTS


24'-0"

4" 3000\* PSI CONCRETE SLAB W/6X6
WIRE MESH W/ SUPPORTS
ON VAPOR BARRIER W/6" SEALED LAPS
OVER CLEAN COMPACTED
TERMITE TREATED FILL

SLOPE

MONOLITHIC FOUNDATION

FOUNDATION PLAN





## DESIGN CRITERIA

	FL. BUILDING CODE	RESIDENTIAL	2020
	FL. ELECTRICAL	NAT, ELEC, CODE	2017
	FL. PLUMBING	FL,	2020
	MECHANICAL	FL,	2020
	WIND LOAD DESIGN	ASCE 7-16 (ALL HEIGHTS)	
	WIND LOAD DESIGN	FBC, TPI 2020	FBC 202
	ROOF LIVE LOAD	20 PSF	
	FLOOR LIVE LOAD	40 PSF	
	I .		

IT IS THE OWNER AND OR THE CONTRACTORS
RESPONSIBILITY TO VERIFY ALL STRUCTURAL ASPECTS
OF THESE DRAWINGS. THIS INCLUDES BUT NOT LIMITED TO
DIMENSIONS, WALL HEIGHTS AND MATERIAL, WINDOW SIZE AND
LOCATION. ALSO ALL STATE AND LOCAL CODES MUST BE FOLLOWED

ALL WINDOWS AND DOORS TO BE INSTALLED PER MANUFACTURERS RECOMMENDATIONS AND MUST COMPLY WITH CURRENT CODES, SUBMIT ATTACHMENT WORKSHEET WITH PERMIT DOCUMENTS





FRONT ELEVATION