

PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

<u>For Office Use Only</u> (Revised 7-1-15)		Zoning Official _____	Building Official _____
AP# <u>51557</u>	Date Received _____	By <u>MG</u>	Permit # _____
Flood Zone _____	Development Permit _____	Zoning _____	Land Use Plan Map Category _____
Comments _____			
FEMA Map# _____	Elevation _____	Finished Floor _____	River _____ In Floodway _____
☐ Recorded Deed or ☒ Property Appraiser PO	☒ Site Plan	☐ EH # _____	☐ Well letter OR
☒ Existing well	☐ Land Owner Affidavit	☒ Installer Authorization	☐ FW Comp. letter ☒ App Fee Paid
☒ DOT Approval	☐ Parent Parcel # _____	☐ STUP-MH _____	☐ 911 App
☐ Ellisville Water Sys	☒ Assessment <u>owed</u>	☐ Out County ☐ In County	☒ Sub VF Form

Property ID # _____ Subdivision UNR S/D Lot# 7

- New Mobile Home ☒ Used Mobile Home _____ MH Size 28x56 Year 2021
- Applicant William "Bo" Rogals Phone # 754-6737
- Address 4068 W us Hwy 90 Lake City, FL 32055
- Name of Property Owner Mary Farr Phone# 386-365-7174
- 911 Address 162 NW Yates Loop Lake City, FL 32055
- Circle the correct power company - FL Power & Light - Clay Electric
 (Circle One) - Suwannee Valley Electric - Duke Energy
- Name of Owner of Mobile Home Tony or Lisa Rowe Phone # 386-365-7174
 Address 162 NW Yates Loop Lake City, FL 32055
- Relationship to Property Owner Daughter & Son-in-law
- Current Number of Dwellings on Property 1
- Lot Size _____ Total Acreage 2.5
- Do you : Have Existing Drive or Private Drive or need Culvert Permit or Culvert Waiver (Circle one)
 (Currently using) (Blue Road Sign) (Putting in a Culvert) (Not existing but do not need a Culvert)
- Is this Mobile Home Replacing an Existing Mobile Home No
- Driving Directions to the Property 90 W TR on Turner Ave. to N/W Ash Dr
 TR to Yates Loop TR 2nd property on right
- Name of Licensed Dealer/Installer William E. Rogals Phone # 754-6737
- Installers Address 4068 W us Hwy 90 Lake City, FL 32055
- License Number IH1025179 Installation Decal # 83964

Mobile Home Permit Worksheet

Application Number: _____

Date: _____



Installer: William E. Royak License # TH1025179

Address of home being installed: _____

Manufacturer: Destiny Length x width: 28 x 56

NOTE: if home is a single wide fill out one half of the blocking plan
if home is a triple or quad wide sketch in remainder of home
I understand Lateral Arm Systems cannot be used on any home (new or used)
where the sidewall ties exceed 5 ft 4 in. WEN

Installer's initials



New Home ☒ Used Home ☐

Home installed to the Manufacturer's Installation Manual
Home is installed in accordance with Rule 15-C

Single wide ☐ Wind Zone II ☒ Wind Zone III ☐

Double wide ☒ Installation Decal # 83945

Triple/Quad ☐ Serial # DISH18381GAR8

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity	Footer size (sq in)	16" x 16" (256)	18 1/2" x 18 1/2" (342)	20" x 20" (400)	22" x 22" (484)*	24" x 24" (576)*	26" x 26" (676)
1000 psf	3'	4'	4'	5'	6'	7'	8'
1500 psf	4' 6"	6'	6'	7'	8'	8'	8'
2000 psf	6'	8'	8'	8'	8'	8'	8'
2500 psf	7' 6"	8'	8'	8'	8'	8'	8'
3000 psf	8'	8'	8'	8'	8'	8'	8'
3500 psf	8'	8'	8'	8'	8'	8'	8'

* interpolated from Rule 15C-1 pier spacing table.

PIER PAD SIZES

I-beam pier pad size 21 x 29

Perimeter pier pad size 16 x 16

Other pier pad sizes (required by the mfg.) _____

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.



List all marriage wall openings greater than 4 foot and their pier pad sizes below.

Opening _____ Pier pad size _____

See Attached Diagram

4 ft

5 ft

ANCHORS

FRAME TIES

within 2' of end of home spaced at 5' 4" oc

OTHER TIES

Number 34
Sidewall N/A
Longitudinal N/A
Marriage wall N/A
Shearwall N/A

TIEDOWN COMPONENTS

Longitudinal Stabilizing Device (LSD)

Manufacturer _____

Longitudinal Stabilizing Device w/ Lateral Arms

Manufacturer Oliver Tool 1101V

Mobile Home Permit Worksheet

Application Number: _____

Date: _____

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to _____ psf or check here to declare 1000 lb. soil X without testing.

X _____ X _____ X _____

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 6 locations.
2. Take the reading at the depth of the footer.
3. Using 500 lb. increments, take the lowest reading and round down to that increment.

X _____ X _____ X _____

TORQUE PROBE TEST

The results of the torque probe test is _____ inch pounds or check here if you are declaring 5' anchors without testing _____ A test showing 275 inch pounds or less will require 5 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may require anchors with 4000 lb holding capacity.

_____ Installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name

William E. Royals

Date Tested

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg. 7.5

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg. 7.1

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg. 7.1

Site Preparation

Debris and organic material removed _____
Water drainage: Natural _____ Swale _____ Pad _____ Other _____

Fastening multi wide units

Floor: Type Fastener: lag Length: 6" Spacing: 24"
Walls: Type Fastener: Self-drilling Length: 4.5" Spacing: 24"
Roof: Type Fastener: Self-drilling Length: 4.5" Spacing: 32"
For used homes a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Installer's initials VEN

Type gasket foam pad
Pg. 4.28
Installed: Between Floors Yes ✓
Between Walls Yes ✓
Bottom of ridgebeam Yes ✓

Weatherproofing

The bottomboard will be repaired and/or taped. Yes ✓ Pg. 4.9 4.10
Siding on units is installed to manufacturer's specifications. Yes ✓
Fireplace chimney installed so as not to allow intrusion of rain water. Yes N/A

Miscellaneous

Skirting to be installed. Yes ✓ No _____
Dryer vent installed outside of skirting. Yes ✓ N/A
Range downflow vent installed outside of skirting. Yes ✓
Drain lines supported at 4 foot intervals. Yes ✓
Electrical crossovers protected. Yes ✓
Other: _____

Installer verifies all information given with this permit worksheet is accurate and true based on the manufacturer's installation instructions and or Rule 15C-1 & 2

Installer Signature

VEN

Date

9/8/2021

MOBILE HOME INSTALLATION SUBCONTRACTOR VERIFICATION FORM

APPLICATION NUMBER _____ CONTRACTOR _____ PHONE _____

THIS FORM MUST BE SUBMITTED PRIOR TO THE ISSUANCE OF A PERMIT

In Columbia County one permit will cover all trades doing work at the permitted site. It is REQUIRED that we have records of the subcontractors who actually did the trade specific work under the permit. Per Florida Statute 440 and Ordinance 89-6, a contractor shall require all subcontractors to provide evidence of workers' compensation or exemption, general liability insurance and a valid Certificate of Competency license in Columbia County.

Any changes, the permitted contractor is responsible for the corrected form being submitted to this office prior to the start of that subcontractor beginning any work. Violations will result in stop work orders and/or fines.

ELECTRICAL	Print Name <u>Whittington Electric</u> License #: <u>13002957</u> Qualifier Form Attached ☐	Signature <u>[Signature]</u> Phone #: <u>386 684-3906</u>
MECHANICAL/ A/C _____	Print Name <u>Ronald Bonds</u> License #: <u>CAC1817058</u> Qualifier Form Attached ☐	Signature <u>[Signature]</u> Phone #: <u>(850) 867-1793</u>

F. S. 440.103 Building permits; identification of minimum premium policy.--Every employer shall, as a condition to applying for and receiving a building permit, show proof and certify to the permit issuer that it has secured compensation for its employees under this chapter as provided in ss. 440.10 and 440.38, and shall be presented each time the employer applies for a building permit.

Columbia County Property Appraiser

Jeff Hampton

2021 Working Values

updated: 9/2/2021

Parcel: << 21-3S-16-02215-018 (7503) >>

Owner & Property Info

Result: 3 of 9

Owner	FARR ARCHIE OTIS JR FARR MARY E 162 NW YATES LOOP LAKE CITY, FL 32055		
Site	162 NW YATES Loop, LAKE CITY		
Description*	SE1/4 OF SE1/4 OF SE1/4 OF NW1/4 EX RD R/W. (AKA LOT 7 OF AN UNR S/D). ORB 316-381,		
Area	2.5 AC	S/T/R	21-3S-16
Use Code**	MOBILE HOME (0200)	Tax District	2

*The Description above is not to be used as the Legal Description for this parcel in any legal transaction.

**The Use Code is a FL Dept. of Revenue (DOR) code and is not maintained by the Property Appraiser's office. Please contact your city or county Planning & Zoning office for specific zoning information.

Property & Assessment Values

2020 Certified Values		2021 Working Values	
Mkt Land	\$23,079	Mkt Land	\$23,250
Ag Land	\$0	Ag Land	\$0
Building	\$5,686	Building	\$7,526
XFOB	\$1,500	XFOB	\$1,500
Just	\$30,265	Just	\$32,276
Class	\$0	Class	\$0
Appraised	\$30,265	Appraised	\$32,276
SOH Cap [?]	\$5,170	SOH Cap [?]	\$6,830
Assessed	\$25,095	Assessed	\$25,446
Exempt	HX H3 \$25,000	Exempt	HX HB \$25,000
Total Taxable	county:\$95 city:\$95 other:\$95 school:\$95	Total Taxable	county:\$446 city:\$0 other:\$0 school:\$446

Aerial Viewer Pictometry Google Maps

☒ 2019 ☐ 2016 ☐ 2013 ☐ 2010 ☐ 2007 ☐ 2005 ☒ Sales
**▼ Sales History**

Sale Date	Sale Price	Book/Page	Deed	V/I	Qualification (Codes)	RCode
NONE						

▼ Building Characteristics

Bldg Sketch	Description*	Year Blt	Base SF	Actual SF	Bldg Value
Sketch	MOBILE HME (0800)	1973	720	916	\$7,526

*Bldg Desc determinations are used by the Property Appraisers office solely for the purpose of determining a property's Just Value for ad valorem tax purposes and should not be used for any other purpose.

▼ Extra Features & Out Buildings (Codes)


Code	Desc	Year Blt	Value	Units	Dims
0021	BARN,FR AE	0	\$200.00	1.00	0 x 0
0040	BARN,POLE	2008	\$100.00	1.00	0 x 0
0060	CARPORT F	2014	\$900.00	1.00	0 x 0
0263	PRCH,USP	2014	\$300.00	1.00	0 x 0

▼ Land Breakdown


Code	Desc	Units	Adjustments	Eff Rate	Land Value
0102	SFR/MH (MKT)	2.500 AC	1.0000/1.0000 1.0000/ /	\$8,000 /AC	\$20,000
9945	WELL/SEPT (MKT)	1.000 UT (0.000 AC)	1.0000/1.0000 1.0000/ /	\$3,250 /UT	\$3,250

S/N 10381

SOIL BEARING LOAD 1000LBS
1500LBS=16"x16" ABS FOOTER
1778LBS=16"x16" ABS FOOTER
3000LBS=17.5"x25.5" ABS FOOTER
4800LBS=23.25"x31.25" ABS FOOTER



NOT TO SCALE



NOTE: SEE 1-32
INSTALLATION MANUAL

MAXIMUM SPAN BETWEEN PILES UNDER 1-BAYING (FEET)				MAXIMUM CLEAR SPAN PER BAYING LINE SUPPORTS (FEET)				MAXIMUM SPAN BETWEEN PILES UNDER 1-BAYING (FEET)				MAXIMUM CLEAR SPAN PER BAYING LINE SUPPORTS (FEET)			
PNO SIZE	PNO AREA (SQ. FT.)	SPR. WIDE (IN.)	SPR. WIDE (IN.)	PNO SIZE	PNO AREA (SQ. FT.)	SPR. WIDE (IN.)	SPR. WIDE (IN.)	PNO SIZE	PNO AREA (SQ. FT.)	SPR. WIDE (IN.)	SPR. WIDE (IN.)	PNO SIZE	PNO AREA (SQ. FT.)	SPR. WIDE (IN.)	SPR. WIDE (IN.)
16 TILES	2.00	140	140	16 TILES	2.00	140	140	16 TILES	2.00	140	140	16 TILES	2.00	140	140
17 1/2 TILES	2.25	150	150	17 1/2 TILES	2.25	150	150	17 1/2 TILES	2.25	150	150	17 1/2 TILES	2.25	150	150
18 TILES	2.50	160	160	18 TILES	2.50	160	160	18 TILES	2.50	160	160	18 TILES	2.50	160	160
19 TILES	2.75	170	170	19 TILES	2.75	170	170	19 TILES	2.75	170	170	19 TILES	2.75	170	170
20 TILES	3.00	180	180	20 TILES	3.00	180	180	20 TILES	3.00	180	180	20 TILES	3.00	180	180
21 TILES	3.25	190	190	21 TILES	3.25	190	190	21 TILES	3.25	190	190	21 TILES	3.25	190	190
22 TILES	3.50	200	200	22 TILES	3.50	200	200	22 TILES	3.50	200	200	22 TILES	3.50	200	200
23 TILES	3.75	210	210	23 TILES	3.75	210	210	23 TILES	3.75	210	210	23 TILES	3.75	210	210
24 TILES	4.00	220	220	24 TILES	4.00	220	220	24 TILES	4.00	220	220	24 TILES	4.00	220	220
25 TILES	4.25	230	230	25 TILES	4.25	230	230	25 TILES	4.25	230	230	25 TILES	4.25	230	230
26 TILES	4.50	240	240	26 TILES	4.50	240	240	26 TILES	4.50	240	240	26 TILES	4.50	240	240
27 TILES	4.75	250	250	27 TILES	4.75	250	250	27 TILES	4.75	250	250	27 TILES	4.75	250	250
28 TILES	5.00	260	260	28 TILES	5.00	260	260	28 TILES	5.00	260	260	28 TILES	5.00	260	260
29 TILES	5.25	270	270	29 TILES	5.25	270	270	29 TILES	5.25	270	270	29 TILES	5.25	270	270
30 TILES	5.50	280	280	30 TILES	5.50	280	280	30 TILES	5.50	280	280	30 TILES	5.50	280	280
31 TILES	5.75	290	290	31 TILES	5.75	290	290	31 TILES	5.75	290	290	31 TILES	5.75	290	290
32 TILES	6.00	300	300	32 TILES	6.00	300	300	32 TILES	6.00	300	300	32 TILES	6.00	300	300
33 TILES	6.25	310	310	33 TILES	6.25	310	310	33 TILES	6.25	310	310	33 TILES	6.25	310	310
34 TILES	6.50	320	320	34 TILES	6.50	320	320	34 TILES	6.50	320	320	34 TILES	6.50	320	320
35 TILES	6.75	330	330	35 TILES	6.75	330	330	35 TILES	6.75	330	330	35 TILES	6.75	330	330
36 TILES	7.00	340	340	36 TILES	7.00	340	340	36 TILES	7.00	340	340	36 TILES	7.00	340	340
37 TILES	7.25	350	350	37 TILES	7.25	350	350	37 TILES	7.25	350	350	37 TILES	7.25	350	350
38 TILES	7.50	360	360	38 TILES	7.50	360	360	38 TILES	7.50	360	360	38 TILES	7.50	360	360
39 TILES	7.75	370	370	39 TILES	7.75	370	370	39 TILES	7.75	370	370	39 TILES	7.75	370	370
40 TILES	8.00	380	380	40 TILES	8.00	380	380	40 TILES	8.00	380	380	40 TILES	8.00	380	380
41 TILES	8.25	390	390	41 TILES	8.25	390	390	41 TILES	8.25	390	390	41 TILES	8.25	390	390
42 TILES	8.50	400	400	42 TILES	8.50	400	400	42 TILES	8.50	400	400	42 TILES	8.50	400	400
43 TILES	8.75	410	410	43 TILES	8.75	410	410	43 TILES	8.75	410	410	43 TILES	8.75	410	410
44 TILES	9.00	420	420	44 TILES	9.00	420	420	44 TILES	9.00	420	420	44 TILES	9.00	420	420
45 TILES	9.25	430	430	45 TILES	9.25	430	430	45 TILES	9.25	430	430	45 TILES	9.25	430	430
46 TILES	9.50	440	440	46 TILES	9.50	440	440	46 TILES	9.50	440	440	46 TILES	9.50	440	440
47 TILES	9.75	450	450	47 TILES	9.75	450	450	47 TILES	9.75	450	450	47 TILES	9.75	450	450
48 TILES	10.00	460	460	48 TILES	10.00	460	460	48 TILES	10.00	460	460	48 TILES	10.00	460	460
49 TILES	10.25	470	470	49 TILES	10.25	470	470	49 TILES	10.25	470	470	49 TILES	10.25	470	470
50 TILES	10.50	480	480	50 TILES	10.50	480	480	50 TILES	10.50	480	480	50 TILES	10.50	480	480
51 TILES	10.75	490	490	51 TILES	10.75	490	490	51 TILES	10.75	490	490	51 TILES	10.75	490	490
52 TILES	11.00	500	500	52 TILES	11.00	500	500	52 TILES	11.00	500	500	52 TILES	11.00	500	500
53 TILES	11.25	510	510	53 TILES	11.25	510	510	53 TILES	11.25	510	510	53 TILES	11.25	510	510
54 TILES	11.50	520	520	54 TILES	11.50	520	520	54 TILES	11.50	520	520	54 TILES	11.50	520	520
55 TILES	11.75	530	530	55 TILES	11.75	530	530	55 TILES	11.75	530	530	55 TILES	11.75	530	530
56 TILES	12.00	540	540	56 TILES	12.00	540	540	56 TILES	12.00	540	540	56 TILES	12.00	540	540
57 TILES	12.25	550	550	57 TILES	12.25	550	550	57 TILES	12.25	550	550	57 TILES	12.25	550	550
58 TILES	12.50	560	560	58 TILES	12.50	560	560	58 TILES	12.50	560	560	58 TILES	12.50	560	560
59 TILES	12.75	570	570	59 TILES	12.75	570	570	59 TILES	12.75	570	570	59 TILES	12.75	570	570
60 TILES	13.00	580	580	60 TILES	13.00	580	580	60 TILES	13.00	580	580	60 TILES	13.00	580	580
61 TILES	13.25	590	590	61 TILES	13.25	590	590	61 TILES	13.25	590	590	61 TILES	13.25	590	590
62 TILES	13.50	600	600	62 TILES	13.50	600	600	62 TILES	13.50	600	600	62 TILES	13.50	600	600
63 TILES	13.75	610	610	63 TILES	13.75	610	610	63 TILES	13.75	610	610	63 TILES	13.75	610	610
64 TILES	14.00	620	620	64 TILES	14.00	620	620	64 TILES	14.00	620	620	64 TILES	14.00	620	620
65 TILES	14.25	630	630	65 TILES	14.25	630	630	65 TILES	14.25	630	630	65 TILES	14.25	630	630
66 TILES	14.50	640	640	66 TILES	14.50	640	640	66 TILES	14.50	640	640	66 TILES	14.50	640	640
67 TILES	14.75	650	650	67 TILES	14.75	650	650	67 TILES	14.75	650	650	67 TILES	14.75	650	650
68 TILES	15.00	660	660	68 TILES	15.00	660	660	68 TILES	15.00	660	660	68 TILES	15.00	660	660
69 TILES	15.25	670	670	69 TILES	15.25	670	670	69 TILES	15.25	670	670	69 TILES	15.25	670	670
70 TILES	15.50	680	680	70 TILES	15.50	680	680	70 TILES	15.50	680	680	70 TILES	15.50	680	680
71 TILES	15.75	690	690	71 TILES	15.75	690	690	71 TILES	15.75	690	690	71 TILES	15.75	690	690
72 TILES	16.00	700	700	72 TILES	16.00	700	700	72 TILES	16.00	700	700	72 TILES	16.00	700	700
73 TILES	16.25	710	710	73 TILES	16.25	710	710	73 TILES	16.25	710	710	73 TILES	16.25	710	710
74 TILES	16.50	720	720	74 TILES	16.50	720	720	74 TILES	16.50	720	720	74 TILES	16.50	720	720
75 TILES	16.75	730	730	75 TILES	16.75	730	730	75 TILES	16.75	730	730	75 TILES	16.75	730	730
76 TILES	17.00	740	740	76 TILES	17.00	740	740	76 TILES	17.00	740	740	76 TILES	17.00	740	740
77 TILES	17.25	750	750	77 TILES	17.25	750	750	77 TILES	17.25	750	750	77 TILES	17.25	750	750
78 TILES	17.50	760	760	78 TILES	17.50	760	760	78 TILES	17.50	760	760	78 TILES	17.50	760	760
79 TILES	17.75	770	770	79 TILES	17.75	770	770	79 TILES	17.75	770	770	79 TILES	17.75	770	770
80 TILES	18.00	780	780	80 TILES	18.00	780	780	80 TILES	18.00	780	780	80 TILES	18.00	780	780
81 TILES	18.25	790	790	81 TILES	18.25	790	790	81 TILES	18.25	790	790	81 TILES	18.25	790	790
82 TILES	18.50	800	800	82 TILES	18.50	800	800	82 TILES	18.50	800	800	82 TILES	18.50	800	800
83 TILES	18.75	810	810	83 TILES	18.75	810	810	83 TILES	18.75	810	810	83 TILES	18.75	810	810
84 TILES	19.00	820	820	84 TILES	19.00	820	820	84 TILES	19.00	820	820	84 TILES	19.00	820	820
85 TILES	19.25	830	830	85 TILES	19.25	830	830	85 TILES	19.25	830	830	85 TILES	19.25	830	830
86 TILES	19.50	840	840	86 TILES	19.50	840	840	86 TILES	19.50	840	840	86 TILES	19.50	840	840
87 TILES	19.75	850	850	87 TILES	19.75	850	850	87 TILES	19.75	850	850	87 TILES	19.75	850	850
88 TILES	20.00	860	860	88 TILES	20.00	860	860	88 TILES	20.00	860	860	88 TILES	20.00	860	860
89 TILES	20.25	870	870	89 TILES	20.25	870	870	89 TILES	20.25	870	870	89 TILES	20.25	870	870
90 TILES	20.50	880	880	90 TILES	20.50	880	880	90 TILES	20.50	880	880	90 TILES	20.50	880	880
91 TILES	20.75	890	890	91 TILES	20.75	890	890	91 TILES	20.75	890	890	91 TILES	20.75	890	890
92 TILES	21.00	900	900	92 TILES	21.00	900	900	92 TILES	21.00	900	900	92 TILES	21.00	900	900
93 TILES	21.25	910	910	93 TILES	21.25	910	910	93 TILES	21.25	910	910	93 TILES	21.25	910	910
94 TILES	21.50	920	920	94 TILES	21.50	920	920	94 TILES	21.50	920	920	94 TILES	21.50	920	920
95 TILES	21.75	930	930	95 TILES	21.75	930	930	95 TILES	21.75	930	930	95 TILES	21.75	930	930
96 TILES	22.00	940	940	96 TILES	22.00	940	940	96 TILES	22.00	940	940	96 TILES	22.00	940	940
97 TILES	22.25	950	950	97 TILES	22.25	950	950	97 TILES	22.25	950	950	97 TILES	22.25	950	950
98 TILES	22.50	960	960	98 TILES	22.50	960	960	98 TILES	22.50	960	960	98 TILES	22.50	960	960
99 TILES	22.75	970	970	99 TILES	22.75	970	970	99 TILES	22.75	970	970	99 TILES	22.75	970	970
100 TILES	23.00	980	980	100 TILES	23.00	980	980	100 TILES	23.00	980	980	100 T			

THIS LETTER SMALL CENTURY THAT AGE
FOUNDATION PDS MANUFACTURED BY
POLYMER TECHNOLOGIES, INC MAY BE
USED IN THE LEO OF POLYMER
CONCRETE ROBOTICS AS A SUPPORT FOR
SINGLE & DOUBLE STACKED FOUNDATION
ELEMENTS PROVIDED THE FOLLOWING:

1. THE ASB PRDS MUST BE INSTALLED PER OTHER TECHNOLOGIES INSTALLATION REGULATIONS.
2. THE PER LINES APPLIED TO THE ASB PRDS MAY NOT EXCEED THE VALUES NOTED IN THE CHART BELOW.
3. THE ASB PRDS MAY BE USED TO SUPPORT A CONTINUOUS FOUNDATION WALL. THE PRDS MAY ONLY BE USED FOR FOUNDATION FOUNDATION PRDS.
4. ASB PRDS MAY BE COMBINED TO COVER A LARGER AREA BY WELDED THE NOT ALLOWABLE LONGER SPACES COHERED AS WELL.
5. THE REQUIREMENTS OF DESIGN AND INSTALLATION MUST COMPLY WITH THE REQUIREMENTS OF THE OTHER TECHNOLOGIES REGULATIONS OF THE SAME STANDARD PER SHALL BE USED.

[illegible]

Royals Mobile Home Sales & Service, Inc.

4068 West U.S. Highway 90
LAKE CITY, FLORIDA 32055
(386) 754-6737 • Fax: (386) 758-7764

CLEAR FORM

BUYER(S) Lisa A. or James A. Rowe				PHONE (386) 365-7174		DATE	
ADDRESS 162 NW Yates Loop Lake City, FL. 32055						SALESPERSON Bo Royals	
DELIVERY ADDRESS 162 NW Yates Loop Lake City, FL. 32055							
MAKE & MODEL Destiny D603824				YEAR 2021	BEDROOMS 3	FLOOR SIZE L 56 W 28	HITCH SIZE L 60 W 28
SERIAL NUMBER DISH10381GAAB				☒ NEW ☐ USED		COLOR	PROPOSED DELIVERY DATE
DATE OF BIRTH		DRIVER'S LICENSE		BASE PRICE OF UNIT		\$ 141,900.00	
BUYER 04/07/68		BUYER R000-521-68-627-0		OPTIONAL EQUIPMENT		0.00	
CO-BUYER 05/24/74		CO-BUYER R000-441-74-184-0		PROCESSING FEE		0.00	
LOCATION	R-VALUE	THICKNESS	TYPE OF INSULATION	SUB-TOTAL		\$ 141,900.00	
CEILING	30	8.40	Blown				
EXTERIOR	19	5.25	Batten	SALES TAX		8,514.00	
FLOORS	11	3.00	Blanket	COLUMBIA COUNTY SURTAX		50.00	
THIS INSULATION INFORMATION WAS FURNISHED BY THE MANUFACTURER AND IS DISCLOSED IN COMPLIANCE WITH THE FEDERAL TRADE COMMISSION RULE 16CRF, SECTION 460.16.				NON-TAXABLE ITEMS			
Delivery & Setup standard 3 blocks high. (1 pad and 2 solid blocks). Anything over standard is customer's responsibility.				VARIOUS FEES AND INSURANCE			
Unfurnished XXXXXXXXXXXX Furnished _____				CASH PURCHASE PRICE		\$ 150,464.00	
Water & Sewer is run under home.				TRADE-IN ALLOWANCE		\$	
Customer responsible for any gas, electrical, water & sewer hook-up.				LESS BAL. DUE on above		\$	
Wheels and axles deleted from sale price of home.				NET ALLOWANCE		\$ 0.00	
Customer responsible for permits.				CASH DOWN PAYMENT		\$ 8,000.00	
Homeowner's manual located in Manufactured Home.				CASH AS AGREED SEE REMARKS		\$	
OPTIONAL EQUIPMENT, LABOR AND ACCESSORIES				LESS TOTAL CREDITS		\$ 8,000.00	
Standard Skirting				SUB-TOTAL		\$ 142,464.00	
Two Sets Of Code Steps							
AC/Heat Pump 14 Seer				Unpaid Balance of Cash Sale Price		\$ 142,464.00	
Nothing Else Follows				REMARKS:			
				CUSTOMER IS RESPONSIBLE FOR ALLOWANCE OVERAGES.			
				Down Payment NonRefundable On Lot Model			
				x <i>Lisa A. Rowe</i> Sign <i>James A. Rowe</i> Sign			
				Liquidated Damages are agreed to be \$ _____ or 10% of the cash price, whichever is greater.			
BALANCE CARRIED TO OPTIONAL EQUIPMENT \$ 0.00				REFER TO PARAGRAPH #6 ON THE REVERSE SIDE OF THIS AGREEMENT.			
DESCRIPTION OF TRADE-IN N/A		MAKE		MODEL		YEAR	
COLOR	BEDROOMS	SIZE X	TITLE NO.	SERIAL NO.			
AMOUNT OWING \$		TO WHOM		ANY DEBT BUYER OWES ON TRADE-IN IS TO BE PAID BY ☐ DEALER ☐ BUYER			

Buyer is purchasing the above described manufactured home, the optional equipment and accessories, the insurance has been voluntary; the Buyer's trade-in is free from all claims whatsoever, except as noted.

THE REVERSE SIDE of this agreement contains **ADDITIONAL TERMS AND CONDITIONS**, including, but not limited to, provisions regarding **WARRANTY, EXCLUSIONS AND LIMITATION OF DAMAGES**.

Dealer and Buyer acknowledge and certify that such additional terms and conditions printed on the other side of this agreement are agreed to as part of this agreement, the same as if printed above the signatures.

The agreement contains the entire agreement between the Dealer and Buyer and no other representation or inducement, verbal or written, has been made which is not contained in this agreement. Buyer(s) acknowledge receipt of a copy of this agreement and that Buyer(s) have read and understand the back of this agreement.

Royals Mobile Home Sales & Service, Inc. DEALER

Not Valid Unless Signed and Accepted by an Officer of the Company or an Authorized Agent

By _____

SIGNED X *Lisa A. Rowe* BUYER

SOCIAL SECURITY NO. _____

SIGNED X *James A. Rowe* BUYER

SOCIAL SECURITY NO. _____



Columbia County Property Appraiser Jeff Hampton | Lake City, Florida | 386-758-1083

PARCEL: 21-3S-16-02215-018 (7503) | MOBILE HOME (0200) | 2.5 AC
SE1/4 OF SE1/4 OF SE1/4 OF NW1/4 EX RD R/W. (AKA LOT 7 OF AN UNR S/D). ORB 316-381,

FARR ARCHIE OTIS JR

2021 Working Values

Owner: FARR MARY E	Mkt Lnd	\$23,250	Appraised	\$32,276
162 NW YATES LOOP	Ag Lnd	\$0	Assessed	\$25,446
LAKE CITY, FL 32055	Bldg	\$7,526	Exempt	\$25,000
Site: 162 NW YATES Loop, LAKE CITY	XFOB	\$1,500	county:	\$446
Sales Info	Just	\$32,276	city:	\$0
			other:	\$0
			school:	\$446

NOTES:



Columbia County, FL


This information, was derived from data which was compiled by the Columbia County Property Appraiser Office solely for the governmental purpose of property assessment. This information should not be relied upon by anyone as a determination of the ownership of property or market value. No warranties, expressed or implied, are provided for the accuracy of the data herein, it's use, or it's interpretation. Although it is periodically updated, this information may not reflect the data currently on file in the Property Appraiser's office.

GrizzlyLogic.com



Because There is a Difference
 4068 US Highway 90 West
 Lake City FL 32055
 Phone 386-754-6737
 Fax 386-758-7764

Rowe AC Placement



MODEL D603-824 3BR ~ 2BA
 28'-0" X 60'-0" ~ 1,493 SQ. FT.
 ALSO AVAILABLE 32' WIDE

License Number: IH / 1025179 / 1 Name: WILLIAM EUGENE ROYALS			
Order #: 5074	Label #: 83964	Manufacturer: <i>Destiny</i>	(Check Size of Home)
Homeowner: <i>Jony or Lisa Rowe</i>		Year Model: <i>2021</i>	Single ☐
Address: <i>Yates Loop</i>		Length & Width: <i>28 x 56</i>	Double ☒
City/State/Zip: <i>Lake City, FL 32024</i>		Type Longitudinal System: <i>Oliver</i>	Triple ☐
Phone #: <i>365-7174</i>		Type Lateral Arm System: <i>Oliver</i>	HUD Label #:
Date Installed:		New Home: ☒ Used Home: ☐	Soil Bearing / PSF: <i>Assumed 1000</i>
Installed Wind Zone: <i>II</i>		Data Plate Wind Zone: <i>II</i>	Torque Probe / in-lbs:
Note:			Permit #:

STATE OF FLORIDA	
INSTALLATION CERTIFICATION LABEL	
83964	
LABEL #	DATE OF INSTALLATION
WILLIAM EUGENE ROYALS	
NAME	ORDER #
IH / 1025179 / 1	5074
LICENSE #	
CERTIFIES THAT THE INSTALLATION OF THIS MOBILE HOME IS IN ACCORDANCE WITH FLORIDA STATUTES 320.8249, 320.8325 AND RULES OF THE HIGHWAY SAFETY AND MOTOR VEHICLES.	

INSTRUCTIONS

PLEASE WRITE DATE OF INSTALLATION AND AFFIX LABEL NEXT TO HUD LABEL. USE PERMANENT INK PEN OR MARKER ONLY. COMPLETE INFORMATION ABOVE AND KEEP ON FILE FOR A MINIMUM OF 2 YEARS. YOU ARE REQUIRED TO PROVIDE COPIES WHEN REQUESTED.