

DATE 07/19/2007

Columbia County Building Permit

PERMIT

This Permit Expires One Year From the Date of Issue

000026037

APPLICANT CHAD WHITE PHONE 352.538.5544
ADDRESS 1400 NE SR 47 TRENTON FL 32693
OWNER JERRY & MARY HEFLIN PHONE 386.454.2234
ADDRESS 805 SW HEFLIN AVENUE FT. WHITE FL 32038
CONTRACTOR CHAD S. WHITE PHONE 352.538.5544
LOCATION OF PROPERTY 47-S TO US 27,TL TO MAPLETON,TR 1ST. DRIVE ON R.

TYPE DEVELOPMENT METAL AG. BLDG. ESTIMATED COST OF CONSTRUCTION 15000.00
HEATED FLOOR AREA TOTAL AREA HEIGHT STORIES
FOUNDATION WALLS ROOF PITCH FLOOR
LAND USE & ZONING A-3 MAX. HEIGHT 35
Minimum Set Back Requirments: STREET-FRONT 30.00 REAR 25.00 SIDE 25.00
NO. EX.D.U. 1 FLOOD ZONE X DEVELOPMENT PERMIT NO.

PARCEL ID 29-7S-17-10057-001 SUBDIVISION
LOT BLOCK PHASE UNIT TOTAL ACRES 15.40

CBC1251531
Culvert Permit No. Culvert Waiver Contractor's License Number Applicant/Owner/Contractor
EXISTING 07-0555 BLK JTH N
Driveway Connection Septic Tank Number LU & Zoning checked by Approved for Issuance New Resident

COMMENTS: NOC ON FILE. AG. ACCESSORY USE.

Check # or Cash 3655

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Power date/app. by Foundation date/app. by Monolithic date/app. by
Under slab rough-in plumbing date/app. by Slab date/app. by Sheathing/Nailing date/app. by
Framing date/app. by Rough-in plumbing above slab and below wood floor date/app. by
Electrical rough-in date/app. by Heat & Air Duct date/app. by Peri. beam (Lintel) date/app. by
Permanent power date/app. by C.O. Final date/app. by Culvert date/app. by
M/H tie downs, blocking, electricity and plumbing date/app. by Pool date/app. by
Reconnection date/app. by Pump pole date/app. by Utility Pole date/app. by
M/H Pole date/app. by Travel Trailer date/app. by Re-roof date/app. by

BUILDING PERMIT FEE \$ 75.00 CERTIFICATION FEE \$ 0.00 SURCHARGE FEE \$ 0.00
MISC. FEES \$ 0.00 ZONING CERT. FEE \$ 50.00 FIRE FEE \$ 0.00 WASTE FEE \$
FLOOD DEVELOPMENT FEE \$ FLOOD ZONE FEE \$ 25.00 CULVERT FEE \$ TOTAL FEE 150.00
INSPECTORS OFFICE CLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

Columbia County Building Permit Application

CK# 3655

For Office Use Only Application # 0707-31 Date Received _____ By _____ Permit # 26037
 Application Approved by - Zoning Official B2K Date 18.07.07 Plans Examiner OKJTH Date 7-16-07
 Flood Zone X Development Permit N/A Zoning A-3 Land Use Plan Map Category A-3

Comments Ag Accessory Use
☒ NOC ☒ EH ☐ Deed or PA ☐ Site Plan ☐ State Road Info ☐ Parent Parcel # ☐ Development Permit

Name Authorized Person Signing Permit Kellie White Chad White Fax 352-472-9202
 Address 1400 NE SK 47 Trenton FL 32693 Phone 352-538-5544

Owners Name Jerry & Mary Jo Hefflin Phone 386-454-2234
 911 Address 805 SW Hefflin Ave Ft White 32038

Contractors Name CK Contracting (Chad White) Phone 352-538-5544
 Address 1400 NE SK 47 Trenton FL 32693

Fee Simple Owner Name & Address N/A
 Bonding Co. Name & Address N/A

Architect/Engineer Name & Address Gregory Bartfield, 2149 Nell Puteis Rd, Adel, GA
 Mortgage Lenders Name & Address _____

Circle the correct power company - FL Power & Light - Clay Elec. - Suwannee Valley Elec. - Progressive Energy
 Property ID Number 29-75-17-10057-001 HK Estimated Cost of Construction \$15,000

Subdivision Name _____ Lot _____ Block _____ Unit _____ Phase _____
 Driving Directions SK 27 South to SW Mapletown (R) 1st drive on (R)

Type of Construction Metal Building Ag Bld Number of Existing Dwellings on Property 1
 Total Acreage 15.4 Lot Size _____ Do you need a Culvert Permit or Culvert Waiver or Have an Existing Driv

Actual Distance of Structure from Property Lines - Front 265 Side 510 Side 130 Rear _____
 Total Building Height _____ Number of Stories 1 Heated Floor Area NA Roof Pitch _____

Application is hereby made to obtain a permit to do work and installations as indicated. I certify that no work or installation has commenced prior to the issuance of a permit and that all work be performed to meet the standards of all laws regulating construction in this jurisdiction.

OWNERS AFFIDAVIT: I hereby certify that all the foregoing information is accurate and all work will be done in compliance with all applicable laws and regulating construction and zoning.

WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOU PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.


Jerry Paul Hefflin
 Owner Builder or Authorized Person by Notarized Letter

STATE OF FLORIDA
 COUNTY OF COLUMBIA

Sworn to (or affirmed) and subscribed before me
 this 11 day of July 2007.
 Personally known ☒ or Produced Identification _____

Chad White
 Contractor Signature
 Contractors License Number _____
 Competency Card Number CB61251531
 NOTARY STAMP/SEAL

Bonnie P. Presnell
 Notary Public, State of Florida
 My commission expires 1, 2008
 Notary Signature Comm. No. DD 277528
 (Revised Sept. 2006)




APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT

Permit Application Number 02-0555

PART II - SITE PLAN-

Scale: Each block represents $\frac{10}{5}$ feet and $\frac{100}{1}$ inch = 50 feet.



Notes:

Sw Maple ton

(2 Acres to 15.4 Acres.)

Site Plan submitted by:

Plan Approved

By.

Signature

~~Not~~ Approved

APPROVED

Columbia CHD

Date 7/17/7

County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

Columbia County Property Appraiser

DB Last Updated: 5/11/2007

2007 Proposed Values

Parcel: 29-7S-17-10057-001 HX

Tax Record

Property Card

Interactive GIS Map


Print

Owner & Property Info

Search Result: 1 of 1

Owner's Name	HEFLIN JERRY P & MARY JO		
Site Address	SW HEFLIN		
Mailing Address	805 SW HEFLIN AVE FT WHITE, FL 32038		
Use Desc. (code)	IMPROVED A (005000)		
Neighborhood	29717.00	Tax District	3
UD Codes	MKTA02	Market Area	02
Total Land Area	15.400 ACRES		
Description	BEG INTERS OF S LINE OF SEC & W R/W OF RR, RUN NW ALONG R/W 1993.39 FT, SW 585.62 FT TO E R/W RIVERSIDE ST, S'LY ALONG R/W TO S LINE OF SEC, E ALONG SEC LINE TO POB, EX 4.64 AC IN SE COR. ORB 374-235, 381-229, 628-125,		

GIS Aerial



Property & Assessment Values

Mkt Land Value	cnt: (1)	\$27,000.00
Ag Land Value	cnt: (1)	\$2,592.00
Building Value	cnt: (1)	\$74,962.00
XFOB Value	cnt: (3)	\$3,280.00
Total Appraised Value		\$107,834.00

Just Value	\$321,242.00
Class Value	\$107,834.00
Assessed Value	\$67,061.00
Exempt Value	(code: HX) \$25,000.00
Total Taxable Value	\$42,061.00

Sales History

Sale Date	Book/Page	Inst. Type	Sale Vlmp	Sale Qual	Sale RCode	Sale Price
7/13/1987	628/125	WD	I	U		\$17,600.00

Building Characteristics

Bldg Item	Bldg Desc	Year Blt	Ext. Walls	Heated S.F.	Actual S.F.	Bldg Value
1	SINGLE FAM (000100)	1977	Vinyl Side (31)	1724	2928	\$74,962.00
Note: All S.F. calculations are based on exterior building dimensions.						

Extra Features & Out Buildings

Code	Desc	Year Blt	Value	Units	Dims	Condition (% Good)
0190	FPLC PF	0	\$1,600.00	1.000	0 x 0 x 0	(.00)
0070	CARPORT UF	1993	\$1,080.00	360.000	18 x 20 x 0	(.00)
0296	SHED METAL	1993	\$600.00	120.000	10 x 12 x 0	(.00)

Land Breakdown

Lnd Code	Desc	Units	Adjustments	Eff Rate	Lnd Value
000100	SFR (MKT)	1.000 AC	1.00/1.00/1.00/1.00	\$27,000.00	\$27,000.00
006200	PASTURE 3 (AG)	14.400 AC	1.00/1.00/1.00/1.00	\$180.00	\$2,592.00
009910	MKT.VAL.AG (MKT)	14.400 AC	1.00/1.00/1.00/1.00	\$0.00	\$216,000.00

NOTICE OF COMMENCEMENT FORM
COLUMBIA COUNTY, FLORIDA

THIS DOCUMENT MUST BE RECORDED AT THE COUNTY
CLERKS OFFICE BEFORE YOUR FIRST INSPECTION

THE UNDERSIGNED hereby gives notice that improvement will be made to certain real property, and in accordance with Chapter 713, Florida Statutes, the following information is provided in this Notice of Commencement.

IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.

Tax Parcel ID Number 29-75-17-10057-001 HX Permit Number _____

1. Description of property: (legal description of the property and street address or 911 address)

805 SW Heflin Ave Ft White FL 32038

2. General description of Improvement: Storage / Farm out building

3. Owner Name & Address Jerry & Mary Jo Heflin

805 SW Heflin Ave Ft White 32038 Interest in Property owner

4. Name & Address of Fee Simple Owner (if other than owner): _____

5. Contractor Name Chad White (CK Contracting) Phone Number 352-538-5544

Address 1400 NE SK 47 Trenton FL 32693

6. Surety Holders Name _____ Phone Number _____

Address _____

Amount of Bond _____

7. Lender Name _____

Address _____

Inst:200712015389 Date:7/11/2007 Time:12:15 PM

4 DC,P.DeWitt Cason ,Columbia County Page 1 of 1

8. Persons within the State of Florida designated by the Owner upon whom notices or other documents may be served as provided by section 718.13 (1)(a) 7; Florida Statutes:

Name _____ Phone Number _____

Address _____

9. In addition to himself/herself the owner designates _____ of

_____ to receive a copy of the Lien Notice as provided in Section 713.13 (1) -

(a) 7. Phone Number of the designee _____

10. Expiration date of the Notice of Commencement (the expiration date is 1 (one) year from the date of recording, (Unless a different date is specified) _____

THE OWNER MUST SIGN THE NOTICE OF COMMENCEMENT AND NO ONE ELSE MAY BE PERMITTED TO SIGN IN HIS/HER STEAD.

Jerry Paul Heflin
Signature of Owner

Sworn to (or affirmed) and subscribed before day of July 11, 2007.

Bonnie P. Presnell
Signature of Notary

NOTARY STAMP/SEAL

BONNIE P. PRESNELL
Notary Public, State of Florida
My comm. exp. Mar. 1, 2008
Comm. No. DD 277528



CLIENT CK Contracting DATE 24 July 07

PROJECT NAME HEFLIN RES. PROJECT NO. _____

EARTH CONTRACTOR 805 SW HEFLIN AVE. PERMIT NO. #000026037

TESTED BY JUL

COMPACTION REQUIREMENT (%) 95% ☐ Standard Proctor

TOTAL ON-SITE TIME 26037 ☒ Modified Proctor

FIELD CONTACT _____

MILES FROM OFFICE _____

☐ Limerock ☐ Subgrade ☐ Pipe Backfill ☐ Building Pad ☒ Building Footing ☐ Other _____

[illegible]REMARKS _____

- * Density failed to meet minimum project requirement
- ** Retest indicates minimum density requirement was obtained.
- () Client is aware of unsatisfactory test results.

Notice of Treatment - NO-

Applicator: **Florida Pest Control & Chemical Co. (www.flapest.com)**

Address: 116 NW 16 AVE

City GVILLE Phone 376-2661

Site Location: Subdivision _____

Lot # _____ Block# _____ Permit # 26037

Address 805 SW HEFLIN AVE

Product used	Active Ingredient	% Concentration
--------------	-------------------	-----------------

<input checked="" type="checkbox"/> Premise	Imidacloprid	0.1%
---	--------------	------

<input type="checkbox"/> Termidor	Fipronil	0.12%
-----------------------------------	----------	-------

<input type="checkbox"/> Bora-Care	Disodium Octaborate Tetrahydrate	23.0%
------------------------------------	----------------------------------	-------

Type treatment:

☒ Soil

☐ Wood

Area Treated	Square feet	Linear feet	Gallons Applied
<u>MTL BLDG</u>	<u>1152</u>	<u>144</u>	<u>58</u>
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

As per Florida Building Code 104.2.6 – If soil chemical barrier method for termite prevention is used, final exterior treatment shall be completed prior to final building approval.

If this notice is for the final exterior treatment, initial this line _____.

<u>7/24/07</u>	<u>1220</u>	<u>BILL E.</u>
Date	Time	Print Technician's Name

Remarks: _____

Applicator - White

Permit File - Canary

Permit Holder - Pink

10/05



S 41°04' 01"W 585.82' (D) S (PD) S 41°03' 25"W 585.06' (F)

(10.37 Acres +-)

(PARENT PARCEL)
28-78-17-10057-001 MX)
(TAX PARCEL
(19.40 ACRES +/-)

(D. OS ACRES +
(VACANT)

THE NORTHWESTERLY A/W LINE OF EXISTING COUNTY ROAD
(S.W. WHEATON STREET)
N 38°07'47"E (D), (PD) S (F) 537.40' (D) S (PD) 537.48' (F)

Flood Hazard boundary map Parcel # 00114

Common # 120070

Eff date 1-20-78 Zone X

30' From
25' side +

Parcel
#17 - 17
(Patient Parcel)

29-75-17-10057-001 HX

30' From
25' side + road

1001-758-1777



STATE OF FLORIDA

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

CONSTRUCTION INDUSTRY LICENSING BOARD
1940 NORTH MONROE STREET
TALLAHASSEE FL 32399-0783

(850) 487-1395

WHITE, CHAD STEPHEN
CK CONTRACTING INC
1400 NE STATE ROAD 47
TRENTON FL 32693

STATE OF FLORIDA AC# 2666452
DEPARTMENT OF BUSINESS AND
PROFESSIONAL REGULATION
CBC1251531 07/20/06 068010322
CERTIFIED BUILDING CONTRACTOR
WHITE, CHAD STEPHEN
CK CONTRACTING INC
IS CERTIFIED under the provisions of Ch. 489 FS.
Expiration date: AUG 31, 2008 L06072001905

DETACH HERE

AC# 2666452

STATE OF FLORIDA
DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION
CONSTRUCTION INDUSTRY LICENSING BOARD

SEQ# L06072001905

DATE	BATCH NUMBER	LICENSE NBR
07/20/2006	068010322	CBC1251531

The BUILDING CONTRACTOR
Named below IS CERTIFIED
Under the provisions of Chapter 489 FS.
Expiration date: AUG 31, 2008

WHITE, CHAD STEPHEN
CK CONTRACTING INC
1400 NE STATE ROAD 47
TRENTON FL 32693

JEB BUSH
GOVERNOR

SIMONE MARSTILLER
SECRETARY

DISPLAY AS REQUIRED BY LAW



STATE OF FLORIDA

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

ELECTRICAL CONTRACTORS LICENSING BOARD
1940 NORTH MONROE STREET
TALLAHASSEE FL 32399-0783

(850) 487-1395

WHITE, CHAD STEPHEN
CK CONTRACTING INC
1400 NE STATE ROAD 47
TRENTON FL 32693



STATE OF FLORIDA AC# 2667868
DEPARTMENT OF BUSINESS AND
PROFESSIONAL REGULATION

EC13002222 07/20/06 068010322

CERTIFIED ELECTRICAL CONTRACTOR
WHITE, CHAD STEPHEN
CK CONTRACTING INC

IS CERTIFIED under the provisions of Ch.489 FS.
Expiration date: AUG 31, 2008 L06072003320

DETACH HERE

AC# 2667868

STATE OF FLORIDA

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION
ELECTRICAL CONTRACTORS LICENSING BOARD

SEQ# L06072003320

DATE	BATCH NUMBER	LICENSE NBR
07/20/2006	068010322	EC13002222

The ELECTRICAL CONTRACTOR
Named below IS CERTIFIED
Under the provisions of Chapter 489 FS.
Expiration date: AUG 31, 2008

WHITE, CHAD STEPHEN
CK CONTRACTING INC
1400 NE STATE ROAD 47
TRENTON FL 32693

JEB BUSH
GOVERNOR

DISPLAY AS REQUIRED BY LAW

SIMONE MARSTILLER
SECRETARY



04-14-2006

TOM GALLAGHER
CHIEF FINANCIAL OFFICER

STATE OF FLORIDA
DEPARTMENT OF FINANCIAL SERVICES
DIVISION OF WORKERS' COMPENSATION

**** CERTIFICATE OF EXEMPTION FROM FLORIDA WORKERS' COMPENSATION LAW ****

CONSTRUCTION INDUSTRY EXEMPTION

This certifies that the individual listed below has elected to be exempt from Florida Workers' Compensation Law.

EFFECTIVE DATE: 06/09/2006

** EXPIRATION DATE: 06/08/2008

PERSON: WHITE

CHAD

FEIN: 200314692

BUSINESS NAME: CK CONTRACTING INC

AND ADDRESS: 1400 NE STATE ROAD 47
TRENTON FL 32693

SCOPE OF BUSINESS OR TRADE: 1- CERTIFIED BUILDING CONTRACTOR 2- ELECTRICAL CONTRACTOR

IMPORTANT: Pursuant to Chapter 440 . 05(14), F.S., an officer of a corporation who elects exemption from this chapter by filing a certificate of election under this section may not recover benefits or compensation under this chapter.

DWC-252 CERTIFICATE OF ELECTION TO BE EXEMPT REVISED 01-04

QUESTIONS? (850) 413-1603

PLEASE CUT OUT THE CARD BELOW AND RETAIN FOR FUTURE REFERENCE

STATE OF FLORIDA
DEPARTMENT OF FINANCIAL SERVICES
DIVISION OF WORKERS' COMPENSATION
CONSTRUCTION INDUSTRY
CERTIFICATE OF EXEMPTION FROM FLORIDA
WORKERS' COMPENSATION LAW

EFFECTIVE: 06/09/2006

** EXPIRATION DATE: 06/08/2008

PERSON: CHAD WHITE

FEIN: 200314692

BUSINESS NAME: CK CONTRACTING INC
AND ADDRESS: 1400 NE STATE ROAD 47
TRENTON, FL 32693

SCOPE OF BUSINESS OR TRADE:

1- CERTIFIED BUILDING CONTRACTOR 2- ELECTRICAL CONTRACTOR

F
O
L
D

H
E
R
E

IMPORTANT

Pursuant to Chapter 440.05(14), F.S., an officer of a corporation who elects exemption from this chapter by filing a certificate of election under this section may not recover benefits or compensation under this chapter.

QUESTIONS? (850) 413-1603

CUT HERE

* Carry bottom portion on the job, keep upper portion for your records.

DWC-252 CERTIFICATE OF ELECTION TO BE EXEMPT REVISED 01-04

ACORD CERTIFICATE OF LIABILITY INSURANCEDATE (MM/DD/YYYY)
07/06/2007

ISSUER (352)377-2002 FAX (352)376-8393
 icarborough Company Insurance, Inc.
 2811 NW 41st Street
 P. O. Box 147050
 Gainesville, FL 32614-7050
 INSURED CK Contracting, Inc.
 1400 NE SR 47
 Trenton, FL 32693

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.

INSURERS AFFORDING COVERAGE

NAIC #

INSURER A: Mid-Continent Casualty

INSURER B:

INSURER C:

INSURER D:

INSURER E:

COVERAGES

THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. AGGREGATE LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

SR	ADDITIONAL TO INSURED	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YYYY)	POLICY EXPIRATION DATE (MM/DD/YYYY)	LIMITS
A		GENERAL LIABILITY <input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC	04GL000677808	06/16/2007	06/16/2008	EACH OCCURRENCE \$ 300,000 DAMAGE TO RENTED PREMISES (Commercial) \$ 100,000 MED EXP (Any one person) \$ excluded PERSONAL & ADV INJURY \$ 300,000 GENERAL AGGREGATE \$ 600,000 PRODUCTS - COMPROP AGG \$ 600,000
		AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS <input type="checkbox"/> NON-OWNED AUTOS				COMBINED SINGLE LIMIT (Ea accident) \$ BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$
		GARAGE LIABILITY <input type="checkbox"/> ANY AUTO				AUTO ONLY - EA ACCIDENT \$ OTHER THAN AUTO ONLY: EA ACC \$ AGG \$
		EXCESS/UMBRELLA LIABILITY <input type="checkbox"/> OCCUR <input type="checkbox"/> CLAIMS MADE DEDUCTIBLE \$ RETENTION \$				EACH OCCURRENCE \$ AGGREGATE \$ \$ \$ \$
		WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? If yes, describe under SPECIAL PROVISIONS below				WC STATU-TORY LIMITS <input type="checkbox"/> OTHER <input type="checkbox"/> E.L. EACH ACCIDENT \$ E.L. DISEASE - EA EMPLOYEE \$ E.L. DISEASE - POLICY LIMIT \$
		OTHER				

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES / EXCLUSIONS ADDED BY ENDORSEMENT / SPECIAL PROVISIONS

CERTIFICATE HOLDER**CANCELLATION**

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING INSURER WILL ENDEAVOR TO MAIL 10 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO MAIL SUCH NOTICE SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE INSURER, ITS AGENTS OR REPRESENTATIVES.

AUTHORIZED REPRESENTATIVE
 Carol Ann Haythorne

Carol Ann Haythorne

Insured's Copy

ACORD 25 (2001/08)

©ACORD CORPORATION 1988

ACORD CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

07/16/2007

PRODUCER (352)377-2002 **FAX** (352)376-8393
Scarborough Company Insurance, Inc.
 2811 NW 41st Street
 P. O. Box 147050
 Gainesville, FL 32614-7050

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.

INSURED **CK Contracting, Inc.**
 1400 NE SR 47
 Trenton, FL 32693

INSURERS AFFORDING COVERAGE**NAIC #****INSURER A: Mid-Continent Casualty****INSURER B:****INSURER C:****INSURER D:****INSURER E:****COVERAGES**

THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. AGGREGATE LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	ADD'L INSR	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YYYY)	POLICY EXPIRATION DATE (MM/DD/YYYY)	LIMITS
A		GENERAL LIABILITY <input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC	04GL000677808	06/16/2007	06/16/2008	EACH OCCURRENCE \$ 300,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 100,000 MED EXP (Any one person) \$ excluded PERSONAL & ADV INJURY \$ 300,000 GENERAL AGGREGATE \$ 600,000 PRODUCTS - COMP/OP AGG \$ 600,000
		AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS <input type="checkbox"/> NON-OWNED AUTOS				COMBINED SINGLE LIMIT (Ea accident) \$ BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$
		GARAGE LIABILITY <input type="checkbox"/> ANY AUTO				AUTO ONLY - EA ACCIDENT \$ OTHER THAN AUTO ONLY: EA ACC \$ AGG \$
		EXCESS/UMBRELLA LIABILITY <input type="checkbox"/> OCCUR <input type="checkbox"/> CLAIMS MADE DEDUCTIBLE RETENTION \$				EACH OCCURRENCE \$ AGGREGATE \$ \$ \$ \$
		WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? If yes, describe under SPECIAL PROVISIONS below OTHER				WC STATUTORY LIMITS OTH-ER E.L. EACH ACCIDENT \$ E.L. DISEASE - EA EMPLOYEE \$ E.L. DISEASE - POLICY LIMIT \$

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES / EXCLUSIONS ADDED BY ENDORSEMENT / SPECIAL PROVISIONS

CERTIFICATE HOLDER

Columbia County Building Department
 PO Drawer 1529
 Lake City, FL 32056-1529

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING INSURER WILL ENDEAVOR TO MAIL **10** DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO MAIL SUCH NOTICE SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE INSURER, ITS AGENTS OR REPRESENTATIVES.

AUTHORIZED REPRESENTATIVE

Carol Ann Haythorne

COLUMBIA COUNTY BUILDING DEPARTMENT

Revised 10-01-05

RESIDENTIAL MINIMUM PLAN REQUIREMENTS AND CHECKLIST FOR FLORIDA BUILDING CODE 2004 and FLORIDA RESIDENTIAL CODE 2004 WITH AMENDMENTS ONE (1) AND TWO (2) FAMILY DWELLINGS

ALL REQUIREMENTS ARE SUBJECT TO CHANGE
EFFECTIVE OCTOBER 1, 2005

ALL BUILDING PLANS MUST INDICATE THE FOLLOWING ITEMS AND INDICATE COMPLIANCE WITH CHAPTER 16 OF THE FLORIDA BUILDING CODE 2004 BY PROVIDING CALCULATIONS AND DETAILS THAT HAVE THE SEAL AND SIGNATURE OF A CERTIFIED ARCHITECT OR ENGINEER REGISTERED IN THE STATE OF FLORIDA, OR ALTERNATE METHODOLOGIES, APPROVED BY THE STATE OF FLORIDA BUILDING COMMISSION FOR ONE-AND-TWO FAMILY DWELLINGS. FOR DESIGN PURPOSES THE FOLLOWING BASIC WIND SPEED AS PER FIGURE 1609 SHALL BE USED.

WIND SPEED LINE SHALL BE DEFINED AS FOLLOWS: THE CENTERLINE OF INTERSTATE 75.

1. ALL BUILDINGS CONSTRUCTED EAST OF SAID LINE SHALL BE _____ 100 MPH
2. ALL BUILDINGS CONSTRUCTED WEST OF SAID LINE SHALL BE _____ 110 MPH
3. NO AREA IN COLUMBIA COUNTY IS IN A WIND BORNE DEBRIS REGION

APPLICANT - PLEASE CHECK ALL APPLICABLE BOXES BEFORE SUBMITTAL

GENERAL REQUIREMENTS: Two (2) complete sets of plans containing the following:

Applicant Plans Examiner

☐

☐

All drawings must be clear, concise and drawn to scale ("Optional " details that are not used shall be marked void or crossed off). Square footage of different areas shall be shown on plans.

☒

☐

Designers name and signature on document (FBC 106.1). If licensed architect or engineer, official seal shall be affixed.

☒

☐

Site Plan including:

- a) Dimensions of lot
- b) Dimensions of building set backs
- c) Location of all other buildings on lot, well and septic tank if applicable, and all utility easements.
- d) Provide a full legal description of property.

☒

☐

Wind-load Engineering Summary, calculations and any details required
Plans or specifications must state compliance with FBC Section 1609.

The following information must be shown as per section 1603.1.4 FBC

- a. Basic wind speed (3-second gust), miles per hour (km/hr).
- b. Wind importance factor, I_w , and building classification from Table 1604.5 or Table 6-1, ASCE 7 and building classification in Table 1-1, ASCE 7.
- c. Wind exposure, if more than one wind exposure is utilized, the wind exposure and applicable wind direction shall be indicated.
- d. The applicable enclosure classifications and, if designed with ASCE 7, internal pressure coefficient.
- e. Components and Cladding. The design wind pressures in terms of psf (kN/m^2) to be used for the design of exterior component and cladding materials not specifi ally designed by the registered design professional.

☒

☐

Elevations including:

☒

☐

a) All sides

☒

☐

b) Roof pitch

☒

☐

c) Overhang dimensions and detail with attic ventilation

<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>

- d) Location, size and height above roof of chimneys.
- e) Location and size of skylights
- f) Building height
- e) Number of stories

Floor Plan including:

- a) Rooms labeled and dimensioned.
- b) Shear walls identified.
- c) Show product approval specification as required by Fla. Statute 553.842 and Fla. Administrative Code 9B-72 (see attach forms).
- d) Show safety glazing of glass, where required by code.
- e) Identify egress windows in bedrooms, and size.
- f) Fireplace (gas vented), (gas non-vented) or wood burning with hearth, (Please circle applicable type).
- g) Stairs with dimensions (width, tread and riser) and details of guardrails and handrails.
- h) Must show and identify accessibility requirements (accessible bathroom)

Foundation Plan including:

- a) Location of all load-bearing wall with required footings indicated as standard or monolithic and dimensions and reinforcing.
- b) All posts and/or column footing including size and reinforcing
- c) Any special support required by soil analysis such as piling
- d) Location of any vertical steel.

Roof System:

- a) Truss package including:
 - 1. Truss layout and truss details signed and sealed by Fl. Pro. Eng.
 - 2. Roof assembly (FBC 106.1.1.2)Roofing system, materials, manufacturer, fastening requirements and product evaluation with wind resistance rating)
- b) Conventional Framing Layout including:
 - 1. Rafter size, species and spacing
 - 2. Attachment to wall and uplift
 - 3. Ridge beam sized and valley framing and support details
 - 4. Roof assembly (FBC 106.1.1.2)Roofing systems, materials, manufacturer, fastening requirements and product evaluation with wind resistance rating)

Wall Sections including:

- a) Masonry wall
 - 1. All materials making up wall
 - 2. Block size and mortar type with size and spacing of reinforcement
 - 3. Lintel, tie-beam sizes and reinforcement
 - 4. Gable ends with rake beams showing reinforcement or gable truss and wall bracing details
 - 5. All required connectors with uplift rating and required number and size of fasteners for continuous tie from roof to foundation shall be designed by a Windload engineer using the engineered roof truss plans.
 - 6. Roof assembly shown here or on roof system detail (FBC 106.1.1.2) Roofing system, materials, manufacturer, fastening requirements and product evaluation with resistance rating)
 - 7. Fire resistant construction (if required)
 - 8. Fireproofing requirements
 - 9. Shoe type of termite treatment (termiticide or alternative method)
 - 10. Slab on grade
 - a. Vapor retarder (6mil. Polyethylene with joints lapped 6 inches and sealed)
 - b. Must show control joints, synthetic fiber reinforcement or Welded fire fabric reinforcement and supports
 - 11. Indicate where pressure treated wood will be placed
 - 12. Provide insulation R value for the following:

- a. Attic space
- b. Exterior wall cavity
- c. Crawl space (if applicable)

☐ ☐

b) Wood frame wall

1. All materials making up wall
2. Size and species of studs
3. Sheathing size, type and nailing schedule
4. Headers sized
5. Gable end showing balloon framing detail or gable truss and wall hinge bracing detail
6. All required fasteners for continuous tie from roof to foundation (truss anchors, straps, anchor bolts and washers) shall be designed by a Windload engineer using the engineered roof truss plans.
7. Roof assembly shown here or on roof system detail (FBC 106.1.1.2) Roofing system, materials, manufacturer, fastening requirements and product evaluation with wind resistance rating)
8. Fire resistant construction (if applicable)
9. Fireproofing requirements
10. Show type of termite treatment (termiteicide or alternative method)
11. Slab on grade
 - a. Vapor retarder (6Mil. Polyethylene with joints lapped 6 inches and sealed
 - b. Must show control joints, synthetic fiber reinforcement or welded wire fabric reinforcement and supports
12. Indicate where pressure treated wood will be placed
13. Provide insulation R value for the following:
 - a. Attic space
 - b. Exterior wall cavity
 - c. Crawl space (if applicable)

☒ ☐

c) Metal frame wall and roof (designed, signed and sealed by Florida Prof. Engineer or Architect)

Floor Framing System:

- a) Floor truss package including layout and details, signed and sealed by Florida Registered Professional Engineer
- b) Floor joist size and spacing
- c) Girder size and spacing
- d) Attachment of joist to girder
- e) Wind load requirements where applicable

Plumbing Fixture layout

Electrical layout including:

- a) Switches, outlets/receptacles, lighting and all required GFCI outlets identified
- b) Ceiling fans
- c) Smoke detectors
- d) Service panel and sub-panel size and location(s)
- e) Meter location with type of service entrance (overhead or underground)
- f) Appliances and HVAC equipment
- g) Arc Fault Circuits (AFCI) in bedrooms
- h) Exhaust fans in bathroom

HVAC information

- a) Energy Calculations (dimensions shall match plans)
- b) Manual J sizing equipment or equivalent computation
- c) Gas System Type (LP or Natural) Location and BTU demand of equipment

Disclosure Statement for Owner Builders

***Notice Of Commencement Required Before Any Inspections Will Be Done
Private Potable Water

☐ ☐
☐ ☐
☐ ☐
☐ ☐
☐ ☐
☐ ☐
☐ ☐
☐ ☐
☐ ☐
☐ ☐
☐ ☐
☐ ☐

- a) Size of pump motor
- b) Size of pressure tank
- c) Cycle stop valve if used

THE FOLLOWING ITEMS MUST BE SUBMITTED WITH BUILDING PLANS

1. **Building Permit Application:** A current Building Permit Application form is to be completed and submitted for all residential projects.
2. **Parcel Number:** The parcel number (Tax ID number) from the Property Appraiser (386) 758-1084 is required. A copy of property deed is also requested.
3. **Environmental Health Permit or Sewer Tap Approval:** A copy of the Environmental Health permit, existing septic approval or sewer tap approval is required before a building permit can be issued. (386) 758-1058 (Toilet facilities shall be provided for construction workers)
4. **City Approval:** If the project is to be located within the city limits of the Town of Fort White, prior approval is required. The Town of Fort White approval letter is required to be submitted by the owner or contractor to this office when applying for a Building Permit. (386) 497-2321
5. **Flood Information:** All projects within the Floodway of the Suwannee or Santa Fe Rivers shall require permitting through the Suwannee River Water Management District, before submitting application to this office. Any project located within a flood zone where the base flood elevation (100 year flood) has been established shall meet the requirements of Section 8.8 of the Columbia County Land Development Regulations. Any project located within a flood zone where the base flood elevation has not been established (Zone A) shall meet the requirements of Section 8.7 of the Columbia County Land Development Regulations. **CERTIFIED FINISHED FLOOR ELEVATIONS WILL BE REQUIRED ON ANY PROJECT WHERE THE BASE FLOOD ELEVATION (100 YEAR FLOOD) HAS BEEN ESTABLISHED.**
A development permit will also be required. Development permit cost is \$50.00
6. **Driveway Connection:** If the property does not have an existing access to a public road, then an application for a culvert permit (\$25.00) must be made. If the applicant feels that a culvert is not needed, they may apply for a culvert waiver (\$50.00). All culvert waivers are sent to the Columbia County Public Works Department for approval or denial. **If the project is to be located on a F.D.O.T. maintained road, than an F.D.O.T. access permit is required.**
7. **911 Address:** If the project is located in an area where the 911 address has been issued, then the proper paperwork from the 911 Addressing Department must be submitted. (386) 752-8787

ALL REQUIRED INFORMATION IS TO BE SUBMITTED FOR REVIEW. YOU WILL BE NOTIFIED WHEN YOUR APPLICATION AND PLANS ARE APPROVED AND READY TO PERMIT. PLEASE DO NOT EXPECT OR REQUEST THAT PERMIT APPLICATIONS BE REVIEWED OR APPROVED WHILE YOU ARE HERE – TIME WILL NOT ALLOW THIS –PLEASE DO NOT ASK

PRODUCT APPROVAL SPECIFICATION SHEET

As required by Florida Statute 553.842 and Florida Administrative Code 9B-72, please provide the information and approval numbers on the building components listed below if they will be utilized on the construction project for which you are applying for a building permit. We recommend you contact your local product supplier should you not know the product approval number for any of the applicable listed products. Statewide approved products are listed online @ www.floridabuilding.org

Category/Subcategory	Manufacturer	Product Description	Approval Number(s)
1. EXTERIOR DOORS			
A. SWINGING	Therma-Tru	Wind Lock Lever Lock	01-0912
B. SLIDING			
C. SECTIONAL/ROLL UP	JANUS		0247
D. OTHER			
2. WINDOWS			
A. SINGLE/DOUBLE HUNG	Capital	Double hung	675
B. HORIZONTAL SLIDER			
C. CASEMENT			
D. FIXED			
E. MULLION			
F. SKYLIGHTS			
G. OTHER			
3. PANEL WALL			
A. SIDING			
B. SOFFITS			
C. STOREFRONTS			
D. GLASS BLOCK			
E. OTHER			
4. ROOFING PRODUCTS			
A. ASPHALT SHINGLES			
B. NON-STRUCT METAL			
C. ROOFING TILES			
D. SINGLE PLY ROOF			
E. OTHER			
5. STRUCT COMPONENTS			
A. WOOD CONNECTORS			
B. WOOD ANCHORS			
C. TRUSS PLATES			
D. INSULATION FORMS			
E. LINTELS			
F. OTHERS			
6. NEW EXTERIOR ENVELOPE PRODUCTS			
A.			

The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) performance characteristics which the product was tested and certified to comply with, 3) copy of the applicable manufacturers installation requirements. Further, I understand these products may have to be removed if approval cannot be demonstrated during inspection.


APPLICANT SIGNATURE

7/10/07
DATE



Columbia County 9-1-1 Addressing / GIS Department

P.O. Box 1787, Lake City, FL 32056

Telephone: (386) 758-1125 * Fax: (386) 758-1365 * E-mail: ron_croft@columbiacountyfla.com



9-1-1 Address Request Form

NOTE: ADDRESS ASSIGNMENT MAY REQUIRE UP TO 10 WORKING DAYS. IF THE ADDRESSING DEPARTMENT NEEDS TO CONDUCT ON SITE GPS LOCATION IDENTIFICATION, ADDITIONAL TIME MAY BE REQUIRED.

Date of Request: _____

Requester Last Name: _____

First Name: _____

Contact Telephone Number: _____

(Cell Phone Number if Provided): _____

Requested for Self: _____ or Requested for Company: _____
(check one)

If Address is Requested by a Company, Provide Name of Requesting Company:

Parcel Identification Number: _____ - _____ - _____ - _____

If in Subdivision, Provide Name Of Subdivision:

Phase or Unit Number (if any): _____ Block Number (if any): _____

Lot Number: _____

Attach Site Plan or you may use back of Request Form for Site Plan:

Requirements for Site Plan Are Listed on Back of Request From:
(NOTE: Site Plan Does NOT have to be a survey or to scale; FURTHER a Environmental Health Dept. Site Plan showing only a 210 by 210 cutout of a property will NOT suffice for Addressing Requirements.)

Addressing / GIS Department Use Only:


Date Received: _____

Date Assigned: _____


ID Number: _____

1. A PLAT, PLAN, OR DRAWING SHOWING THE PROPERTY LINES OF THE PARCEL.
2. LOCATION OF PLANNED RESIDENT OR BUSINESS STRUCTURE ON THE PROPERTY WITH DISTANCES FROM AT LEAST TWO OF THE PROPERTY LINES TO THE STRUCTURE (SEE SAMPLE BELOW).
3. LOCATION OF THE ACCESS POINT (DRIVEWAY, ETC.) ON THE ROADWAY FROM WHICH LOCATION IS TO BE ADDRESSED WITH A DISTANCE FROM A PARALLEL PROPERTY LINE AND OR PROPERTY CORNER (SEE SAMPLE BELOW).
4. TRAVEL OF THE DRIVEWAY FROM THE ACCESS POINT TO THE STRUCTURE (SEE SAMPLE BELOW).

SAMPLE:



SITE PLAN BOX:



C.K. CONSTRUCTION

PHONE# 352.538.5544

FAX# 352.472.8202

BUILDING LOADS / DESCRIPTION:

WIDTH: 24'-0" LENGTH: 48'-0" HEIGHT: 12'-0"
(BUILDING DIMENSIONS ARE NOMINAL. REFER TO PLANS).

THIS STRUCTURE IS DESIGNED UTILIZING THE LOADS INDICATED
AND APPLIED AS REQUIRED BY : FBC 2004

THE CONTRACTOR IS TO CONFIRM THAT THESE LOADS COMPLY
WITH THE REQUIREMENTS OF THE LOCAL BUILDING DEPARTMENT.

ROOF DEAD LOAD: 12 PSF

COLLATERAL LOAD: 0 PSF

ROOF LIVE LOAD: 20 PSF

ROOF SNOW LOAD: 0 PSF

BASIC WIND SPEED: 120 MPH

SEISMIC ZONE: -

IMPORTANCE FACTORS:

WIND LOAD: 1.00

SNOW LOAD: 1.0

SEISMIC LOAD: 1.00

EXPOSURE CLASS: C

OTHER LOADS:

ROOF PANELS:

BLDG. COLOR: 26 GA. PBR T.B.D.

WALL PANELS:

COLOR: 26 GA. PBR T.B.D.

SOFFIT PANELS:

COLOR: N/A

TRIM COLORS:

RAKE: T.B.D.

CORNER: T.B.D.

GUTTER & D/SPOUTS: T.B.D.

HEAD TRIM: T.B.D.

JAMB TRIM: T.B.D.

PARTITION WALL

COLOR:

LINER TRIM:

COLOR:

SPECIAL NOTES:

<2> 10' X 10' FRAMED OPENING & WINDLOCK DOOR WHITE

<4> 3050 DOUBLE-HUNG WINDOWS

<2> 3070 WALKDOOR(S) LEVER LOCK WHITE

3' VR INS. IN ROOF & WALLS

PURCHASER: C.K. CONSTRUCTION
END USER: CHAD WHITE

PROJECT: 24' X 48' X 12' 112


JOB NUMBER:

SHEET 1 OF 16

4-9-07


GREGORY S. BARFIELD, P.E
2149 NELL PURVIS ROAD
ADEL, GA 31620
P E # 54419


7-9-07




Frame Number 1
NOTE: POSITIVE REACTIONS ARE UP AND TO THE LEFT.

DESCRIPTION	REACTION (KIPS)		
	SUPPORT	HORIZ	VERT
20 D	1	-.23	.85
20 D	6	.23	.85
21 L	1	-1.15	4.32
21 L	6	1.15	4.32
22 V C1P L	1	4.69	-10.32
22 V C1P L	6	1.04	-5.38
23 V C1P R	1	-1.04	-5.38
23 V C1P R	6	-4.69	-10.32
24 V C1S L	1	4.96	-7.54
24 V C1S L	6	.76	-2.60
25 V C1S R	1	-.76	-2.60
25 V C1S R	6	-4.96	-7.54
26 V C2P L	1	.01	-8.89
26 V C2P L	6	-.35	-6.81
27 V C2P R	1	.35	-6.81
27 V C2P R	6	-.01	-8.89
28 V C2S L	1	.28	-6.11
28 V C2S L	6	-.63	-4.03
29 V C2S R	1	.63	-4.03
29 V C2S R	6	-.28	-6.11
30 E	1	.00	.00
30 E	6	.00	.00



Front Endwall
NOTE: POSITIVE REACTIONS ARE UP AND TO THE LEFT.

DESCRIPTION	REACTION (KIPS)		
	SUPPORT	HORIZ	VERT
12 D	1	-.15	.59
12 D	6	.15	.59
13 L	1	-.56	2.16
13 L	6	.56	2.16
14 V C1 L	1	2.84	-4.80
14 V C1 L	6	.84	-1.68
15 V C1 R	1	-.84	-1.68
15 V C1 R	6	-2.84	-4.80
16 V C2 L	1	-.16	-3.83
16 V C2 L	6	-.02	-2.66
17 V C2 R	1	.02	-2.66
17 V C2 R	6	.16	-3.83
18 E	1	.00	.00
18 E	6	.00	.00




BACK ENDWALL
NOTE: POSITIVE VERTICAL REACTIONS ARE UP.

DESCRIPTION	REACTION (KIPS)		
	SUPPORT	HORIZ	VERT
1 D+L	2	.00	2.03
2 D+L+V	2	-.61	-.89
2 D+L+V	2	-.41	-.20
2 D+L+V	2	.35	1.61
2 D+L+V	2	.55	2.30
3 0.6D+V	2	-.81	-3.17
3 0.6D+V	2	-.54	-2.25
3 0.6D+V	2	.46	.16
3 0.6D+V	2	.73	1.09
1 D+L	3	.00	2.03
2 D+L+V	3	-.61	-.89
2 D+L+V	3	-.41	-.20
2 D+L+V	3	.35	1.61
2 D+L+V	3	.55	2.30
3 0.6D+V	3	-.81	-3.17
3 0.6D+V	3	-.54	-2.25
3 0.6D+V	3	.46	.16
3 0.6D+V	3	.73	1.09

GREGORY S. BARFIELD, P.E
2149 NELL PURVIS ROAD
ADEL, GA 31620
P E # 54419

Handwritten signature and date 7-9-07

THIS BUILDING MEETS OR EXCEEDS CODE/CLASS FLORIDA PC 6001		DATE/CLASS FLORIDA PC 6001	
FOR A LANDING ON LIVING QUARTERS		DATE/CLASS LIVING QUARTERS	
TOTAL 8.34 PER 110.00 PER		DATE/CLASS 110.00 PER	
C.K. CONSTRUCTION TRUCK RENTALS		C.K. CONSTRUCTION TRUCK RENTALS	
CHAD WHITE		CHAD WHITE	
FEEET & INCHES		FEEET & INCHES	
6/25/2007		6/25/2007	
ABREACOL. DWG		ABREACOL. DWG	
Frame Number 1		Frame Number 1	



1
TYP. #5 HAIRPINS X 5'-0" LONG
TIED TO WELDED WIRE MESH

3
TYP. #5 HAIRPINS X 7'-0" LONG
TIED TO WELDED WIRE MESH



GREGORY S. BARFIELD, P.E.
2149 NELL PURVIS ROAD
ADEL, GA 31620
PE # 54419

GREGORY BARFIELD P.E.
2149 NELL PURVIS ROAD
ADEL, GA. 31620
P.E. # 54419




THIS DRAWING MEETS OR EXCEEDS REQUIREMENTS OF FLORIDA STATE BOARD FOR A LANDING OF TWO STORIES 2.51 PER 100.00 PER 100.00 PER				C.K. CONSTRUCTION PENDING SUBMITTALS BY SUBMITTAL			
CHAD WHITE				24X48X12 @ 12			
FEET & INCHES				FUND-1			
2/22/2007				Foundation Plan			
3 OF 16				09/26/24			

7-9-07

(4) ANCHOR BOLTS
SEE ERECTION DWGS
FOR SPECS



WALL PANEL



- GENERAL FOUNDATION NOTES
1. ALL REINFORCING STEEL SHALL BE GRADE 60 DEFORMED BARS.
 2. ALL POURED IN PLACE CONCRETE SHALL BE F C 3000 PSI @ 28 DAYS.
 3. WELDED WIRE MESH SHALL MEET ASTM A-185.
 4. FOUNDATION & FOOTING SIZING BASED ON ASSUMED SOIL BEARING CAP. OF 2500 PSI.
 5. THE UPPER 12" OF BEARING SOILS IN FOOTING SHALL BE COMPACTED TO 98% OF THE STANDARD PROCTOR.
 6. MIN. REINFORCING STEEL COVER AT EARTH: 3".
 7. SLUMP RANGE AT POINT OF DISCHARGE: 3-6".
 8. OVERLAP ALL WVF A MINIMUM OF 8".
 9. LAP ALL REINFORCING STEEL A MIN. OF 30 DIA.
 10. REMOVE TOPSOIL & ORGANIC MATERIAL FROM TOP 12" OF EXISTING GRADE.
 11. PROOF ROLL TO 5' OUTSIDE BUILDING FOOTPRINT WITH VIBRATORY COMPACTOR.
 12. FILL TO WITHIN 4" OF F.F.E. WITH CLEAN SAND FILL.
 13. COMPACT TOP 6" OF FILL MATERIAL TO 95% OF MODIFIED PROCTOR DENSITY (MIN).
 14. SAW INDICATED CRACK CONTROL JOINTS WITHIN 8 HRS OF CONCRETE PLACEMENT.
 15. SOIL IN FOOTING TRENCHES SHALL BE FREE OF ORGANIC MATERIAL OR CLAY. IF EITHER IS ENCOUNTERED IN FOOTING TRENCHES REMOVE IT & REPLACE WITH COMPACTED SAND.
 16. BUILDER TO REVIEW ALL DIMENSIONS & DETAILS COMPARE WITH ANCHOR BOLT DWGS FOR DISCREPANCIES.

GREGORY BARFIELD P.E.
2149 NELL PURVIS ROAD
ADEL, GA. 31620
P.E. # 54419

DRAWING STATUS		CK CONSTRUCTION		CHAD WHITE	
[X] FOR CONSTRUCTION		PROJECT	CS 24 X 48 X 12'	FOUNDATION DETAILS	
[] FOR PERMIT ONLY		ID	707	DESIGN: JAP	DRAFT: JAP
[] FOR APPROVAL		PROJECT		DATE: 03/06/07	CHECK: MH
[] OTHER, EXPLAIN		ADDRESS			

(2) ANCHOR BOLTS
SEE ERECTION DWGS
FOR SPECS

DOOR JAMB

6X6-10/10
WELDED WIRE MESH

6 MIL POLY
MOISTURE BARRIER

4" THICK
SAND LAYER

COMPACTED SOIL

5 REBARS @ 6" O.C.
BOTH WAYS


FOOTING SIZE

SEE SHEET FND-1
SECTION G-G
NOT TO SCALE


Gregory Barfield
7-9-07

GREGORY BARFIELD P.E.,
2149 NELL PURVIS ROAD
ADEL, GA. 31620
P.E. # 54419


DRAWING STATUS		CK CONSTRUCTION		CHAD WHITE		
[X] FOR CONSTRUCTION		PROJECT		FOUNDATION DETAILS		
[] FOR PERMIT ONLY		ID		DESIGN: JAP DRAFT: JAP CHECK: MH		
[] FOR APPROVAL		PROJECT		DATE: 03/06/07		
[] OTHER, EXPLAIN		ADDRESS		44 of 14		




USE (4) 3/4 x 24 A/BOLTS



USE (4) 5/8 x 12 A/BOLTS



USE (4) 3/4 x 24 A/BOLTS



USE (2) 1/2 x 12 A/BOLTS

GREGORY S. BARFIELD, P.E
2149 NELL PURVIS ROAD
ADEL, GA 31620
P E # 54419

Gregory S. Barfield
7-9-07

1'-2"
AS SHOWN ON DRAWING

STEEL LINE
LOCATION
AS SHOWN ON PLAN

THIS BUILDING MEETS OR EXCEEDS
FLORIDA BC 2001
FOR A LANDING OF
LIVE OAKS
2.48 PSF
25.00 PSF
1.00 PSF
120.00 PSF


C.K. CONSTRUCTION
PROVIDING SOLUTIONS
P.O. BOX 472,000

DATE	DESCRIPTION
CHAD WHITE	24' X 48' X 12' 1' 12'
REVISION	REVISION
DATE	DATE
6/22/2007	AB-2
09/07/01	Frame Number 1
5 OF 16	

SEGMENTS TABLE			
PARTMARK	SEGMENT	TYPE	THICKNESS
MC 1	1	WEB	0.2300
MC 1	1	OUTSIDE FLG	0.2700
MC 1	1	INSIDE FLG	0.2700
MR 1	1	WEB	0.2300
MR 1	1	OUTSIDE FLG	0.2700
MR 1	1	INSIDE FLG	0.2700

JOINT INFORMATION			
JOINT	PARTMARK	DEPTH	THICKNESS
1	MC 1	9-7/16	0.2300
2	MC 1	9-7/16	0.2300
2	MR 1	9-7/16	0.2300
3	MR 1	9-7/16	0.2300


FLANGE BRACE TABLE			
PARTMARK	LENGTH	PLACEMENT	QTY/FRAME
FB 1	2' 5-7/8	NS	4





GREGORY S. BARFIELD, P.E.
2149 NELL PURVIS ROAD
ADEL, GA 31620
P E # 54419

[Handwritten signature]
7-9-07

THIS BUILDING MEETS OR EXCEEDS FLORIDA BC 6001 FOR A LADING OF: LIVE TRAFFIC DEAD		C.K. CONSTRUCTION PROVIDING S&E, S&M, S&M P&W S&E, S&M, S&M	
24' X 48' X 12'	1.12	24' X 48' X 12'	1.12
FEET & INCHES		FEET & INCHES	
DATE	6/22/2007	DATE	6/22/2007
REVISION	XS-1	REVISION	XS-1
FRAME NUMBER	1	FRAME NUMBER	1
7 DF 16	09:56:59	7 DF 16	09:56:59



ERECTOR NOTE
CABLE LENGTH SHOWN ON DRAWING ARE
FROM END OF EYEBOLT TO END OF
EYEBOLT FIELD CUT AND ASSEMBLE
BRACE AS REQUIRED



GREGORY S. BARFIELD, P.E.
2149 NELL PURVIS ROAD
ADEL, GA 31620
P E # 54419

CABLE LENGTHS ARE ASSEMBLED LENGTHS

QTY	PART MARK	DESCRIP	LENGTH	LAP TOWARDS LINE #1	LAP TOWARDS LINE #3
4	DB1	CAB .25	26' 4		
12	PR3	8Z2.5 6	25' 1- 1/ 2	1 (1)	
1	ES1	8 ES 14	11' 11- 1/ 2		
4	ES2	8 ES 14	23' 11- 1/ 2		

THIS BUILDING MEETS OR EXCEEDS
CODE/CLASS

FOR A LEADING EYE

2.44 PSF

20.00 PSF

110.00 PSF

LIVE (DECK)

20.00 PSF

SHOULDER

.00 PSF

LIVE (GROSS)

18.00 PSF

DECKING

.00 PSF


C.K. CONSTRUCTION

PROJ. NO. 08-00000000

PLAN NO. 08-00000000


CUSTOMER		CHAD WHITE		DESCRIPTION	
PROJECT	UNIT	FEET & INCHES	DATE	FR-1	CREATED
9 DF 16	09.57.00		6/22/2007	Frame Number 1	

SIDEWALL FRAMING PLAN



QTY	PART MARK	DESCRIP	LENGTH	LAP TOWARDS LINE # 1	LAP TOWARDS LINE # 3
2	GT2	8C2.5 6	11' 9- 1/ 4		
2	GT3	8C2.5 4	23' 9- 1/ 2		
2	GT4	8C2.5 6	5' 8		
2	GT5	8C2.5 6	2' 7		
2	GT6	8C2.5 6	5' 7		
2	GT7	8C2.5 6	6' 4- 1/ 2		
2	GT8	8C2.5 6	6' 9		
4	JB1	8C2.5 6	11' 3- 3/ 4		
8	JB2	8C2.5 6	11' 3- 3/ 4		
2	JB3	8C3.5 4	11' 3- 3/ 4		
4	SL1	8C3.5 4	2' 11- 1/ 2		




SIDEWALL AT D



SIDEWALL AT A

GREGORY S. BARFIELD, P.E.
2149 NELL PURVIS ROAD
ADEL, GA 31620
P E # 54419
7-9-07

THIS BUILDING MEETS OR EXCEEDS CODE/CLASS FLORIDA BC 2001 FOR A LANDING OF 2.34 PSF 2.34 PSF 110.00 PSF		LIVE (FLOOR) LIVE (CEILING) DEAD (CEILING) 12.00 PSF 20.00 PSF 1.00 PSF		CUSTOMER CHAD WHITE PROJECT DATE 11 OF 16		DESCRIPTION 24' X48' X12' 1.12 VELOCITY FR-3 FRAME NUMBER 1		CHECKED SUPERVISOR REVISION	
---	--	--	--	---	--	---	--	-----------------------------------	--









NOTE: PARTITION WALL AT 2
 PANEL FOR PARTITION WALL IS R C 26
 PANEL FOR BACK ENDWALL IS R C 26

GREGORY S. BARFIELD, P.E.
 2149 NELL PURVIS ROAD
 ADEL, GA 31620
 P E # 54419

Signature
 7-9-07

THIS BUILDING MEETS OR EXCEEDS FLORIDA PS D001 FOR A LANDING OF				C.K. CONSTRUCTION Framing, Insulation, Drywall, etc.			
WALLS 4.40 PSF	CEILING 10.00 PSF	FLOOR 10.00 PSF	ROOF 16.00 PSF	WALLS 13.00 PSF	CEILING 10.00 PSF	FLOOR 10.00 PSF	ROOF 16.00 PSF
11.00 PSF	10.00 PSF	10.00 PSF	16.00 PSF	13.00 PSF	10.00 PSF	10.00 PSF	16.00 PSF
CHAD WHITE				24' X 48' X 12' 11 1/2			
FEET & INCHES				SHE			
6/22/2007				Frame Number 1			
13 OF 16				09.57.00			






RIDGE CAP ATTACHMENT



CUSTOMER				DESCRIPTION			
CHAD WHITE				24 X 48 X 12 1:12 PITCH			
PROJECT	UNITS	FEET & INCHES	WEIGHT	PILOT NAME	CHECK	SUPERVISOR	REVISION
ORDER	DATE	12/19/2006					
SHEET	DATE	14:21:06					
16 DF 16				Frame Number 1			

GREGORY S. BARFIELD, P.E.
2149 NELL PURVIS ROAD
ADEL, GA 31620
P E # 54419

Handwritten signature and date:
7-9-07






SIDEWALL GIRT CONN. @ MAIN FRAME



WALK DOOR OR WINDOW JAMB HEADER CONN.

DOOR-JAMB HEADER CONN.



Gregory S. Barfield
 11-7-9-07
 GREGORY S. BARFIELD, P.E.
 2149 NELL PURVIS ROAD
 ADEL, GA 31620
 P E # 54419

THIS BUILDING MEETS OR EXCEEDS CONSTRUCTION FLORIDA BC 2004 FOR A LIMITED CH.				24X48X12 11 12			
WIND S.F. PER 100.00 MPH	WIND S.F. PER 50.00 PER	WIND S.F. PER 10.00 PER	WIND S.F. PER 1.00 PER	CHAD WHITE	DATE 12/19/2006	FEET & INCHES 12/19/2006	REVISION DT-1. DWG
100.00 MPH				15 OF 16			
				Frame Number 1			