	County Building Permit PERMIT
This Permit F APPLICANT JOHN D HARRINGTON	Expires One Year From the Date of Issue 000022405 PHONE 386 462-5323
ADDRESS 12523 US HIGHWAY 441	ALACHUA FL 32615
OWNER MARTIN MARTINEZ	PHONE
ADDRESS 11670 SW TUSTENUGGEE A	VE FT. WHITE FL 32038
CONTRACTOR HOUSECRAFT	PHONE 386 462-5323
LOCATION OF PROPERTY 441S, TR ON C	CR 131, 8 MILES TO PROPERTY ON RIGHT
TYPE DEVELOPMENT SFD,UTILITY	ESTIMATED COST OF CONSTRUCTION 104750.00
HEATED FLOOR AREA 2095.00	TOTAL AREA2611.00
FOUNDATION CONC WALLS	FRAMED ROOF PITCH 6/12 FLOOR SLAB
LAND USE & ZONING A-3	MAX. HEIGHT 25
Minimum Set Back Requirments: STREET-FRO	NT 30.00 REAR 25.00 SIDE 25.00
NO. EX.D.U. 0 FLOOD ZONE X	DEVELOPMENT PERMIT NO.
PARCEL ID 18-6S-17-09696-215	SUBDIVISION TUSTENUGGEE RIDGE FIRST ADDITION
LOT 15 BLOCK PHASE	UNIT TOTAL ACRES
000000426 CO	GC038861 JASHaruset
Culvert Permit No. Culvert Waiver Contra	actor's License Number Applicant/Owner/Contractor
PERMIT 04-0980-N	BK HD
Driveway Connection Septic Tank Number	LU & Zoning checked by Approved for Issuance New Resident
COMMENTS: ONE FOOT ABOVE THE ROAD, NO	OC ON FILE
	CI 1 // C 1 1051
	Check # or Cash 1051
	ING & ZONING DEPARTMENT ONLY (footer/Slab)
	Coundation Manalithia
date/app. by	Foundation Monolithic date/app. by date/app. by
	date/app. by date/app. by
date/app. by Under slab rough-in plumbing date/app. by	date/app. by date/app. by Slab Sheathing/Nailing
date/app. by Under slab rough-in plumbing date/app. by Framing Rou	date/app. by Slab Sheathing/Nailing date/app. by date/app. by date/app. by date/app. by
date/app. by Under slab rough-in plumbing date/app. by Framing date/app. by Rou date/app. by	date/app. by Slab Sheathing/Nailing date/app. by Igh-in plumbing above slab and below wood floor date/app. by date/app. by
date/app. by Under slab rough-in plumbing date/app. by Framing date/app. by Rou date/app. by	date/app. by Slab Sheathing/Nailing date/app. by date/app. by date/app. by date/app. by
date/app. by Under slab rough-in plumbing Framing date/app. by Rou date/app. by Electrical rough-in date/app. by Permanent power C.	date/app. by Slab Sheathing/Nailing date/app. by Igh-in plumbing above slab and below wood floor date/app. by date/app. by date/app. by Peri. beam (Lintel)
date/app. by Under slab rough-in plumbing Framing date/app. by Rou date/app. by Electrical rough-in date/app. by Permanent power date/app. by	date/app. by Slab Sheathing/Nailing date/app. by date/app. by at & Air Duct date/app. by Peri. beam (Lintel) date/app. by Culvert date/app. by
date/app. by Under slab rough-in plumbing date/app. by Framing date/app. by Electrical rough-in date/app. by Permanent power date/app. by M/H tie downs, blocking, electricity and plumbing	date/app. by Slab Sheathing/Nailing date/app. by Igh-in plumbing above slab and below wood floor at & Air Duct Peri. beam (Lintel) date/app. by O. Final Culvert date/app. by Pool date/app. by date/app. by
date/app. by Under slab rough-in plumbing framing date/app. by Rou date/app. by Electrical rough-in date/app. by Permanent power date/app. by M/H tie downs, blocking, electricity and plumbing Reconnection p date/app. by	date/app. by Slab Sheathing/Nailing date/app. by Igh-in plumbing above slab and below wood floor at & Air Duct Peri. beam (Lintel) date/app. by O. Final Culvert date/app. by Pool date/app. by Utility Pole date/app. by date/app. by
date/app. by Under slab rough-in plumbing framing date/app. by Rou date/app. by Electrical rough-in date/app. by Permanent power date/app. by M/H tie downs, blocking, electricity and plumbing Reconnection P	date/app. by Slab Sheathing/Nailing date/app. by Igh-in plumbing above slab and below wood floor at & Air Duct Peri. beam (Lintel) date/app. by O. Final Culvert date/app. by Pool date/app. by Utility Pole date/app. by date/app. by
date/app. by Under slab rough-in plumbing Framing date/app. by Electrical rough-in date/app. by Permanent power date/app. by M/H tie downs, blocking, electricity and plumbing Reconnection p date/app. by M/H Pole date/app. by Travel T	Slab Sheathing/Nailing date/app. by Igh-in plumbing above slab and below wood floor at & Air Duct Peri. beam (Lintel) date/app. by date/app. by
Under slab rough-in plumbing Framing	Slab Sheathing/Nailing date/app. by Sheathing/Nailing date/app. by date/app. by sigh-in plumbing above slab and below wood floor date/app. by at & Air Duct Peri. beam (Lintel) date/app. by O. Final Culvert date/app. by date/app. by Tump pole Utility Pole date/app. by railer Re-roof date/app. by Sheathing/Nailing date/app. by date/app. by date/app. by date/app. by Re-roof date/app. by
Under slab rough-in plumbing Framing	Slab Sheathing/Nailing date/app. by date/app. by date/app. by agh-in plumbing above slab and below wood floor date/app. by at & Air Duct Peri. beam (Lintel) date/app. by O. Final Culvert date/app. by date/app. by Tump pole Utility Pole date/app. by Tailer Re-roof date/app. by CTIFICATION FEE \$ 13.06 SURCHARGE FEE \$ 13.06 T. FEE \$ 50.00 FIRE FEE \$ WASTE FEE \$
Under slab rough-in plumbing Framing	date/app. by date
Under slab rough-in plumbing Framing	Slab Sheathing/Nailing date/app. by date/app. by date/app. by agh-in plumbing above slab and below wood floor date/app. by at & Air Duct Peri. beam (Lintel) date/app. by O. Final Culvert date/app. by date/app. by Tump pole Utility Pole date/app. by Tailer Re-roof date/app. by CTIFICATION FEE \$ 13.06 SURCHARGE FEE \$ 13.06 T. FEE \$ 50.00 FIRE FEE \$ WASTE FEE \$

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

Columbia County Building Permit Application 10-01 Date 10/4/04 Application Approved by - Zoning Official Plans Examiner **Development Permit** Zoning Land Use Plan Map Category Comments Y NOC NEGDED 71 32038 Phone (386) 4 Contractors Name Fee Simple Owner Name & Address Bonding Co. Name & Address Grainerville, FL. 32607 Architect/Engineer Name & Address Wayland BINCERINA Mortgage Lenders Name & Address Property ID Number 18-6-17-09696-**Estimated Cost of Construction** Lition Lot 15 Block N/A Unit Subdivision Name residense Number of Existing Dwellings on Property Do you need a Culvert Permit or Culvert Waiver or Have an Existing Drive Actual Distance of Structure from Property Lines - Front Side 651 + Rear Total Building Height $\leq 25 \, \text{M}_{\odot}$ Number of Stories Heated Floor Area 2095 **Roof Pitch** Application is hereby made to obtain a permit to do work and installations as indicated. I certify that no work or installation has commenced prior to the issuance of a permit and that all work be performed to meet the standards of all laws regulating construction in this jurisdiction. OWNERS AFFIDAVIT: I hereby certify that all the foregoing information is accurate and all work will be done in compliance with all applicable laws and regulating construction and zoning. WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCMENT MAY RESULT IN YOU PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT. Owner Builder or Agent (Including Contractor) Contractor Signature Contractors License Number CGC 0388 (0) STATE OF FLORIDA Competency Card Number **COUNTY OF COLUMBIA** Sworn to (or affirmed) and subscribed before me NOTARY STAMP/SEAL day of Personally known or Produced Identification Signature



PARCEL DO COMO - 215 BUYERS YAM

Inst: 2004000465 Bata: 01/08/2004 14mm:12:09 Doc 5100-De8d : 186.00 Doc 5100-De8d : 186.00 E.P. Downtt Leson, Columbia County 8:1804 P:516

WARRANTY DEED

THIS INDENTURE, Made the 1st day of Outober, 2002, RETWEEN COLUMBIA PLANTATION COMPANY, a Floride Corporation protof when experient a 5345 ORTEGA BLVP., SLATE 67, LACKSONVILLE, FL 20210, and MARTIN J. MARTINEZ and DINORA B. MARTINEZ, HUSBAND AND WIFE GRANDS, WINDS PARTICULAR PARTINEZ, HUSBAND AND WIFE GRANDS, WINDS PARTICULAR PARTINEZ, HUSBAND AND WIFE GRANDS, WINDS PARTICULAR PARTINEZ, HUSBAND AND WIFE GRANDS.

The tome "grunor" and "grades" harper steal pre-construed to include all garders and singular or plant as the constant indicates.)

WITHERS ET HITHE each granter, for and in correlposition of the sum of Tan (BICARD) Dollars, and other grant and valuable correspondence to tell granter in hand paid by said granter, the receipt unisoned to have a pathodologist, has granted, burgained and does to the each granter, and previous hairs, autococcers and abstract between, the following scenarios land, business, lying and search of County, Planter, to and

Lot 16, of TUSTENLIGIBLE RIDGE FIRST ADDITION, a subdivision, as per plat thereof recorded in Plat Sock 7, Page 106, of the Public Records of Columbia County, Florida.

and hald greater chose hearty fluly warrant the tide to said land, and will defend the saints agains! the spatial algins of all pursons

PL WITHERS WHEREOF, Granter than harounds and granter's hand and easi the day and year life option within.

Towa land

Presence of

COUNTY OF DIEN ROL

CORPORATE SEAL!

COLUMNIA FLANTATION COMPANY

The foregoing instrument was acknowledged before me this 1et day of October, 2003, by Lee D. Wedshind, Ar., President of COLUMBIA PLANTATION COMPANY on behelf of the corporation. Sharks to personally latern to me or who has produced a driver's ligence as identification and who did take an path.

RECORD & RETURN YO:
THIS INSTRUMENT WAS PREPARED BY! JANNETTE & BOYD, an amployee of U.S. TITLE, 642 N.E.
SANTA FE BLVD., MIGH SPRINGS, FLORIDA 32643, as a necessary incident to fulfill the
requirements of a Title Incurence Stader Issued by R. USH-2500.

6/6 .9 IIIT.ON

3

Jul. 16. 2004 4:21PM

Old Republic National Title Insurance Company

ALTA COMMITMENT

Agent's File Number: 0407GV362

, Commitment Number: 8686

Schedule A, Continuation Page

LOT 15, TUSTENUGGEE RIDGE FIRST ADDITION, ACCORDING TO THE MAP OR PLAT THEREOF, AS RECORDED IN PLAT BOOK 7, PAGE 109, OF THE PUBLIC RECORDS OF ALACHUA COUNTY, FLORIDA.

AUTA Commitment Closers' Choice

8/8 .9 //// N .3/9

Jul.16. 2004 4:20PM

STATE OF FLORIDA DEPARTMENT OF HEALTH APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT

Permit Application Number

TISTANUCORIZ SW -----PART II - SITEPLAN Scale: 1 inch = 50 feet. 211) TUSTANGE RA W · BM DITCH 140 WELL 608 75' 45' 6 Acurs 17 φ 1 of 6 ACLES Notes:

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

Not Approved

DH 4015, 10/96 (Replaces HRS-H Form 4016 which may be used) (Stock Number: 5744-002-4015-6)

Site Plan submitted by:

Plan Approved

By_

Page 2 of 4

entanetal

County Health Department

Date

RETURNTO Contract Pe all Right Springer Pt. 100

> PARCEL De COMBO-215 אור בהפיעם

Inst: 2001000485 Bata: 01/08/2004 1 Lamp: 12:09 Doc 51200-De8d : 185.00 Doc 51200-De8d : 185.00 DC P. De8itt Leson, Columbia County 8:1804 P;515

WARRANTY DEED

THIS INDENTURE, Made the 1st day of Gotober, 2003, RETWEEN COLUMBIA PLANTATION COMPANY, a Floride Corputation grand women accounts a 5345 ORTEGA BLVP., SLATE 67, LACKSONYILLE, FL 20210, and MARTIN J. MARTINEZ and DENORA B. MARTINEZ, HUBBAND AND WIFE Grands, whose position of the contest is: 123 OLD SCHOOL LANE, NARYON, PA 17655.

The towns "grunts, suc , during, yearst ravey many to constitute as durings and sydden to bred as are consent adjoints."

WITH 8.1 S ET HITTHS said provider, for and in complementar of the sum of Tan (BIOLOG) Dodiers, and other good and valuable considerations to said grades in hand paid by said grades, the trough extended to harmy address-depth, has granted, burgained and dod to the said grantes, and provides hairs, successors and stations brown, the following occurring burgained sains in COLLINGIA County, Portos, to will

Lot 16, a) TUSTERUGGER RIDGE FIRST ADDITION, a subdivision, as per plat thereof recorded in Plat Book 7, Page 100, of the Public Records of Columbia County, Floride.

and sald greater does heavily half warrant the tide to said land, and will defend the same against the spatial obtains of all pursons

IN WITHDEA WHEREOF, Gristian has haround and granters hand and seed the day and year first above with

Signed, wested and dolivered in the presence of:

WITNESS HELEGAR F. Cone / and

Lettur O Volla towa land

WITHEBBERALLY A. Hoster

COUNTY OF DILL ROLL

COLUMNIA FLARIATION COMPANY

CORPORATE SEAL!

The foregoing instrument was acknowledged before me this 1et day of October, 2003, by Lee D. Wedstind, Ar., Precident of COLUMBIA PLANTATION COMPANY on behalf of the corporation. Sharks is perconsity between as me or who has produced a criver's license an identification and who

10 11 200

RECORD & RETURN YOU
THIS RESTRUMENT WAS PREPARED BY: JANNETTE S. SCYD, AN Employee of U.S. TITLE, 642 N.E.
SANTA FE BLVD., MIGH SPRINGS, FLORIDA 32643, 25 & Resessary incident to fulfill the
requirements of a Title Incurence Glader Issued by IL USH-2500.

6/6 .9 IIIT. ON

4.5

Jul. 16. 2004 4:21PM

Old Republic National Title Insurance Company

ALTA COMMITMENT

Agent's File Number: 0407GV362

, Commitment Number: 8686

Schedule A, Continuation Page

LOT 15, TUSTENUGGEE RIDGE FIRST ADDITION, ACCORDING TO THE MAP OR PLAT THEREOF, AS RECORDED IN PLAT BOOK 7, PAGE 109, OF THE PUBLIC RECORDS OF ALACHUA COUNTY, FLORIDA.

AUTA Commitment Closers' Choice

8/8 .9 IIIT. ON

Jul.16. 2004 4:20PM



HOMES BY HOUSE CRAFT, L.L.C.

MARTINIEZ

Truss Layout


Truss Number	Number of Straps	Number of Straps	Number of Straps	Number of Strap
AI	M12TX22	META22		
42				
A3		11		
43 44		11		
A5	" .	11		
AL	70	77		
BI	1 t	l,		
BZ	H	11		
B3	11	1,		
B3 B4	MGT	MGT		
ci	MIETA 22	ИКГ 222		
	m187422	Bucker		
C2	11	11		
C4 C5 C7 C8 C9	- 11	11		
45	11	1/		
C6	/1	11		
67	11	11		
C8	BUCKET	BUCKET		
<u>c</u> 9	11	7,		
C10	Bucher	MISTAZZ		
CII	11	1/		
CIE	11	11		
C13	· · ·	11		
C14	11	1)		
CJI	MICTALZ			
01	MKTAZZ	MICTA 22		
02	11	11		
71	MICTAZZ		./	
T2	. (,	
J3	1,			
J4	11			
VCTI	MICTA22			
NC13 NC13	mr.Pezz			
AC13	MIZTA22			
VLJ4	META-22			
	 			
	1	1	1	

1) Buckets provided by truss manufactor

2) All straps are Simpson

STATE OF FLORIDA **DEPARTMENT OF HEALTH**

APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT,



ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

Not Approved

DH 4015, 10/96 (Replaces HRS-H Form 4016 which may be used) (Stock Number: 5744-002-4015-6)

Plan Approved

Page 2 of 4

County Health Department



PERMIT NO:

TAX FOLIO NO:

NOTICE OF COMMENCEMENT

STATE OF FLORIBA / 2 - 1 / 1 anice country of ALACHHA / careaster

LOAN NO.

STATE OF FLORIDA, CONTROL I HEREBY CERTIFY, that the strue copy of the original powers of the condition of t

A, COUNTY OF that the above a' ne original filed i' N, CLERK OF CO

음

with

foregoing

TAUD

0 3

FLORIDA

The undersigned hereby gives notice that improvements will be made to certain real property, and in accordance with Section 713 of the Florida Statutes, the following information is stated in this NOTICE OF COMMENCEMENT:

LEGAL DESCRIPTION OF PROPERTY:
LOT 15. TUSTENUGGEE RIDGE FIRST ADDITION. ACCORDING TO THE MAP OR PLAT THEREOF
AS RECORDED IN PLAT BOOK 7, PAGE 109. OF THE PUBLIC RECORDS OF ALACHUA COLUMBIA.

ELORIDA

PROPERTY ADDRESS: XXX 15 SW TUSTENUGGEE AVENUE FORT WHITE, FL 32038

GENERAL DESCRIPTION OF IMPROVEMENTS: SINGLE FAMILY RESIDENCE

OWNER(S): MARTINE J. MARTINEZ and DINORA D. MARTINEZ

ADDRESS: 123 OLDE SCHOOL LANE NARVON, PA 17555

OWNER'S INTEREST IN SITE OF THE IMPROVEMENTS: Fee Simple

FEE SIMPLE TITLE HOLDER (IF OTHER THAN OWNER): N/A

ADDRESS:

CONTRACTOR: HOMES BY HOUSECRAFT L Inst:2004020548 Date:09/08/2004 Time:15:2004020548 Date:09/08/2004 Date:09/08/200

Inst:2004020548 Date:09/08/2004 Time:15 33 DC,P. DeWitt Cason, Columbia Gounty B:1025 0:1194 ALACHUA, FL 32615

SURETY (IF ANY): AMOUNT OF BOND:

LENDER:

Market Street Mortgage Corporation 2650 McCormick Drive, Ste 200 Attn: Construction Lending Department Clearwater, FL 33759

Name/Address of person within the State of Florida designated by owner to whom notices or other documents may be served as provided by Section 713.13 (1)(a)7. Florida Statutes:

In addition to himself, owner designates MARKET STREET MORTGAGE CORPORATION. Attn: Construction Lending Department. 2650 McCormick Dr., Suite 200. Clearwater, FL 33759 to receive a copy of the Lienor's Notice as provided in Section 713.13 (1)(b), Florida Statutes. The expiration date of this Notice of Commencement is one year from the date of recording unless a different date is specified.

MARKIN J. MARSINEZ

The foregoing instrument was acknowledged before me the day of August, 2004 by MARTIN J. MARTINEZ and DINORA D. this day of August, 2004

'vho/ is/are personally known to me or has/have produced as identification and who did d not oath. teor -

Prepared By: ANNA FRACASS! Market Street Mortgage Corp. 2650 McCormick Drive. Ste 200 Clearwater, FL 33759

Notary Public NOTARIAL SEAL

Leon S. Fox, Notary Public Printed Name Brecknock Twp., Lancaster County

(SEAL) My Commis expires Nov. 24, 2006

My Commission Expires:



Columbia County Building Department Culvert Permit

Culvert Permit No. 000000426

DATE 10/19/2004	PARCEL ID #	18-6S-17-09696-215	
APPLICANT JOHN D HARRINGTON		PHONE	386 462-5323
ADDRESS 12523 US HIGHWAY 441		ALACHUA	FL 32615
OWNER MARTIN MARTINEZ		PHONE	
ADDRESS 11670 SW TUSTTENUGGE	E AVE	FT. WHITE	FL 32038
CONTRACTOR HOUSECRAFT		PHONE	386 462-5323
LOCATION OF PROPERTY 441S, T	R ON CR 131, 8 M	ILES TO PROPERTY ON RI	GHT
Į.			*:
X		Ж	7
SUBDIVISION/LOT/BLOCK/PHASE/	UNIT TUSTENUO	GGEE RIDGE	15
driving surface. Both thick reinforced concerns and a majority of the b) the driveway to be a Turnouts shall be concrete or paved current and existing	8 inches in diam ends will be mit rete slab. OTE: Turnouts we current and exist the served will be concrete or pave a driveway, which me paved or concrete or con	vill be required as follow ting driveway turnouts a paved or formed with co ed a minimum of 12 feet hever is greater. The wide	re paved, or; oncrete. wide or the width of the lth shall conform to the
		installation approved star	
Other			
ALL PROPER SAFETY REQUIREMENTS DURING THE INSTALATION OF THE CU		LOWED	- SOLD

135 NE Hernando Ave., Suite B-21

Lake City, FL 32055

Phone: 386-758-1008 Fax: 386-758-2160

Amount Paid 25.00



FLORIDA ENERGY EFFICIENCY CODE FOR BUILDING CONSTRUCTION

Florida Department of Community Affairs Residential Whole Building Performance Method A

Project	Name:
---------	-------

Martinez Residence

Address:

Lot: 15, Sub: Tustenuggee Rid, Plat: 7/ pg. 109

City, State:

Ft. White, FL 32038-

Owner:

Martin and Dinora Martinez

Climate Zone:

North

Builder:

Homes By House Craft

Permitting Office:

Permit Number: 2240 5

Jurisdiction Number: 221000

 New construction or existing Single family or multi-family Number of units, if multi-family Number of Bedrooms Is this a worst case? Conditioned floor area (ft²) Glass area & type Clear glass, default U-factor Default tint Labeled U or SHGC Floor types Stem Wall N/A N/A Wall types Concrete, Int Insul, Exterior Frame, Wood, Adjacent N/A N/A Ociling types Under Attic Under Attic N/A Ducts Sup: Unc. Ret: Unc. AH: Garage N/A 	New Single family 1 4 Yes 2095 ft² Single Pane 0.0 ft² 25.0 ft² 0.0 ft² 0.0 ft² 0.0 ft² 0.0 ft² R=6.0, 1396.0 ft² R=6.0, 162.0 ft² R=30.0, 2095.0 ft² R=30.0, 84.0 ft² Sup. R=6.0, 130.0 ft	12. Cooling systems a. Central Unit b. N/A c. N/A 13. Heating systems a. Electric Heat Pump b. N/A c. N/A 14. Hot water systems a. Electric Resistance b. N/A c. Conservation credits (HR-Heat recovery, Solar DHP-Dedicated heat pump) 15. HVAC credits (CF-Ceiling fan, CV-Cross ventilation, HF-Whole house fan, PT-Programmable Thermostat, MZ-C-Multizone cooling, MZ-H-Multizone heating)	Cap: 36.0 kBtu/hr SEER: 12.00
---	---	---	-------------------------------

Glass/Floor Area: 0.11

Total as-built points: 30641 Total base points: 32811

PASS

THE STA

I hereby certify that the plans and specifications covered by this calculation are in compliance with the Florida Energy Code.

PREPARED BY:

John Harrington

DATE: _____09-16-04

I hereby certify that this building, as designed, is in

compliance with the Florida Energy Code/

OWNER/AGENT:

DATE:

Review of the plans and specifications covered by this calculation indicates compliance with the Florida Energy Code. Before construction is completed this building will be inspected for compliance with Section 553.908

Florida Statutes.

BUILDING OFFICIAL: DATE: _

EnergyGauge® (Version: FLRCSB v3.30)

ENERGY PERFORMANCE LEVEL (EPL) DISPLAY CARD

ESTIMATED ENERGY PERFORMANCE SCORE* = 85.1

The higher the score, the more efficient the home.

Martin and Dinora Martinez, Lot: 15, Sub: Tustenuggee Rid, Plat: 7/ pg. 109, Ft. White, FL, 32038-

						THE RESERVE THE RECORDER OF THE PROPERTY OF TH	ABOVE STORE OF THE STORE STORE	
1.	New construction or existing		New		12.	Cooling systems		
2.	Single family or multi-family		Single family	-		Central Unit	Cap: 36.0 kBtu/hr	
3.	Number of units, if multi-family		1	1000			SEER: 12.00	_
4.	Number of Bedrooms		4	0.000	b.	N/A	DESERT. 12.00	_
5.	Is this a worst case?		Yes					_
6.	Conditioned floor area (fl2)		2095 ft ²		C.	N/A		_
7.	Glass area & type	Single Pane	Double Pane		-			_
a.	Clear - single pane	0.0 ft ²	225.0 ft ²		13.	Heating systems		_
	Clear - double pane	0.0 ft ²	0.0 ft ²			Electric Heat Pump	Cap: 36.0 kBtu/hr	
	Tint/other SHGC - single pane	0.0 ft ²	0.0 ft ²			The state of the s	HSPF: 8.00	_
	Tint/other SHGC - double pane	0.0 11	0.0 H		b	N/A	11511.0.00	_
8.	Floor types							_
	Stem Wall	R:	=0.0, 2095.0ft²	1000	c	N/A		_
b	N/A		0.0, 2000.01	72000	v.	14/4		_
0.000	N/A				14	Hot water systems		_
9.	Wall types					Electric Resistance	Cap: 40.0 gallons	
	Concrete, Int Insul, Exterior	R=	=6.0, 1396.0 ft²		a.	Licente Resistance	EF: 0.97	_
	Frame, Wood, Adjacent		2=6.0, 162.0 ft ²		h	N/A	Er. 0.97	_
	N/A		. 0.0, 102.0 1	_	U.	IVA		_
	N/A			_		Conservation credits		_
	N/A			_	C.	(HR-Heat recovery, Solar		_
	Ceiling types					•		
	Under Attic	D=2	30.0, 2095.0 ft ²	-	15	DHP-Dedicated heat pump) HVAC credits	OF	
	Under Attic		2=30.0, 84.0 ft ²	-	15.	(CF-Ceiling fan, CV-Cross ventilation,	CF,	-
	N/A		50.0, 64.0 11	-		HF-Whole house fan.		
	Ducts					PT-Programmable Thermostat,		
	Sup: Unc. Ret: Unc. AH: Garage	Sun I	R=6.0, 130.0 ft			MZ-C-Multizone cooling,		
	N/A	Sup. 1	C-0.0, 130.0 II	_				
U.	IVA					MZ-H-Multizone heating)		
Lee	rtify that this home has compl	iad with the	Elorido Enor	E6	Enian.	w. Codo For Duilding		
	istruction through the above er							
in t	his home before final increases	nergy saving	leatures will	Di-	li be i	installed (or exceeded)	OF THE STATE	A
	his home before final inspection		s, a new EPL	Disp	iay Ca	ira wili be completed	3/30	B
vas	ed on installed Code compliant	reatures.					E STATE OF THE STA	5
Bui	lder Signature:	Harry	ngto	Date	: _ <i>L</i>	19-16-04		RID.
	//		/1			,	H Washington H	B

*NOTE: The home's estimated energy performance score is only available through the FLA/RES computer program. This is <u>not</u> a Building Energy Rating. If your score is 80 or greater (or 86 for a US EPA/DOE EnergyStath designation), your home may qualify for energy efficiency mortgage (EEM) incentives if you obtain a Florida Energy Gauge Rating. Contact the Energy Gauge Hotline at 321/638-1492 or see the Energy Gauge web site at www.fsec.ucf.edu for information and a list of certified Raters. For information about Florida's Energy Efficiency Code For Building Construction, contact the Department of Community Affairs at 850/487-1824.

City/FL Zip: _

Address of New Home:

EnergyGauge® (Version: FLRCSB v3.30)

Code Compliance Checklist

Residential Whole Building Performance Method A - Details

ADDRESS: Lot: 15, Sub: Tustenuggee Rid, Plat: 7/ pg. 109, Ft. White, FL, 32038ERMIT #:

6A-21 INFILTRATION REDUCTION COMPLIANCE CHECKLIST

COMPONENTS	SECTION	REQUIREMENTS FOR EACH PRACTICE	CHECK					
Exterior Windows & Doors	606.1.ABC.1.1	Maximum:.3 cfm/sq.ft. window area; .5 cfm/sq.ft. door area.	/					
Exterior & Adjacent Walls	606.1.ABC.1.2.1	Caulk, gasket, weatherstrip or seal between: windows/doors & frames, surrounding wall; foundation & wall sole or sill plate; joints between exterior wall panels at corners; utility penetrations; between wall panels & top/bottom plates; between walls and floor. EXCEPTION: Frame walls where a continuous infiltration barrier is installed that extends from, and is sealed to, the foundation to the top plate.	~					
Floors	606.1.ABC.1.2.2	Penetrations/openings >1/8" sealed unless backed by truss or joint members. EXCEPTION: Frame floors where a continuous infiltration barrier is installed that is sealed to the perimeter, penetrations and seams.						
Ceilings	606.1.ABC.1.2.3	Between walls & ceilings; penetrations of ceiling plane of top floor; around shafts, chases, soffits, chimneys, cabinets sealed to continuous air barrier; gaps in gyp board & top plate; attic access. EXCEPTION: Frame ceilings where a continuous infiltration barrier is installed that is sealed at the perimeter, at penetrations and seams.						
Recessed Lighting Fixtures	606.1.ABC.1.2.4	Type IC rated with no penetrations, sealed; or Type IC or non-IC rated, installed inside a sealed box with 1/2" clearance & 3" from insulation; or Type IC rated with < 2.0 cfm from conditioned space, tested.	~					
Multi-story Houses	606.1.ABC.1.2.5	Air barrier on perimeter of floor cavity between floors.	NA					
Additional Infiltration reqts	606.1.ABC.1.3	Exhaust fans vented to outdoors, dampers; combustion space heaters comply with NFPA, have combustion air.	1					

6A-22 OTHER PRESCRIPTIVE MEASURES (must be met or exceeded by all residences.)

COMPONENTS	SECTION	REQUIREMENTS	CHECK						
Water Heaters	612.1	Comply with efficiency requirements in Table 6-12. Switch or clearly marked circuit breaker (electric) or cutoff (gas) must be provided. External or built-in heat trap required.							
Swimming Pools & Spas	612.1	Spas & heated pools must have covers (except solar heated). Non-commercial pools must have a pump timer. Gas spa & pool heaters must have a minimum thermal efficiency of 78%.	V						
Shower heads	612.1	Water flow must be restricted to no more than 2.5 gallons per minute at 80 PSIG.	V						
Air Distribution Systems	610.1	All ducts, fittings, mechanical equipment and plenum chambers shall be mechanically attached, sealed, insulated, and installed in accordance with the criteria of Section 610. Ducts in unconditioned attics: R-6 min. insulation.							
HVAC Controls	607.1	Separate readily accessible manual or automatic thermostat for each system.	V						
Insulation	604.1, 602.1	Ceilings-Min. R-19. Common walls-Frame R-11 or CBS R-3 both sides. Common ceiling & floors R-11.	V						

EnergyGauge™ DCA Form 600A-2001

WATER HEATING & CODE COMPLIANCE STATUS

Residential Whole Building Performance Method A - Details

ADDRESS: Lot: 15, Sub: Tustenuggee Rid, Plat: 7/ pg. 109, Ft. White, FL, 32038ERMIT #:

	BASE						AS-BUILT								
WATER HEA Number of Bedrooms	X	Multiplier	=	Total	Tank Volume	EF	Number of Bedrooms	х	Tank X Ratio	Multiplier X	Credit Multipli				
4		2746.00	1	0984.0	40.0	0.97	4		1.00	2491.22	1.00	9964.9			
					As-Built To	tal:						9964.9			

	CODE COMPLIANCE STATUS													
BASE							AS-BUILT							
Cooling Points	+	Heating Points	+	Hot Water Points	=	Total Points	Cooling Points	+	Heating Points	+	Hot Water Points	=	Total Points	
11527		10300		10984		32811	7871		12805		9965		30641	

PASS



EnergyGauge™ DCA Form 600A-2001

WINTER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: Lot: 15, Sub: Tustenuggee Rid, Plat: 7/ pg. 109, Ft. White, FL, 32038ERMIT #:

	В		AS-BUILT														
Winter Base Points: 16416.8					Winter As-Built Points:										24040.2		
Total Winter X System = Heating Points Multiplier Points				-	Total Component	х	Cap Ratio		Duct Multiplier	г	Multiplier		Credit Multiplier	=	Heating Points		
16416.8		0.6274		10299.9	24040.2 24040.2		1.000 1.00	(1.0	69 x 1.169 x 1.250	1.0	0) 0.426 0.426		1.000 1.000		12805.5 2805.5		

EnergyGauge™ DCA Form 600A-2001

WINTER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: Lot: 15, Sub: Tustenuggee Rid, Plat: 7/ pg. 109, Ft. White, FL, 32038 RMIT #:

	BASE	Ξ				AS-	BU	ILT				
GLASS TYPES										_		
.18 X Condition		BWPM =	Points		Ove	rhang						
Floor A	rea			Type/SC	Ornt	Len	Hgt	Area X	W	PM .	x w	OF = Poin
.18 2095	5.0	12.74	4804.3	Double, Clear	W	2.0	5.7	34.0	20	.73	1.0	5 738.2
				Double, Clear	W	2.0	4.7	20.0	20	.73	1.0	7 442.1
				Double, Clear	W	2.0	3.6	15.0		.73	1.1	0 341.2
				Double, Clear Double, Clear	E	2.0	5.7	34.0		.79	1.0	
				Double, Clear Double, Clear	E	2.0	5.7	50.0		.79	1.0	
				Double, Clear	N	2.0	5.7	17.0		.58	1.0	
				Double, Clear	N N	2.0	4.7 3.8	20.0		.58	1.0	
				Double, Clear	S	2.0	5.7	13.0 17.0		.58	1.0	
				Double, Clear	s	2.0	2.6	5.0		.30	1.2	
						2.0	2.0	3.0	13	.30	2.3	2 154.3
				As-Built Total:				225.0				4890.2
WALL TYPES	Area X	BWPM	= Points	Туре		R-V	/alue	Area	Х	WP	M =	Points
Adjacent	162.0	3.60	583.2	Concrete, Int Insul, Exterior			6.0	1396.0		5.1		7189.4
Exterior	1396.0	3.70	5165.2	Frame, Wood, Adjacent			6.0	162.0		5.20		851.7
										0.2		001.7
Base Total:	1558.0		5748.4	As-Built Total:				1558.0				8041.1
DOOR TYPES	Area X	BWPM	= Points	Туре				Area	Х	WP	VI =	Points
Adjacent	22.0	11.50	253.0	Exterior Insulated				44.0		8.40	,	369.6
Exterior	44.0	12.30	541.2	Adjacent Insulated				22.0		8.00		176.0
								500000 E.W.		0.00		170.0
Base Total:	66.0		794.2	As-Built Total:				66.0				545.6
CEILING TYPE	SArea X	BWPM	= Points	Туре	R-	√alue	Are	ea X W	PM	x w	CM =	Points
Under Attic	2095.0	2.05	4294.8	Under Attic		:	30.0	2095.0	2.05	X 1.00)	4294.8
				Under Attic		;	30.0			X 1.00		172.2
Base Total:	2095.0		4294.8	As-Built Total:				2179.0				4467.0
FLOOR TYPES	Area X	BWPM	= Points	Туре		R-V	alue	Area	Х	WPI	Л =	Points
Slab	0.0(p)	0.0	0.0	Stem Wall			0.0	2095.0		2 50	e.	7000 -
Raised	2095.0	0.96	2011.2	E. 100555 - 3 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5			5.0	2033.0		3.50		7332.5
Base Total:			2011.2	As-Built Total:				2095.0				7332.5
INFILTRATION	Area X	BWPM	= Points					Area 2	X	WPN	1 =	
	2095.0	-0.59	-1236.0						-			
	2000.0	-0.03	-1230.0					2095.0)	-0.5	9	-1236.0

EnergyGauge® DCA Form 600A-2001

SUMMER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: Lot: 15, Sub: Tustenuggee Rid, Plat: 7/ pg. 109, Ft. White, FL, 32038ERMIT #:

BASE			AS-BUILT					
Summer Bas	e Points:	27020.1	Summer As-Built Points:	23300.7				
Total Summer Points	X System Multiplier	= Cooling Points	Total X Cap X Duct X System X Credit Component Ratio Multiplier Multiplier Multiplier Multiplier (DM x DSM x AHU)	= Cooling er Points				
27020.1	0.4266	11526.8	23300.7 1.000 (1.090 x 1.147 x 1.00) 0.284 0.950 23300.7 1.00 1.250 0.284 0.950	7871.1 7871.1				

EnergyGauge™ DCA Form 600A-2001


SUMMER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: Lot: 15, Sub: Tustenuggee Rid, Plat: 7/ pg. 109, Ft. White, FL, 32038 RMIT #:

	BASE					AS-	BU	ILT				
GLASS TYPES .18 X Condition Floor A	oned X B	SPM =	Points	Type/SC	Ove Ornt	rhang		Area X	SP	M X	SOF	= Points
.18 2095	5.0	20.04	7557.1	Double, Clear	W	2.0	5.7	34.0	38.		-	
				Double, Clear	w	2.0	4.7	20.0	38.		0.83	1092.
				Double, Clear	W	2.0	3.6	15.0	38.		0.78	599. 401.
				Double, Clear	E	2.0	5.7	34.0	42.		0.83	1190
				Double, Clear	E	2.0	5.7	50.0	42.		0.83	1750.
				Double, Clear	N	2.0	5.7	17.0	19.		0.89	290.
				Double, Clear	N	2.0	4.7	20.0	19.		0.86	329.
				Double, Clear	N	2.0	3.8	13.0	19.		0.82	205.
				Double, Clear	s	2.0	5.7	17.0	35.		0.76	462.
				Double, Clear	s	2.0	2.6	5.0	35.		0.56	100.
				As-Built Total:				225.0				6423.4
WALL TYPES	Area X	BSPM	= Points	Туре		R-V	/alue	Area	Х	SPN	=	Points
Adjacent	162.0	0.70	113.4	Concrete, Int Insul, Exterior			6.0	1396.0		0.85		1186.6
Exterior	1396.0	1.70	2373.2	Frame, Wood, Adjacent			6.0	162.0		1.00		162.0
Base Total:	1558.0		2486.6	As-Built Total:				1558.0				1348.6
DOOR TYPES	Area X	BSPM	= Points	Туре				Area	х	SPM	=	Points
Adjacent	22.0	2.40	52.8	Exterior Insulated			_	44.0	_	4.40		
Exterior	44.0	6.10	268.4	Adjacent Insulated				22.0		4.10 1.60		180.4
D T								22.0		1.00		35.2
Base Total:	66.0		321.2	As-Built Total:				66.0				215.6
CEILING TYPE		BSPM	= Points	Туре	R	-Value	A	rea X S	PM	x sc	M =	Points
Under Attic	2095.0	1.73	3624.4	Under Attic		3	30.0	2095.0 1	.73)	(1.00		3624.4
Been Tatal				Under Attic		3	80.0			(1.00		145.3
Base Total:	2095.0		3624.4	As-Built Total:				2179.0				3769.7
FLOOR TYPES	Area X	BSPM	= Points	Туре		R-V	alue	Area	Х	SPM	=	Points
Slab	0.0(p)	0.0	0.0	Stem Wall	- Indian		0.0	2095.0		-4.70		0040.5
Raised	2095.0	-3.99	-8359.0				2.0	200.0		-4 ./U		-9846.5
Base Total:			-8359.0	As-Built Total:				2095.0				-9846.5
INFILTRATION	Area X	BSPM	= Points					Area :	X	SPM	=	Points
	2095.0	10.21	21389.9					2095.0		-december	-	

EnergyGauge® DCA Form 600A-2001





CAMPBELL'S

PEST CONTROL, INC.
P.O. Box 1619
Newbery, FL 32669
(352) 332-0048
(352) 472-5455

* 32405

NOTICE OF PREVENTIVE TREATMENT FOR TERMITES As required by Florida Building Code (FBC) 104.2.6

Date 11/11/94	# qof	Permit # 0000334	32408	Retreat Date	- 1
Owner Merting	saca Martinez	Sq. Ft. 2411		Linear Ft.	
Address of house to be treated // 723 5 10	11725 Tustone	Je 400	Applicator:	Ann	1
Builder's Name	+}	Lot # Subdivision	vision		

STAGE OF TREATMENT

Final Gallons of water applied: Other Building Out Walks Driveways Percent Concentration: AC Pad Veneer Brick Patios Garages Porches Main Body Chemical used:

Date

Initials T. T. T.	9, 7.6	020

vention	
te pre	line:
term	te this
od for	ap pur
r meth	nitial a
barrie	nent, in
nemical	и treath
f soil c	exteric
2.6-I	or final
2 104	ce is fo
As per FBC 104.2.6 - If soil chemical barrier method for termite preventio	If this notice is for final exterior treatment, initial and date this line: