APPROVED PRODUCTS LIST **APPROVAL** PRODUCT CATEGORY SUB CATEGORY **MANUFACTURER** No. & DATE FL13768-1 AGRI-METAL SUPPLY, INC. STRUCTURAL COMPONENTS **ROOF DECK** 12/15/20 29 Gauge Roof Panel FL13768-1 AGRI-METAL SUPPLY, INC. STRUCTURAL COMPONENTS STRUCTURAL WALL 12/15/20 29 Gauge Wall Panel FL17996.5-R2 ELIXIR DOOR AND METAL COMPANY **EXTERIOR DOORS SWINGING** 02/28/21 Series 407 FL14911.1-R12 SILVER LINE BUILDING PRODUCTS CORP. WINDOWS SINGLE HUNG 12/15/20 V1 Series / 50 Series (2000) FL12765.8 - R6 **EXTERIOR DOORS ROLL-UP** JANUS INTERNATIONAL GROUP, LLC Steel Roll-Up Sheet Door - (12' Max. Width) 10/12/20 JANUS INTERNATIONAL GROUP, LLC FL12765.8 **ROLL-UP** EXTERIOR DOORS

Series 750 - (10' Max. Width)

10/12/20


METAL FRAMING AND SIDING PREFABRICATED BY MARTINEZ CARPORTS, LLC. LAKE CITY, FLORIDA

THESE ENGINEERING DRAWINGS ARE THE PROPERTY OF BECHTOL ENGINEERING & TESTING, INC. AND MARTINEZ CARPORTS, LLC. THESE DRAWING MAY NOT BE REPRODUCED WITHOUT THE WRITTEN CONSENT OF BECHTOL ENGINEERING & TESTING, INC., AND MARTINEZ CARPORTS, LLC


THIS IS TO CERTIFY THAT THE CALCULATIONS AND SPECIFICATIONS HEREIN HAVE BEEN PREPARED BY THE UNDERSIGNED PROFESSIONAL ENGINEER, AND ARE IN ACCORDANCE WITH THE REQUIREMENTS OF SECTION 1609 OF THE FLORIDA BUILDING CODE, SEVENTH EDITION (2020).

GENERAL NOTES:

- THESE PLANS PERTAIN ONLY TO THE STRUCTURE, INCLUDING MAIN WIND FORCE RESISTING SYSTEM, COMPONENTS AND CLADDING, AND BASE RAIL ANCHORAGE. OTHER DESIGN ISSUES, INCLUDING BUT NOT LIMITED TO PLUMBING, ELECTRICAL, INGRESS/EGRESS, PROPERTY SET-BACKS, FINISH FLOOR ELEVATION AND SLOPE, OR OTHER LOCAL ZONING REQUIREMENTS ARE THE RESPONSIBILITY OF OTHERS.
- 2. THESE STRUCTURES ARE DESIGNED AS NON-HABITABLE UTILITY / STORAGE BUILDINGS (RISK CATEGORY I) CAPABLE OF SUPPORTING DEAD LOAD OF THE STRUCTURE AND APPLICABLE LIVE AND WIND LOADS. IMPROVEMENTS NOT SPECIFICALLY ADDRESSED HEREIN, INCLUDING DOORS, WINDOWS, SOLAR PANELS, LIGHTING, INTERIOR WALL(S), CEILING FIXTURES, OR OTHER COMPONENTS NOT LISTED IN THE FBC APPROVED PRODUCTS LIST (THIS SHEET), AND NOT PROVIDED AND INSTALLED BY MARTINEZ CARPORTS, LLC., WHICH EXERT ADDITIONAL LOADS ON THE STRUCTURE SHALL BE AT THE OWNER'S RISK. BECHTOL ENGINEERING AND TESTING, INC., SHALL NOT BE RESPONSIBLE FOR STRUCTURAL DAMAGE OR FAILURE DUE TO THE APPLICATION OF ADDITIONAL LOADS
- 3. ALL STEEL TUBING SHALL BE 50 KSI GALVANIZED STEEL. ALL FASTENERS SHALL BE GALVANIZED OR STAINLESS STEEL.
- 4. ALL COMPONENTS AND CLADDING SHALL BE INSTALLED ACCORDING TO MANUFACTURER'S INSTALLATION INSTRUCTIONS.
- 5. ALL FIELD FRAMING CONNECTIONS SHALL BE #12-14 x 3/4" SELF DRILLING SCREWS WITHOUT CONTROL SEAL WASHER. ALL SHOP FRAMING
- 6. CONCRETE SHALL HAVE A MINIMUM COMPRESSIVE STRENGTH OF 2500 PSI AT 28 DAYS. THE REINFORCING STEEL SHALL BE MINIMUM GRADE 40. CONCRETE SLAB FOUNDATIONS SHALL BE REINFORCED WITH 6x6 - W1.4xW1.4 WELDED WIRE FABRIC COMPLYING WITH ASTM A 185. OR WITH SYNTHETIC FIBER REINFORCEMENT COMPLYING WITH ASTM C1116.
- 7. CONCRETE ANCHORS SHALL BE TAPCON REDHEAD LDT 1/2" x 5" OR EQUIVALENT.
- 8. POST/RAFTER BRACING: BRACE ON EVERY POST/RAFTER CONNECTION, EXCEPT FOR END WALLS AND GABLE ENDS.
- 9. SLAB FOUNDATION SUBGRADE SOILS SHALL BE TERMITE TREATED AND COVERED WITH 6 MIL VAPOR RETARDER PER SECTION R318.1 OF THE FLORIDA BUILDING CODE SEVENTH EDITION (2020) - RESIDENTIAL, AND SECTION 1816.1 OF THE FLORIDA BUILDING CODE SEVENTH EDITION (2020) - BUILDING. SOIL LOAD BEARING PRESSURE OF 2000PSF IS ASSUMED.
- 10. 14 GA FRAMING: 2-1/2" x 2-1/2" TUBE STEEL (TS) WITH 2-1/4" x 2-1/4" TS NIPPLES. 12 GA FRAMING: 2-1/4" x 2-1/4" TS WITH 2" x 2" TS NIPPLES.
- 11. FOR ROOF SLOPES LESS THAN 7 DEGREES, SEAL ALL PANEL OVERLAPS WITH BUTYL TAPE OR OTHER SUITABLE SEALANT.
- 12. FOR CONTINUOUS REINFORCING, MINIMUM BAR OVERLAP SHALL BE 40 BARS DIAMETERS (25" FOR #5 REBAR)




NOTE: 14 GA FRAMING



FRONT ELEVATION

SCALE: 1/8" = 1'



REAR ELEVATION

SCALE: 1/8" = 1




BECHTOL ENGINEERING AND TESTING, INC. 605 WEST NEW YORK AVENUE DELAND, FLORIDA 32720

Digitally signed by Zachary J Stormant Date: 2023.05.25 Stormant 12:35:40 -04'00'

Zachary J. Stormant, P.E. Design Engineer


Zachary J. Stormant, P.E., State of Florida Professional Engineer, License No. 95176 This item has been digitally signed and sealed by Zachary J. Stormant, P.E. on the date indicated here. Printed copies of this document are not considered signed and sealed, and the signature must be verified on any electronic copies.



PROPOSED UTILITY STRUCTURE 5012 SOUTHWEST PINEMOUNT ROAD LAKE CITY, COLUMBIA COUNTY, FLORIDA




	FIELD:	DATE: 05/19/2023
G	DRAWN: BC	SCALE: NTS
ERS	CHECKED: CS	PROJ. NO.: G23067
	APPROVED: LP / ZS	SHEET 1 OF 5




RIGHT SIDE ELEVATION


SCALE: 1/8" = 1'




LEFT SIDE ELEVATION

SCALE: 1/8" = 1'









LAKE CITY, COLUMBIA COUNTY, FLORIDA




	FIELD:	DATE: 05/19/2023
G	DRAWN: BC	SCALE: NTS
ERS	CHECKED: CS	PROJ. NO.: G23067
	APPROVED: LP / ZS	SHEET 2 OF 5






MAX. 6 4 6 4 GIRTS 4' O.C. MAX. 4 FRONT POST/RAFTER FRAMING PLAN


SCALE: 1/8" = 1'






	FI
BECHTOL ENGINEERING AND TESTING, inc.	Di
CONSULTING GEOTECHNICAL ENVIRONMENTAL AND MATERIALS TESTING ENGINEERS	DF CH
Certificate of Authorization No. 00005492	A

	FIELD:	DATE: 05/19/2023
G	DRAWN: BC	SCALE: NTS
RS	CHECKED: CS	PROJ. NO.: G23067
	APPROVED: LP / ZS	SHEET 3 OF 5






PROPOSED UTILITY STRUCTURE 5012 SOUTHWEST PINEMOUNT ROAD LAKE CITY, COLUMBIA COUNTY, FLORIDA



FIELD:	DATE: 05/19/2023
DRAWN: BC	SCALE: NTS
CHECKED: CS	PROJ. NO.: G23067
APPROVED: LP / ZS	SHEET 4 OF 5





PROPOSED UTILITY STRUCTURE 5012 SOUTHWEST PINEMOUNT ROAD LAKE CITY, COLUMBIA COUNTY, FLORIDA



FIELD:	DATE: 05/19/2023
DRAWN: BC	SCALE: NTS
CHECKED: CS	PROJ. NO.: G23067
APPROVED: LP / ZS	SHEET 5 OF 5