

182 SW Broadleaf Ct
Lake City FL 32024
Permit# 000050174

182 SW Broadleaf Ct
Lake City FL 32024
Permit# 000050174

182 SW Broadleaf Ct
Lake City FL 32024
Permit# 000050174



182 SW Broadleaf Ct
Lake City FL 32024
Permit # 000050134




182 SW Broadleaf Ct
Lake city FL 32024
Permit# 000050174






182 SW Broadleaf Ct
Lake City FL 32024
Permit # 000050134

A person wearing a bright yellow safety vest is holding a clipboard with a white sheet of paper. The paper has handwritten text in black ink: "182 SW Broadleaf Ct", "Lake City FL 32024", and "Permit # 000050174". The person is standing on a roof that is covered with a white synthetic roofing material. The material has a repeating pattern of the "ABC" logo and the text "PRO GUARD 20 SYNTHETIC ROOFING". In the background, a green lawn and a trampoline are visible. A white fence is also partially visible on the left side of the image.



182 SW Broadleaf Ct
Lake city FL 32024
Permit# 000050174



PRO GUARD 220

SYNTHETIC ROOFING UNDERLAYMENT

Slip resistance may vary with surface conditions, weather, footwear and roof pitch.
La resistencia al deslizamiento puede variar dependiendo de la superficie, tipo de calzado o clima y la pendiente del techo.

OVERLAP LINE LINEA DE SUPERPOSICIÓN

OVERLAP LINE LINEA DE SUPERPOSICIÓN

Meets the following: ASTM D8869 Type IV,
ASTM D8257, CAN/CSA A123.3 and A220.1

ABC Supply Co. Inc.

182 SW Broadleaf Ct
Lake City FL 32024
Permit # 000050174

ABC Supply Co. Inc.

Meets the following: ASTM D8869 Type IV,
ASTM D8257, CAN/CSA A123.3 and A220.1

Meets the following: ASTM D8869 Type IV,
ASTM D8257, CAN/CSA A123.3 and A220.1

ABC Supply Co. Inc.

Meets the following: ASTM D8869 Type IV,
ASTM D8257, CAN/CSA A123.3 and A220.1

182 SW Broadleaf Ct
Lake city FL 32024
Permit# 000050174

182 SW Broadleaf Ct
Lake City FL 32024
Permit # 000050174



182 SW Broadleaf Ct
Lake City FL 32024
Permit# 000050174



182 SW Broadleaf Ct
Lake city FL 32024
Pemit# 000050174



182 SW Broadleaf Ct
Lake City FL 32024
Permit# 000050174

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

182 SW Broadleaf
Lake City FL 3202
Permit# 000050174

7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27

SPACING
RD
11

SPACING
RD
11

182 SW Broadleaf Ct
Lake City FL 32024
Permit# 000050174



182 SW Broadleaf Ct
Lake city FL 32024
Permit# 000050174

ABG
Supply Co. Inc.

ASTM D226 Type II,
pe IV, ASTM D8257
CAN/CSA A123.3 and A220.1

ASTM D226 Type II,
pe IV, ASTM D8257
CAN/CSA A123.3 and A220.1

LÍNEA DE SUPERPOSICIÓN

encia
e dégr
a las cond
ut varier

with surface conditions, weat
a las condiciones de la superficie,
ut varier dépendant de la température, chaussures

ABC Supply Co. inc.



Slip resistance may vary with surface conditions, weather, foot wear, etc.
La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado, clima, etc.
Le degré de résistance au glissement peut varier dépendant de la température, du type de chaussures, du climat, etc.

OVERLAP LINE

LÍNEA DE SUPERPOSICIÓN



182 SW Broadleaf Ct
Lake City FL 32024
Permit # 000050174

ABC Supply Co. inc.



La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado, clima, etc.
Le degré de résistance au glissement peut varier dépendant de la température, du type de chaussures, du climat, etc.

400280843 110824 365L

D 220

LAYMENT

techo

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

ABC Supply Co. inc.

ROOFING UNDERLAYMENT

air and roof pitch
calzado o clima y la pendiente del techo
hausures utiliser et le toit parite

OSICIÓN

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

ABC
Supply Co. inc.



182 SW Broadleaf Ct
Lake City FL 32024
Permit# 000050174

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

ABC
Supply Co. inc.

PRO
SYNTH

ABC
Supply Co. inc.



La resistent
Le c

Slip resistance may vary with surface
liz puede variar de acuerdo a la
résistance au

182 SW Broadleaf Ct
Lake city FL 32024
Pemit# 000050174



182 SW Broadleaf Ct
Lake city FL 32024
Permit# 000050174

Supply Co. Inc.

OVERLAP LINE

LÍNEA DE SUPERPOSICIÓN

La resistencia al deslizamiento se reduce en el punto de superposición.
Le degré de résistance au glissement est réduit au point de superposition.

Meets the following ASTM D226 Type II,
ASTM D4961 Type II, ASTM D6257,
ANSI CSA A123.1 and A120.1

OS SUPERPOSITION

ABC

Meets the following: ASTM D226 Type II



ROOFING UNDERLAYMENT

air and roof pitch
calzado o clima y la pendiente del techo
hausures utiliser et le toit parite

OSICIÓN

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

ABC
Supply Co. inc.



182 SW Broadleaf Ct
Lake City FL 32024
Permit# 000050174

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

ABC
Supply Co. inc.

PRO
SYNTH

ABC
Supply Co. inc.



La resistent
Le c

Slip resistance may vary with surface
liz puede variar de acuerdo a la
résistance au

ABC Supply Co. inc.



Slip resistance may vary with surface conditions, weather, foot traffic.
La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de tráfico.
Le degré de résistance au glissement peut varier dépendant de la température et du type de trafic.

OVERLAP LINE

LÍNEA DE SUPERPOSICIÓN



182 SW Broadleaf Ct
Lake City FL 32024
Permit # 000050174

ABC Supply Co. inc.



La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de tráfico.
Le degré de résistance au glissement peut varier dépendant de la température et du type de trafic.

400280843 110824365L

D 220

LAYMENT

techo

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

ABC Supply Co. inc.

182 SW Broadleaf Ct
Lake city FL 32024
Permit# 000050174

ABG
Supply Co. Inc.

ASTM D226 Type II,
pe IV, ASTM D8257
CAN/CSA A123.3 and A220.1

ASTM D226 Type II,
pe IV, ASTM D8257
CAN/CSA A123.3 and A220.1

LÍNEA DE SUPERPOSICIÓN

encia
e dégr
a las cond
ut varier

with surface conditions, weat

conditions de la surface, type

de la température, chaussures

182 SW Broadleaf Ct
Lake City FL 32024
Permit# 000050174



182 SW Broadleaf Ct
Lake city FL 32024
Pemit# 000050174

GUARDO
ASTIC ROOFING UNDERLAYMENT

Co. inc.



La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie.
Le degré de résistance au glissement peut varier dépendant de la texture.
Resistance may vary with surface conditions.
OVERLAP LINE



182 SW Broadleaf Ct
Lake city FL 32024
Pemit# 000050174





182 SW Broadleaf Ct
Lake city FL 32024
Permit # 000050174

ABC
PRO GUARD
SYNTHETIC ROOFING


ABC
20
UNDERLAYMENT

ABC
Supply Co. Inc.

ABC
GUARD 20
UNDERLAYMENT

ABC
PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

ABC
Supply Co. Inc.



182 SW Broadleaf Ct
Lake city FL 32024
Permit# 000050174

182 SW Broadleaf Ct
Lake city FL 32024
Permit# 000050174



182 SW Broadleaf Ct
Lake city FL 32024
Pemit# 000050174






182 SW Broadleaf Ct
Lake city FL 32024
Pemit# 000050174

Supply Co. Inc.

182 SW Broadleaf Ct
Lake city FL 32024
Pemit# 000050174

PRO GU
SYNTHETIC ROOF



182 SW Broadleaf Ct
Lake city FL 32024
Pemit# 000050174



182 SW Broadleaf Ct
Lake city FL 32024
Pemit# 000050174

Slip resistance may vary with weather, road surface, type of footwear, type of vehicle, type of cargo, etc.
Le degré de résistance au glissement peut varier en fonction de la température, du chaussant, du revêtement, du véhicule, du chargement, etc.

182 SW Broadleaf Ct
Lake city FL 32024
Pemit# 000050174

BO
Supply Co. inc.

Following: ASTM D226 Type II,
Type IV, ASTM D8257
A A123.3 and A220.1



Slip resistance may vary with weather, road surface, type of footwear, type of vehicle, type of cargo, etc.
Le degré de résistance au glissement peut varier en fonction de la température, du chaussant, du revêtement, du véhicule, du chargement, etc.

OVERLAP LINE

LÍNEA DE SUPERPOSICIÓN



182 SW Broadleaf Ct
Lake city FL 32024
Permit# 000050174

PRO
SYNTHETIC R

182 SW Broadleaf Ct
Lake City FL 32024
Permit# 000050174

ERLAP LIN

Slip resistance may vary
Le degré de résistance au glissement peut varier

Meets the following:
ASTM D226 Type II
ASTM D8257
CAN/CSA M123.3 and M201

182 SW Broadleaf Ct
Lake city FL 32024
Permit # 000050174

ABC
Supply Co. Inc.

D226 Type II,
M D8257
A220.1

La resistencia al desliz puede variar según las condiciones de la temperatura, la humedad y la pendiente del suelo.
Le degré de résistance au glissement peut varier en fonction de la température, l'humidité et la pente du sol.

Slip resistance may vary with temperature, humidity and slope.

OVERLAP LINE

Meets the following:
ASTM D226 Type II
ASTM D8257
CAN/CSA M123.3 and M201

LÍNEA DE SUPERPOSICIÓN



182 Sw Broadleaf Ct
Lake city FL 32024
Permit# 000050174

Meets the Following: ASTM D226
ASTM D4869 Type IV, ASTM D
CAN/CSA A123.3 and

roof pitch
do o clima y la pendiente del techo
res utilizar et le toit pente

Meets the Following: ASTM D226 Type
ASTM D4869 Type IV, ASTM D

182 SW Broadleaf Ct
Lake City FL 32024
Permit# 000050174

Supply Co. inc.

CAN/CSA A123.3 and A220.1

a pendient del techo
et le toit pente

PRO GUARD 20

SYNTHETIC ROOFING UNDERLAYMENT

182 SW Broadleaf Ct
Lake City FL 32024
Permit # 000050174

182 SW Broadleaf Ct
Lake City FL 32024
Permit# 000050174

182 SW Broadleaf Ct
Lake City FL 32024

ABC
Co. inc.




La resistencia al
Le degré

400280843 110824 365L

182 SW Broadleaf Ct
Lake City FL 32024
Permit# 000050174





182 SW Broadleaf Ct
Lake City FL 32024
Permit # 000050174

182 SW Broadleaf Ct
Lake city FL 32024
Permit # 000050174

182 SW Broadleaf Ct
Lake city FL 32024
Permit # 000050174

2 SW Broadleaf Ct
Lake City FL 32024
emit # 000050174

182 SW Broadleaf Ct
Lake city FL 32024
Permit # 000050174


182 SW Broadleaf Ct
Lake city FL 32024
Pemit# 000050174

182 SW Broadleaf Ct
Lake city FL 32024
Permit # 000050174

182 SW Broadleaf Ct
Lake city FL 32024
Permit # 000050174

182 SW Broadleaf Ct
Lake City FL 32024
Permit # 000050174

WWW.ROOFING
407-960-6



182 SW Broadleaf Ct
Lake city FL 32024
Permit # 000050174

182 SW Broadleaf Ct
Lake city FL 32024
Pemit# 000050174

182 SW Broadleaf Ct
Lake city FL 32024
Pemit# 000050174

182 SW Broadleaf Ct
Lake City FL 32024
Pemit# 000050174