

COLUMBIA COUNTY BOARD OF COUNTY COMMISSIONERS AGENDA ITEM REQUEST FORM

The Board of County Commissioners meets the 1st and 3rd Thursday of each month in the Columbia County School Board Administrative Complex Auditorium, 372 West Duval Street, Lake City, Florida 32055. The first meeting of every month is at 9:30AM while the second meeting of every month takes place at 5:30PM. All agenda items are due in the Board's office one week prior to the meeting date.

Today	's Date:	6/14/2022	Meeting Date:	7/7/2022
Name	:	Kevin Kirby	Department:	Public Works
Appro	ved By:	theto		
1. Natı	ure and pui	rpose of agenda item:		
	Utility perm	nit from Comcast to run a cable along 117 SV	V Wren Ct.	
2. Recommended Motion/Action:				
	Approve			

3. Fiscal impact on current budget.

This item has no effect on the current budget.

COLUMBIA COUNTY BOARD OF COUNTY COMISSIONERS UTILITY PERMIT

Date: _6/1	10/2022 _I	Permit No.	(County Roa	d	Sect	ion No	
Permittee .	Southeas	t Utilities of	Georgia OBO Co	omcast				
Address _	402 Ellis A	ve S Jackso	onville, FI 32254		Tele _l	phone Number <u>4</u>	07-401-18	808
						d the County, to c en Ct to improv		
	JB10464	87 - 117 \$	SW WREN CT	•				
FROM:	117 SW V	VREN CT	-	T	O: <u>161</u>	SW WREN CI	-	
Submitted	for the Util	ity Owner b	y: Kelcee Feitlin	- Permit Co	ordinator	Kelcee Feitlir	<u>1 6/</u>	10/2022
			Typed Name & 7	Title		Signature		Date
application () FOR	n. Proposed T WHITE (Clay Electric, I	work is wit	hin corporate limi r of notification v	ts of Municip was mailed o	pality: YE on 6/10	ns attached hereto S (X) NO (). I /2022 to	f YES: LA	AKE CITY wing utility
again imm located at The PERM	nediately upo 607 NW Q MITTEE's e	on completi uinten St Lak mployee re	on of work. The	Public World	ks Directo	_ Telephone Num _ Tim Salyard	ıber <u>386-</u> 7	
and shall b	oe complete of permit ap o make sure	d within <u>10</u> proval, then	days after peri PERMITTEE m	nitted work ust review th	has begur ne permit v	vithin 30 days and If the beginning with the Columbia cility that would a	g date is m County Pu	nore than 60 days ublic Works
4. The cor		nd maintena	ance of such utilit	y shall not i	nterfere w	ith the property a	nd rights o	of a prior

- 5. It is expressly stipulated that this permit is a license for permissive use only and that the placing of utilities upon public property pursuant to this permit shall not operate to create or vest any property right in said holder.
- 6. Pursuant to Section 337-403(1), Florida Statutes, whenever necessary for the construction, repair, improvement, maintenance, safe and efficient operation, alteration or relocation of all, or any portion of said transportation facility as determined by the Columbia County Public Works Director and/or County Engineer, any or all utilities and appurtenances authorized hereunder, shall be immediately removed from said transportation facility or reset or

Utilities Permit Page Two Revised: 8/17/00


relocated thereon as required by the Columbia County Public Works Director and/or County Engineer and at the expense of the PERMITTEE.

- 7. In case of non-compliance with the County's requirements in effect as of the approval date of this permit, this permit void and the facility will have to be brought into compliance or removed from the right of way at no cost to the County.
- 8. It is understood and agreed that the rights and privileges herein set out are granted only to the extent of the County's right, title and interest in the land to be entered upon and used by the PERMITTEE, and the PERMITTEE will, at all times, and to the extent permitted by law, assume all risk of and indemnify, defend, and save harmless Columbia County, Florida from any and all loss, damage, cost or expense arising in any manner on account of the exercise or attempted exercise by said PERMITTEE of the aforesaid right and privileges.
- 9. During construction, all safety regulations of the County shall be observed and the PERMITTEE must take measures, including pacing and the display of safety devices that may be necessary in order to safely conduct the public through the project area in accordance with the Federal Manual on Uniform Traffic Control Devices, as amended for highways.

10. Should the PERMITTEE be desirous of keeping its utilities in place execution of this permit acknowledges its present and continuing own 117 SW WREN CT and 161 SW	nership of its utilities located between						
County's right of way as set forth above. PERMITTEE, as its sole expense, shall promptly remove said out of service utilities whenever Columbia County Public Works Director and/or County Engineer determines said removal is in the public interest. 11. Special instructions: Minimum cover of thirty inches (30") will be required at all locations. Columbia County will not be financially responsible for any damage to facilities with less than thirty inches (30") cover. Cables shall not be located within driveway ditches.							
It is understand and agreed that commencement by the PERMITTEE is binding nature of these specialist instructions.	is acknowledgment and acceptance of the						
Submitted By: Kelcee Feitlin Permittee	Place Corporate Seal						
_Kelcee Feitlin - Permit Coordinator Signature and Title	Attested						

Utilities Permit Page three Revised: 8/17/00

Recommen	ded for Approval:
Signature:	//-/
Title:	Assistant County Manager
Date:	6/14/2022
Approval b	y Board of County Commissioners, Columbia County, Florida:
YES ()	NO ()
Date Appro	oved:
Chairman's	s Signature:



COMCAST PERMIT REQUEST FOR LOCATION: 117 SW WREN CT, LAKE CITY, FL 32025

THESE PLANS WERE PREPARED UNDER THE RESPONSIBLE CHARGE OF COMCAST.

JB1046487

NO EXPECTED CONFLICTS WITH OTHER UTILITIES

LOCATION: 117 SW WREN CT, LAKE CITY, FL 32025

TOTAL LENGTH OF JOB: 233' UG



JOB DESCRIPTION: CATV DIRECTIONAL BORE

DRAWN BY: PANKAJ KUMAR

1 OF 4

SCALE: NTS

GENERAL NOTES:

ALL PROPOSED UNDERGROUND CATV WILL BE BURIED A MINIMUM OF 36" DEEP EXCEPT ROAD BORES 36" DEEP AND DRIVEWAY BORES AT 36" DEEP.

ALL PROPOSED UNDERGROUND CATV ROAD BORES WILL USE CITY APPROVED DIRECTIONAL BORE MACHINE. AS WELL AS COUNTY APPROVED CONDUIT.

ALL PROPOSED CATV ROAD BORES WILL EXTEND A MINIMUM OF 7' BEYOND THE EDGE OF PAVEMENT.

ALL PROPOSED CATV DRIVEWAY BORES WILL EXTEND A MINIMUM OF 6' BEYOND THE EDGE OF PAVEMENT.

ALL PROPOSED BORES WILL BE IN A (4'X4'X4') PIT AND WILL USE (2)2" HDPE CONDUIT AT 36" DEPTH EXCEPT ROAD BORES AT 36" DEPTH AND DRIVEWAY BORES AT 36" DEPTH USING A 5 1/4" DRILL HEAD.

ALL PROPOSED AERIAL WILL BE .700" DIAMETER AND WILL BE LASHED TO .250" STEEL STRAND CABLE USING .125" STANDARD GALVANIZED LASHING WIRE.

ALL PROPOSED AERIAL CATV CROSSING ROADWAYS WILL HAVE MINIMUM MID-SPAN HEIGHT OF 18'-0"

ALL PROPOSED AERIAL CATV CROSSING DRIVEWAYS WILL HAVE MINIMUM MID-SPAN HEIGHT OF 18'-0"

LOCATES WILL BE REQUIRED IN ALL PROPOSED UNDERGROUND AREAS AT LEAST 48 HRS PRIOR TO CONSTRUCTION.

NOTIFICATIONS TO ALL UTILITIES INVOLVED WILL BE MADE PRIOR TO CONSTRUCTION.

ALL DISTRIBUTED AREA WITHIN THE RIGHT OF WAY WILL BE RESTORED TO ORIGINAL OR BETTER CONDITION BY GRADING AND RE-SODDING. SOD ALL AREAS DISTURBED BY CONSTRUCTION WITH BERMUDA SOD. "ALL CRACKED SIDEWALK IS TO BE REPLACED FROM JOINT TO JOINT WITHIN 7 DAYS OF WORK COMPLETION."

WORK OPERATIONS ARE TO BE MINDFUL NOT TO DAMAGE THE PAVER SIDEWALK WHEN POSITIONING EQUIPMENT. ANY DAMAGE INCLUDING TRACK MARKS WILL BE REPAIRED OR REPLACED BY THE CONTRACTOR.

CONSTRUCTION NOTES:

IN ORDER TO REDUCE THE DISRUPTION AND COST OF UTILITY DAMAGES OCCURRING IN THE RIGHT-OF-WAY AND EASEMENTS. THE PERMITTEE SHALL PREVENT DAMAGES TO EXISTING UTILITIES CAUSED BY THE WORK THROUGH FIELD VERIFICATION OF THE LOCATION OF THE EXISTING UTILITIES IN CASE OF OPEN EXCAVATION. VERIFICATION MAY BE PERFORMED DURING THE PERMITTEES WORK. IN THE CASE OF DIRECTIONAL DRILLING, VERIFICATION SHALL TAKE PLACE PRIOR TO MOBILIZATION OF THE DRILLING EQUIPMENT.

THE PERMITTEE SHALL VERIFY THE LOCATION OF THE EXISTING UTILITIES AS NEEDED TO AVOID CONTACT WITH DETECTION EQUIPMENT OR OTHER ACCEPTABLE MEANS, SUCH METHODS MAY INCLUDE BUT SHALL NOT BE LIMITED TO-"SOFT DIG"-EQUIPMENT AND GROUND PENETRATION RADAR (GPR). THE EXCAVATOR SHALL BE HELD LIABLE FOR DAMAGES CAUSED TO CITY'S/COUNTIES/STATE INFRASTRURE AND THE EXISTING FACILITIES OF THE OTHER UTILITY COMPANIES

NO REAMER USED

THE FOLLOWING STANDARD PLANS ARE IN ACCORDANCE WITH

THE FLORIDA DEPARTMENT OF TRANSPORTATION 2021-2022

INDEX 102-602 AND APPLY TO:

117 SW WREN CT, LAKE CITY, FL 32025

COMCAST PERMIT REQUEST FOR LOCATION: 117 SW WREN CT, LAKE CITY, FL 32025

NO BACKREAMER USED

NO EXPECTED CONFLICTS
WITH OTHER UTILITIES

LOCATION: 117 SW WREN CT, LAKE CITY, FL 32025

TOTAL LENGTH OF JOB: 233' UG




JOB DESCRIPTION: CATV DIRECTIONAL BORE PLACEMENT


DRAWN BY: PANKAJ KUMAR

DATE: 6/9/2022

2 OF 4

SCALE: NTS





NO BACKREAMER USED

NO EXPECTED CONFLICTS
WITH OTHER UTILITIES

LOCATION: 117 SW WREN CT, LAKE CITY, FL 32025

TOTAL LENGTH OF JOB: 233' UG



JOB DESCRIPTION: CATV DIRECTIONAL BORE

PLACEMENT

DRAWN BY: PANKAJ KUMAR

DATE: 6/9/2022

SCALE: NTS

3 OF 4

N


NOTES:

- This Index applies to Two-Lane, Two-Way and Multilane Roadways, including Medians of divided roadways, with work on the shoulder.
- 2. L = Taper Length X = Work Zone Sign Spacing B = Buffer Length See Index 102-600 for "L", "X", "B", and channelizing device spacing values.
- For incidental work (e.g. mowing or litter removal), only the Road Work Ahead sign is required.
- 4. When four or more work vehicles enter the through traffic lanes in a one hour period (excluding establishing and terminating the work area), use a flagger or lane closure to accommodate work vehicle ingress and egress.
- For work less than two feet from the traveled way and work zone speed is greater than 45 MPH, use a lane closure.
- 6. The "Speeding Fines Doubled When Workers Present"signs (MOT-13-06) and "End Road Work" Signs (G20-2) along with the associated work zone sign spacing distances may be omitted when the temporary condition is in place for 24 hours or less.
- Temporary pavement markings may be omitted when the work zone is in place for 3 days or less.
- If the work encroaches on a marked bicycle lane or ridable shoulder, close the lane or shoulder in accordance with the Plans.
- Omit "Shoulder Closed" signs (W21-5a) along with associated work zone sign spacing distances for work on the median


SYMBOLS:



- Channelizing Device (See Index 102-600)
- Work Zone Sign



SHOULDER WORK LESS THAN 2' FROM THE TRAVELED WAY
WITH WORK ZONE SPEED OF 45 MPH OR LESS



SHOULDER WORK BETWEEN 2' AND 15' FROM THE TRAVELED WAY

10/9/2020