

COLUMBIA COUNTY BOARD OF COUNTY COMMISSIONERS AGENDA ITEM REQUEST FORM

The Board of County Commissioners meets the 1st and 3rd Thursday of each month in the Columbia County School Board Administrative Complex Auditorium, 372 West Duval Street, Lake City, Florida 32055. The first meeting of every month is at 9:30AM while the second meeting of every month takes place at 5:30PM. All agenda items are due in the Board's office one week prior to the meeting date.

Today's Date:		6/22/2022	Meeting Date:	7/7/2022	
Name:		Kevin Kirby	Department:	Public Works	
Approved By:		My			
1. Nat	ure and pur	pose of agenda item:			
	Utility perm	nit from Comcast to run a cable at 1992 NW B	ascom Norris Dr.		
2. F	Recommend	led Motion/Action:			
[Approve				

3. Fiscal impact on current budget.

This item has no effect on the current budget.

COLUMBIA COUNTY BOARD OF COUNTY COMISSIONERS UTILITY PERMIT

Date:5/26/20)22_ Permit No	Count	y Road <u>NV</u>	V LAKE JEFFERY Section	on No
Permittee So	outheast Utilities	of Georgia OBO Comcas	st		
Address 402	Ellis Ave S Jack	sonville, Fl 32254		Telephone Number 407	7-401-1808
Requesting per maintain insta	mission from Co all 823' UG of 24	lumbia County, Florida, CT FOC along and cross	hereinafte sing NW La	r called the County, to con take Jeffery to improve ser	ntract, operate and vice
JB10	022016 - 1992 N	W BASCOM NORRIS DE	?		
FROM: 1533	NW LAKE JEFFE	ERY RD	TO: _	1689 NW LAKE JEFFER	RY RD
Submitted for t	he Utility Owner	by: Kelcee Feitlin - Perr	nit Coordir	nator Kelcee Feitlin	
	·	Typed Name & Title		Signature	Date
() FORT WI	HITE (). A let			y: YES (X) NO (). If 5/26/2022 to	
again immediated at 60°	tely upon comple 7 NW Quinten St L	tion of work. The Public	c Works D	Telephone Numb	_
		Telephone Number to starting work.)			his name may be provided
and shall be co from date of pe	mpleted within _ rmit approval, the	0 days after permitted en PERMITTEE must rev	work has view the pe	faith within 30 days afto begun. If the beginning or crimit with the Columbia Colon facility that would afford	date is more than 60 days County Public Works
4. The constru PERMITTEE.	ction and mainte	nance of such utility shal	ll not inter	fere with the property and	l rights of a prior

- 5. It is expressly stipulated that this permit is a license for permissive use only and that the placing of utilities upon public property pursuant to this permit shall not operate to create or vest any property right in said holder.
- 6. Pursuant to Section 337-403(1), Florida Statutes, whenever necessary for the construction, repair, improvement, maintenance, safe and efficient operation, alteration or relocation of all, or any portion of said transportation facility as determined by the Columbia County Public Works Director and/or County Engineer, any or all utilities and appurtenances authorized hereunder, shall be immediately removed from said transportation facility or reset or

Utilities Permit Page Two Revised: 8/17/00


relocated thereon as required by the Columbia County Public Works Director and/or County Engineer and at the expense of the PERMITTEE.

- 7. In case of non-compliance with the County's requirements in effect as of the approval date of this permit, this permit void and the facility will have to be brought into compliance or removed from the right of way at no cost to the County.
- 8. It is understood and agreed that the rights and privileges herein set out are granted only to the extent of the County's right, title and interest in the land to be entered upon and used by the PERMITTEE, and the PERMITTEE will, at all times, and to the extent permitted by law, assume all risk of and indemnify, defend, and save harmless Columbia County, Florida from any and all loss, damage, cost or expense arising in any manner on account of the exercise or attempted exercise by said PERMITTEE of the aforesaid right and privileges.
- 9. During construction, all safety regulations of the County shall be observed and the PERMITTEE must take measures, including pacing and the display of safety devices that may be necessary in order to safely conduct the public through the project area in accordance with the Federal Manual on Uniform Traffic Control Devices, as amended for highways.

Should the PERMITTEE be desirous of keeping its utilities in place and out of service, the PERMITTEE, by cution of this permit acknowledges its present and continuing ownership of its utilities located between 1533 NW LAKE JEFFERY RD and 1689 NW LAKE JEFFERY RD within the							
County's right of way as set forth above. PERMITTEE, as its sole expense, shall promptly remove said out of service utilities whenever Columbia County Public Works Director and/or County Engineer determines said removal is in the public interest.							
11. Special instructions: Minimum cover of thirty inches (30") will will not be financially responsible for any damage to facilities with not be located within driveway ditches.							
12. Additional Stipulations:							
It is understand and agreed that commencement by the PERMITTI binding nature of these specialist instructions.	EE is acknowledgment and acceptance of the						
Submitted By: Kelcee Feitlin Permittee	Place Corporate Seal						
Kelcee Feitlin Permitting Coordinator							
Signature and Title	Attested						

Utilities Permit Page three Revised: 8/17/00

Recommended for Approval:
Signature:
Title: Assistant County Manager
Date:6/22/2022
Approval by Board of County Commissioners, Columbia County, Florida:
YES () NO ()
Date Approved:
Chairman's Signature:



GENERAL NOTES:

ALL PROPOSED UNDERGROUND CATV WILL BE BURIED A MINIMUM OF 36" DEEP EXCEPT ROAD BORES 36" DEEP AND DRIVEWAY BORES AT 36" DEEP.

ALL PROPOSED UNDERGROUND CATV ROAD BORES WILL USE CITY APPROVED DIRECTIONAL BORE MACHINE, AS WELL AS COUNTY APPROVED CONDUIT.

ALL PROPOSED CATV ROAD BORES WILL EXTEND A MINIMUM OF 7' BEYOND THE EDGE OF PAVEMENT.

ALL PROPOSED CATV DRIVEWAY BORES WILL EXTEND A MINIMUM OF 6' BEYOND THE EDGE OF PAVEMENT.

ALL PROPOSED BORES WILL BE IN A (4'X4'X4') PIT AND WILL USE (2)2" HDPE CONDUIT AT 36" DEPTH EXCEPT ROAD BORES AT 36" DEPTH AND DRIVEWAY BORES AT 36" DEPTH USING A 5 1/4" DRILL HEAD.

ALL PROPOSED AERIAL WILL BE 0.700" DIAMETER AND WILL BE LASHED TO 0.250" STEEL STRAND CABLE USING 0.125" STANDARD GALVANIZED LASHING WIRE.

ALL PROPOSED AERIAL CATV CROSSING ROADWAYS WILL HAVE MINIMUM MID-SPAN HEIGHT OF 18'-0"

ALL PROPOSED AERIAL CATV CROSSING DRIVEWAYS WILL HAVE MINIMUM MID-SPAN HEIGHT OF 18'-0"

LOCATES WILL BE REQUIRED IN ALL PROPOSED UNDERGROUND AREAS AT LEAST 48 HRS PRIOR TO CONSTRUCTION.

NOTIFICATIONS TO ALL UTILITIES INVOLVED WILL BE MADE PRIOR TO CONSTRUCTION.

ALL DISTRIBUTED AREA WITHIN THE RIGHT OF WAY WILL BE RESTORED TO ORIGINAL OR BETTER CONDITION BY GRADING AND RE-SODDING. SOD ALL AREAS DISTURBED BY CONSTRUCTION WITH BERMUDA SOD. "ALL CRACKED SIDEWALK IS TO BE REPLACED FROM JOINT TO JOINT WITHIN 7 DAYS OF WORK COMPLETION."

WORK OPERATIONS ARE TO BE MINDFUL NOT TO DAMAGE THE PAVER SIDEWALK WHEN POSITIONING EQUIPMENT. ANY DAMAGE INCLUDING TRACK MARKS WILL BE REPAIRED OR REPLACED BY THE CONTRACTOR.

CONSTRUCTION NOTES:

IN ORDER TO REDUCE THE DISRUPTION AND COST OF UTILITY DAMAGES OCCURRING IN THE RIGHT-OF-WAY AND EASEMENTS. THE PERMITTEE SHALL PREVENT DAMAGES TO EXISTING UTILITIES CAUSED BY THE WORK THROUGH FIELD VERIFICATION OF THE LOCATION OF THE EXISTING UTILITIES IN CASE OF OPEN EXCAVATION. VERIFICATION MAY BE PERFORMED DURING THE PERMITTEES WORK. IN THE CASE OF DIRECTIONAL DRILLING, VERIFICATION SHALL TAKE PLACE PRIOR TO MOBILIZATION OF THE DRILLING EQUIPMENT.

THE PERMITTEE SHALL VERIFY THE LOCATION OF THE EXISTING UTILITIES AS NEEDED TO AVOID CONTACT WITH DETECTION EQUIPMENT OR OTHER ACCEPTABLE MEANS, SUCH METHODS MAY INCLUDE BUT SHALL NOT BE LIMITED TO-"SOFT DIG"-EQUIPMENT AND GROUND PENETRATION RADAR (GPR). THE EXCAVATOR SHALL BE HELD LIABLE FOR DAMAGES CAUSED TO CITY'S/COUNTIES/STATE INFRASTRURE AND THE EXISTING FACILITIES OF THE OTHER UTILITY COMPANIES

NO REAMER USED

THE FOLLOWING STANDARD PLANS ARE IN ACCORDANCE WITH
THE FLORIDA DEPARTMENT OF TRANSPORTATION 2021-2022
INDEX 102-602 AND APPLY TO:
1992 NW BASCOM NORRIS DR, LAKE CITY, FL 32055

COMCAST PERMIT REQUEST FOR LOCATION: 1992 NW BASCOM NORRIS DR, LAKE CITY, FL 32055

NO BACKREAMER USED

NO EXPECTED CONFLICTS
WITH OTHER UTILITIES

LOCATION: 1992 NW BASCOM NORRIS DR, LAKE CITY,

FL 32055

TOTAL LENGTH OF JOB: 823' UG




JOB DESCRIPTION: CATV DIRECTIONAL BORE PLACEMENT


DRAWN BY: RISHABH SHARMA

DATE: 5/26/2022

2 OF 5

SCALE: NTS






NOTES:

- This Index applies to Two-Lane, Two-Way and Multilane Roadways, including Medians of divided roadways, with work on the shoulder.
- 2. L = Taper Length
 X = Work Zone Sign Spacing
 B = Buffer Length
 See Index 102-600 for "L", "X", "B", and channelizing device spacing values.
- For incidental work (e.g. mowing or litter removal), only the Road Work Ahead sign is required.
- 4. When four or more work vehicles enter the through traffic lanes in a one hour period (excluding establishing and terminating the work area), use a flagger or lane closure to accommodate work vehicle ingress and egress.
- For work less than two feet from the traveled way and work zone speed is greater than 45 MPH, use a lane closure.
- The "Speeding Fines Doubled When Workers Present"signs (MOT-13-06) and "End Road Work" Signs (G20-2) along with the associated work zone sign spacing distances may be omitted when the temporary condition is in place for 24 hours or less.
- Temporary pavement markings may be omitted when the work zone is in place for 3 days or less.
- If the work encroaches on a marked bicycle lane or ridable shoulder, close the lane or shoulder in accordance with the Plans.
- Omit "Shoulder Closed" signs (W21-5a) along with associated work zone sign spacing distances for work on the median


SYMBOLS:



- Channelizing Device (See Index 102-600)
- D Work Zone Sign



SHOULDER WORK LESS THAN 2' FROM THE TRAVELED WAY
WITH WORK ZONE SPEED OF 45 MPH OR LESS



SHOULDER WORK BETWEEN 2' AND 15' FROM THE TRAVELED WAY

10/9/2020

≥ DESCRIPTION: