

Outside measurement of foundation
Equals Basic Building Dimension
plus Seven (7) inches

45'7"

Basic Building
Dimension
to outside of Base Rail

45'

BUILDING SLAB

See Corner
Detail Sheet 3

Building
Base Rail

3-1/2" wide x 1-1/2" high Notch
in Concrete outside
of basic building
dimensions

50'
Basic Building
Dimension
to outside of Base Rail

50'7"



Outside measurement of foundation
Equals Basic Building Dimension
plus Seven (7) inches

IMPORTANT - NOTES


Record Measurements
in these spaces provided

All basic building dimensions
are to the outside of the
frame Base Rail and DO NOT
INCLUDE the 3-1/2" x 1-1/2"
notch in the concrete footing

See Sheet 3 of 3
for Detail of Building
corner configuration



TYPICAL BUILDING FOUNDATION MEASUREMENTS



IMPORTANT - NOTES

Record Measurements in these spaces provided

All basic building diagonal dimensions are to the outside corner of the frame Base Rail and DO NOT INCLUDE the 3-1/2" x 1-1/2" notch in the concrete footing

See Sheet 3 of 3 for Detail of Building corner configuration




TYPICAL BUILDING

FOUNDATION MEASUREMENTS

DIAGONALS

3-1/2" wide x 1-1/2" high Notch in Concrete outside of basic building dimensions



TYPICAL WALL SECTION

Basic Building Size
is measured to the
outside of the

Base Rail

SIDING


BASE RAIL

BASE RAIL

Siding rests on
concrete notch

GROUND

3-1/2" wide x 1-1/2" high
Notch in Concrete outside
of basic building
dimensions



TYPICAL BUILDING CORNER DETAIL